IIQ to ISC Migration Checklist

Nov 6, 2026

Moving from SailPoint IdentityIQ to Identity Security Cloud is a redesign, not a copy: most of the effort is deciding what each IIQ customization becomes in ISC. Work through the five phases below in order and tick items off as you go. Built for IAM engineers, architects and consultants running the move.

Phase 1: Discover

Goal: a full inventory of what IIQ does today, before anyone opens ISC.

- [ ] Export every Application, Rule, Workflow and the Identity ObjectConfig from IIQ (iiq console `export -clean`)
- [ ] List all applications with connector type, authoritative flag and account count
- [ ] List every rule by type (Correlation, BuildMap, Customization, BeforeProvisioning, FieldValue, IdentityAttribute...)
- [ ] List rule libraries and which rules call them
- [ ] List custom workflows, quicklinks, forms and plugins
- [ ] Capture identity attributes, their sources and which are searchable or extended
- [ ] Capture roles, entitlement catalog, SOD policies and certification campaigns
- [ ] Note every Custom object and what reads it
- [ ] Note scheduled tasks and their frequency
- [ ] Record current pain points worth fixing in the move, not carrying over

Phase 2: Assess

Goal: decide what every IIQ item becomes in ISC. Prefer the option highest in this table.

IIQ item	First choice in ISC	Fallback
Correlation rule	Attribute-based correlation config	Correlation cloud rule
Identity attribute rule	Transform (lookup, conditional, firstValid)	IdentityAttribute cloud rule

IIQ item	First choice in ISC	Fallback
Field value rule in a provisioning policy	Transform chain	AttributeGenerator cloud rule
Unique account ID logic	usernameGenerator transform	AttributeGenerator cloud rule
BuildMap / PreIterate / MergeMaps	Connector rule (runs on the VA)	Fix the data at the source
Customization rule	ResourceObjectCustomization connector rule	Transform on the identity side
Before provisioning rule	BeforeProvisioning cloud rule	Workflow
After provisioning rule	Workflow on a provisioning trigger	External API
Custom workflow	ISC Workflow	External service called by a workflow
Custom object lookups	Source config, entitlement metadata, lookup transform	External API

- [ ] Tag every rule: config, transform, connector rule, cloud rule, workflow, or retire
- [ ] Flag rules that query the IIQ database (`context.getObjects`, QueryOptions): these never port as-is
- [ ] Flag rules that call HTTP, read files or start threads
- [ ] Retire anything nobody uses: migration is the cheapest time to delete
- [ ] Budget time for SailPoint's review of every cloud and connector rule

Phase 3: Design

Goal: the ISC target on paper before building.

- [ ] Pick the authoritative source(s) and design one identity profile per source
- [ ] Map every identity attribute to a transform; create custom identity attributes (letters and numbers only in names)
- [ ] Define lifecycle states and the cloudLifecycleState transform that drives them
- [ ] Plan manager correlation on the authoritative source

- [ ] Decide which connectors run on a Virtual Appliance and size the VA cluster
- [ ] Choose SaaS vs VA connector variants where both exist (for example Web Services, JDBC)
- [ ] Redesign the access model: access profiles, roles and entitlement metadata
- [ ] Map approval logic to ISC approval schemes and workflows
- [ ] Plan certifications and SOD policies in ISC terms
- [ ] Agree on naming conventions for sources, transforms and workflows
- [ ] Set up source control for ISC config (sources, transforms, workflows as JSON)

Phase 4: Build

Goal: everything built in a sandbox tenant first, promoted to prod through source control.

- [ ] Create sources, schemas and provisioning policies
- [ ] Build and unit-test transforms (test with the transform preview before attaching)
- [ ] Build identity profiles; run a preview on sample identities before the first full refresh
- [ ] Submit cloud and connector rules for SailPoint review early; reviews take time
- [ ] Rebuild custom workflows as ISC Workflows; move outbound calls to workflow HTTP steps
- [ ] Set up API clients with least privilege for any automation
- [ ] Configure lifecycle state actions (disable accounts, remove access) and test each one
- [ ] Rebuild access profiles, roles and approval schemes
- [ ] Configure delete thresholds on every source
- [ ] Version every config change in git

Phase 5: Test and cut over

Goal: prove ISC matches (or beats) IIQ, then switch with a way back.

1. Parallel run: aggregate the same sources in both systems and compare
   - [ ] Identity counts and attribute values match for a sample of every identity type
   - [ ] Account correlation rates match, and uncorrelated accounts are explained
   - [ ] Lifecycle states land as expected for joiners, movers and leavers
2. Functional tests
   - [ ] Provision, modify, disable and delete on every writable source

- [ ] Access requests and approvals end to end
- [ ] Certifications launch and remediate

3. Cutover
   - [ ] Freeze changes in IIQ; final aggregation
   - [ ] Turn off IIQ provisioning before turning on ISC provisioning, never both at once
   - [ ] Communicate the new request portal to users and approvers
4. After go-live
   - [ ] Watch failed provisioning and aggregation errors daily for two weeks
   - [ ] Keep IIQ read-only for an agreed period, then decommission

Common gotchas

- **Treating it as a lift and shift.** IIQ rules that search the database have no direct ISC equivalent; redesign them.
- **Rule review delays.** Every cloud and connector rule goes through SailPoint review. Start early.
- **Multi-valued identity attributes.** ISC identity attributes are single-valued; join or rethink them.
- **Attribute names.** ISC identity attribute technical names allow letters and numbers only.
- **Both systems provisioning at once.** Leads to duplicate accounts and fights over attribute values.
- **Firewall surprises.** Workflows calling your own APIs need the tenant's outbound IPs allowed; FedRAMP tenants have their own.
- **Secrets in config.** Never copy passwords from IIQ exports into JSON or git.

Speed up Phases 1 and 2

IdentityLift reads your IIQ exports offline and produces ISC source configs, schemas, provisioning policies, transforms, identity profiles and a gap report with an effort estimate, in minutes instead of weeks. Your XML never leaves your machine.