




Date. —/—/—




WAP to Print "Hello world!" in Java.

```
public static void main (String[] args) {  
    System.out.println ("Hello world!");  
}
```

WAP to variables & Data Types.

```
public class VariablesAndTypes {  
    public static void main (String[] args) {  
        int myInt = 100;  
        double myDouble = 25.55;  
        boolean myBoolean = true;  
        char myChar = 'j';  
        String myString = "Learning Java";  
  
        System.out.println ("int value: " + myInt +  
            "\n double value: " + myDouble +  
            "\n boolean value: " + myBoolean +  
            "\n char value: " + myChar +  
            "\n string value: " + myString );  
    }  
}
```



```
C:\Users\Anish>java --version  
java 26.0.1 2026-04-21  
Java(TM) SE Runtime Environment (build 26.0.1+8-34)  
Java HotSpot(TM) 64-Bit Server VM (build 26.0.1+8-34, mixed mode, sharing)  
  
C:\Users\Anish>javac --version  
javac 26.0.1  
  
C:\Users\Anish>
```

Date. —/—/—



WAP to show operator demo.

```
public static void main (String[] args) {  
    int a = 10, b = 3;
```

```
    System.out.println("Arithmetic Operators \n");  
    System.out.println("a + b = " + (a + b) +  
        "\n a % b = " + (a % b) +  
        "\n (a - b) = " + (a - b) +  
        "\n (a * b) = " + (a * b) +  
        "\n (a / b) = " + (a / b));
```

```
    System.out.println("\n Relational operators");  
    System.out.println("a > b : " + (a > b) +  
        "\n a < b : " + (a < b) +  
        "\n a == b : " + (a == b) +  
        "\n a != b : " + (a != b));
```

```
    System.out.println("\n logical operator");  
    boolean x = true;  
    boolean y = false;  
    System.out.println("x & y : " + (x & y) +  
        "\n x || y : " + (x || y) +  
        "\n !x : " + (!x));
```

```
    }  
}
```

```
"D:\extracted files\java\bin\java.exe" "-javaagent:D:\extracted files\idea files\IntelliJ IDEA 2020.1.2\lib\idea_rt.jar=64035" -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -Dsun.stderr.encoding=UTF-8 -classpath "D:\extracted files\java\bin\java.exe"
Arithmetic Operators
a + b = 13
a - b = 7
a * b = 30
a / b = 3
a % b = 1

Relational Operators
a > b : true
a < b : false
a == b : false
a != b : true

Logical Operators
x && y : false
x || y : true
!x : false

Process finished with exit code 0
```

```
"D:\extracted files\java\bin\java.exe" "-javaagen
int value: 100
double value: 25.55
boolean value: true
char value: J
String value: Learning Java

Process finished with exit code 0
```