

Linux File Management Machine Test

Objectives

- 1 Create an empty file called x in the /tmp directory.
- 2 Copy the x file from /tmp to your home directory.
- 3 Create a copy of the x file and name it y.
- 4 Create a directory called files and move both x and y into it.
- 5 Create a copy of the files directory and name the copy copy_of_files.
- 6 Rename the copy_of_files directory to files2.
- 7 Remove both files and files2 directories along with their contents.

```
anish@rakusafe: ~  
anish@rakusafe:~$  
anish@rakusafe:~$ sudo touch /tmp/x  
anish@rakusafe:~$ ls  
DevOps-Team  ani.txt      deploy.sh    linux-test  
DevOpsLab    application.log 'deploy.sh' '$'\341\271\243' logs.txt  
LinuxPractice backup       developer    notes.txt  
MyLinuxLab   config.env   employee.txt project.txt  
ani          config.txt   home        x  
anish@rakusafe:~$ cd /tmp/  
anish@rakusafe:/tmp$ ls  
snap-private-tmp  
systemd-private-939b218340ed4ad28cae0e9e57df88f4-chrony.service-UJvFif  
systemd-private-939b218340ed4ad28cae0e9e57df88f4-systemd-logind.service-EWJZdF  
x  
anish@rakusafe:/tmp$ cd  
anish@rakusafe:~$ sudo cp /tmp/x ~/x  
anish@rakusafe:~$ ls  
DevOps-Team  ani.txt      deploy.sh    linux-test  
DevOpsLab    application.log 'deploy.sh' '$'\341\271\243' logs.txt  
LinuxPractice backup       developer    notes.txt  
MyLinuxLab   config.env   employee.txt project.txt  
ani          config.txt   home        x  
anish@rakusafe:~$ mv touch
```

```
anish@rakusafe: ~/files2
anish@rakusafe:~$
anish@rakusafe:~$
anish@rakusafe:~$ sudo mkdir files
anish@rakusafe:~$ mv x y files/
mv: cannot move 'x' to 'files/x': Permission denied
mv: cannot move 'y' to 'files/y': Permission denied
anish@rakusafe:~$ sudo mv x y files/
anish@rakusafe:~$ ls
DevOps-Team  ani.txt      deploy.sh    home
DevOpsLab    application.log 'deploy.sh'$'\341\271\243' linux-test
LinuxPractice backup       developer     logs.txt
MyLinuxLab   config.env   employee.txt  notes.txt
ani          config.txt   files         project.txt
anish@rakusafe:~$ ls -l files/
total 0
-rw-r--r-- 1 root  root  0 Oct  4 13:13 x
-rw-r--r-- 1 anish anish 0 Oct  4 13:23 y
```

```
anish@rakusafe:~$ sudo mv files files2
anish@rakusafe:~$ ls
DevOps-Team  ani.txt      deploy.sh    home
DevOpsLab    application.log 'deploy.sh'$'\341\271\243' linux-test
LinuxPractice backup       developer     logs.txt
MyLinuxLab   config.env   employee.txt  notes.txt
ani          config.txt   files2        project.txt
anish@rakusafe:~$ cd files2/
anish@rakusafe:~/files2$ ls
x y
```

```
anish@rakusafe: ~  
anish@rakusafe:~$ sudo ls -l files/  
total 0  
-rw-r--r-- 1 root root 0 Oct 4 13:13 x  
-rw-r--r-- 1 anish anish 0 Oct 4 13:23 y  
anish@rakusafe:~$ sudo cp -r files copy_of_files  
anish@rakusafe:~$ ls  
DevOps-Team    application.log  'deploy.sh'$'\341\271\243'  logs.txt  
DevOpsLab      backup          developer          notes.txt  
LinuxPractice  config.env      employee.txt       project.txt  
MyLinuxLab     config.txt      files  
ani            copy_of_files  home  
ani.txt        deploy.sh      linux-test  
anish@rakusafe:~$ sudo ls -l files/  
total 0  
-rw-r--r-- 1 root root 0 Oct 4 13:13 x  
-rw-r--r-- 1 anish anish 0 Oct 4 13:23 y  
anish@rakusafe:~$ sudo ls -l co  
config.env      config.txt      copy_of_files/  
anish@rakusafe:~$ sudo ls -l copy_of_files/  
total 0  
-rw-r--r-- 1 root root 0 Oct 4 14:05 x  
-rw-r--r-- 1 root root 0 Oct 4 14:05 y  
anish@rakusafe:~$ sudo mv co  
config.env      config.txt      copy_of_files/  
anish@rakusafe:~$ sudo mv copy_of_files/ files2  
anish@rakusafe:~$ ls  
DevOps-Team    application.log  developer          logs.txt  
DevOpsLab      backup          employee.txt       notes.txt  
LinuxPractice  config.env      files              project.txt  
MyLinuxLab     config.txt      files2  
ani            deploy.sh       home  
ani.txt        'deploy.sh'$'\341\271\243'  linux-test  
anish@rakusafe:~$ sudo ls -l files2/  
total 0  
-rw-r--r-- 1 root root 0 Oct 4 14:05 x  
-rw-r--r-- 1 root root 0 Oct 4 14:05 y  
anish@rakusafe:~$ rm -r files  
files/ files2/  
anish@rakusafe:~$ rm -r files/ files2/  
rm: descend into write-protected directory 'files/'?
```