



**Congratulations! You passed!**

TO PASS 70% or higher

Keep Learning

GRADE

100%

## Module 2 Graded Quiz

LATEST SUBMISSION GRADE

100%

1. Consider the tuple **A=((11,12),[21,22])**, that contains a tuple and list. What is the result of the following operation **A[1]** ?

1 / 1 point

- ☐ ((11,12),[21,22])
- ☒ [21,22]
- ☐ (11,12)

**Correct**

correct, the index 1 corresponds to the second element in the tuple, which contains another list.

2. Consider the tuple **A=((1),[2,3],[4])**, that contains a tuple and list. What is the result of the following operation **A[2][0]**?

1 / 1 point

- ☒ 4
- ☐ [4]
- ☐ 1

**Correct**

correct, A[2] corresponds to the third nested list; we then access the only element of the list using the index 0 i.e. A[2][0].

3. True or false: after applying the following method, **L.append(['a','b'])**, the following list will only be one element longer.

1 / 1 point

- ☒ True
- ☐ False

**Correct**

append only adds one element to a list

4. Consider the following list : **A=["hard rock",10,1.2]**

1 / 1 point

What will list **A** contain after the following command is run: **del(A[0])** ?

- ☒ [10,1.2]
- ☐ ["hard rock",10,1.2]
- ☐ ["hard rock",10]

**Correct**

correct, we will delete element zero

5. If **A** is a list what does the following syntax do: **B=A[:]** ?

1 / 1 point

- ☐ assigns list **A** to list **B**

variable **B** references a new copy or clone of the original list **A**

☒ variable **B** references a new copy or clone of the original list **A**

✓ **Correct**  
correct

6. What is the result of the following: `len(("disco",10))` ?

1 / 1 point

- ☒ 2
- ☐ 6
- ☐ 5

✓ **Correct**  
correct, there are 2 elements in the tuple so the function `len` returns 2

7. Consider the following dictionary:

1 / 1 point

`{"The Bodyguard":"1992", "Saturday Night Fever":"1977"}`

select the values

☒ "1977"

✓ **Correct**  
correct this is a value

☒ "1992"

✓ **Correct**  
correct this is a value

☐ "The Bodyguard"

☐ "Saturday Night Fever"

8. The variable `release_year_dict` is a Python Dictionary, what is the result of applying the following method: `release_year_dict.keys()` ?

1 / 1 point

- ☒ retrieve the keys of the dictionary
- ☐ retrieves, the values of the dictionary

✓ **Correct**  
correct, the method returns the keys

9. Consider the Set: `V={'1','2'}`, what is the result of `V.add('3')`?

1 / 1 point

- ☐ {'1','2'}
- ☐ {1,2,3}
- ☒ {'1','2','3'}

✓ **Correct**  
correct

10. What is the result of the following: `'1' in {'1';'2'}`?

1 / 1 point

☒ True

☐ False

✓ **Correct**  
correct