Nama : Anita Indah Permata Sari


NIM : 2019114003

Kelas : Sistem Informasi Semester 5


Mata Kuliah : Pemrograman Internet Lanjut

Nama Dosen : Reza Ilyasa, S.Kom., M.Kom.


#### Database laravel 3




**Database Tabel Friends** 




#### **Database Tabel Family**



**Database Tabel Groups** 




#### Tampilan Awal Friends




## 30 Type bere to search O III 💿 🔚 📦 Xd 🕕 💆 🖟 🚾 🗸 21°C 🔨 🙃 KD 🚾 40 BMS 88/11/2021 🐯

Tampilan Add Friends







Tampilan Edit Friends




#### **Database Friends**




Tampilan Awal Family




## **Database Family**



Tampilan Awal Groups




# Tampilan Tambah Groups






**Tampilan Show Groups** 




# Tampilan Edit Groups





**Database Groups** 



#### Tambahan Tugas

1. Penggunaan jenis navbar yang berbeda pada app.blade.php

```
<nav class="navbar navbar-expand-lg navbar-dark bg-dark mb-3">
       <a class="navbar-brand" href="#">Laravel Pertama</a>
       <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarSupportedContent">
          <a class="nav-link" href="/">Home <span class="sr-</pre>
only"></span></a>
             <a class="nav-link" href="/friends">Friends</a>
             <a class="nav-link" href="/familys">Family</a>
             <form class="form-inline my-2 my-lg-0">
```

2. Penggunaan jenis card yang berbeda pada index.blade.php

3. Penambahan Models Familys

Familys.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Familys extends Model
{
    use HasFactory;
    protected $guarded = ['last_name'];
}
</pre>
```

4. Penambahan Route Family pada web.php

```
Route::resources([
    'friends' => App\Http\Controllers\CobaController::class,
    'familys' => App\Http\Controllers\FamilysController::class,
    'groups' => App\Http\Controllers\GroupsController::class,
]);
```

5. Pembuatan FamilyControler yang berisi index, create, store, show, edit, update, dan destroy

FamilyControler.php

```
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\Familys;
class FamilyController extends Controller
    /* public function index()
   public function urutan($ke)
// memanggil model firends
       $friends = Friends::paginate(3);
        return view('friend', compact('friends'));
        // memakai compact karena memiliki banyak data array. di isi dengan nama
variabel yang akan dipanggil
   public function coba($ke)
       return view('coba');
       // sesuaikan dengan view yang ingin ditampilkan
public function index(){
```

```
// memanggil model familys
       $familys = Familys::orderBy('id', 'desc')->paginate(1);
       return view('family.index', compact('familys'));
       // memakai compact karena memiliki banyak data array. di isi dengan nama
variabel yang akan dipanggil
   public function create(){
       return view('family.create');
   public function store(Request $request){
       // Validate the request...
       $request->validate([
            'first name' => 'required|max:255|',
            'last_name' => 'required|unique:familys|max:255|',
            'number_phone' => 'required|numeric',
            'address' => 'required',
            'email' => 'required'
       ]);
       $familys = new Familys;
       $familys->first name = $request->first name;
       $familys->last_name = $request->last_name;
       $familys->number phone = $request->number phone;
       $familys->address = $request->address;
       $familys->email = $request->email;
       $familys->save();
       return redirect('/familys');
   public function show($id)
       $familys = Familys::where('id', $id)->first();
       // dd($familys);
       return view('family.show', ['familys' => $familys]);
   public function edit($id)
```

```
$familys = Familys::where('id', $id)->first();
    // dd($familys);
    return view('family.edit', ['familys' => $familys]);
public function update(Request $request, $id)
    $request->validate([
        'first_name' => 'required|max:255|',
        'last name' => 'required|unique:familys|max:255|',
        'number phone' => 'required|numeric',
        'address' => 'required',
        'email' => 'required'
    ]);
    Familys::find($id)->update([
        'first_name' => $request->first_name,
        'last name' => $request->last name,
        'number phone' => $request->number phone,
        'address' => $request->address,
        'email' => $request->email
    ]);
    return redirect('/familys');
public function destroy($id)
    Familys::find($id)->delete();
    return redirect('/familys');
```

## 6. Penambahan View Index Family

index.blade.php

```
@extends('layouts.app')
@section('title', 'Family')
<!-- section key, value karena section ini bukan diambil dari file tetapi dari
key-->
```

```
@section('content')
   <a href="/familys/tambah"><button class="card-link btn-primary">Add
Family</button></a>
<!-- karena angka yang kita gunakan adalah array dalam array sehingga memerlukan
perulangan berupa foreach -->
@foreach ($familys as $family)
   <div class="card border-dark mb-3" style="max-width: 20rem;">
       <div class="card-header bg-dark text-light">
              <b>MY FAMILY</b>
           </div>
       <div class="card-body bg-dark p-2 text-dark bg-opacity-10">
           <a href="/familys/{{$familys['id']}}" class="card-title">Name : {{
$family['first_name'] }} {{ $family['last_name'] }}</a>
           Number Phone : {{
$family['number phone'] }}
              Address : {{ $family['address']}
}}
              Email : {{ $family['email'] }}
           <div class="card-body">
              <a href="/familys/{{$familys['id']}}/edit"><button class="card-</pre>
link btn-warning">Edit Family</button></a>
              <form action="/familys/{{$familys['id']}}" method="POST">
              @csrf
              @method('DELETE')
              <button class="card-link btn-danger">Delete Family</button>
              </form>
          </div>
       </div>
   </div>
@endforeach
   <div>
   {{ $familys->links() }}
   </div>
@endsection
<!-- end section hanya ditulis sekali aja di paling akhir -->
```

#### 7. Penambahan View Create Family

create.blade.php

```
@extends('layouts.app')
```

```
@section('title', 'Create Family')
<!-- section key, value karena section ini bukan diambil dari file tetapi dari
key-->
@section('content')
    <form action="/familys" method="POST">
        @csrf
        <div class="form-row">
            <div class="col-md-6 mb-3">
                <label for="first name">First Name</label>
                <input type="text" class="form-control is-valid" id="first_name"</pre>
name="first_name" aria-describedby="first_name" value="{{ old('first_name') }}"
required>
                @error('first_name')
                <div class="alert alert-danger">{{ $message }}</div>
                <div id="first_nameFeedback" class="valid-feedback">
                    Your Name Looks good!
                </div>
            </div>
            <div class="col-md-6 mb-3">
                <label for="last name">Last name</label>
                <input type="text" class="form-control is-valid" id="last name"</pre>
name="last_name" aria-describedby="last_name" value="{{ old('last_name') }}"
required>
                @error('last_name')
                <div class="alert alert-danger">{{ $message }}</div>
                <div id="last nameFeedback" class="valid-feedback">
                    Your Name Looks good!
                </div>
            </div>
        </div>
        <div class="form-row">
            <div class="col-md-6 mb-3">
            <label for="number phone">Number Phone</label>
            <input type="text" class="form-control is-invalid" id="number_phone"</pre>
name="number_phone" aria-describedby="number_phone" value="{{ old('number_phone')}
}}" required>
            @error('number phone')
                <div class="alert alert-danger">{{ $message }}</div>
            @enderror
            <div id="number_phoneFeedback" class="invalid-feedback">
                Please provide a valid number.
```

```
</div>
        </div>
            <div class="form-row">
            <div class="col-md-6 mb-3">
            <label for="address">Address</label>
            <input type="text" class="form-control is-invalid" id="address"</pre>
name="address" aria-describedby="address" value="{{ old('address') }}" required>
            @error('address')
                <div class="alert alert-danger">{{ $message }}</div>
            @enderror
            <div id="addressFeedback" class="invalid-feedback">
                Please provide a valid address.
        </div>
        </div>
            <div class="form-row">
            <div class="col-md-6 mb-3">
            <label for="email">Email</label>
            <input type="email" class="form-control is-invalid" id="email"</pre>
name="email" aria-describedby="email" value="{{ old('email') }}" required>
            @error('email')
                <div class="alert alert-danger">{{ $message }}</div>
            <div id="emailFeedback" class="invalid-feedback">
                Please provide a valid email address.
            </div>
        </div>
        <div class="form-group">
            <div class="form-check">
            <input class="form-check-input is-invalid" type="checkbox" value=""</pre>
id="invalidCheck3" aria-describedby="invalidCheck3Feedback" required>
            <label class="form-check-label" for="invalidCheck3">
                Agree to terms and conditions
            </label>
            <div id="invalidCheck3Feedback" class="invalid-feedback">
                You must agree before submitting.
            </div>
            </div>
        </div>
        <button class="btn btn-primary" type="submit">Submit form</button>
    </form>
@endsection
<!-- end section hanya ditulis sekali aja di paling akhir -->
```

## 8. Penambahan View Show Family

show.blade.php

```
@extends('layouts.app')
@section('title', 'Family')
kev-->
@section('content')
<!-- karena angka yang kita gunakan adalah array dalam array sehingga memerlukan
perulangan berupa foreach -->
   <div class="card border-dark mb-3" style="max-width: 30rem;">
          <div class="card-header bg-dark text-light">
             <b>Family Card</b>
          </div>
          <div class="card-body bg-dark p-2 text-dark bg-opacity-10">
             <h5 class="card-title">First Name : {{ $familys['first_name'] }}
{{    $familys['last_name'] }}</h5>
          Number Phone : {{
$familys['number_phone'] }}
             Address : {{ $familys['address']}
}}
             Email : {{ $familys['email'] }}
          </div>
   </div>
@endsection
<!-- end section hanya ditulis sekali aja di paling akhir -->
```

### 9. Penambahan View Edit Family

edit.blade.php

```
@extends('layouts.app')
@section('title', 'Edit Family')
<!-- section key, value karena section ini bukan diambil dari file tetapi dari
key-->
@section('content')
```

```
<form action="/familys/{{ $familys['id'] }}" method="POST">
        @csrf
        @method('PUT')
        <div class="form-row">
            <div class="col-md-6 mb-3">
            <label for="first name">First Name</label>
            <input type="text" class="form-control is-valid" id="first name"</pre>
name="first_name" aria-describedby="first_name" value="{{ old('first_name') ?
old('first name') : $familys['first name'] }}" required>
            @error('first name')
                <div class="alert alert-danger">{{ $message }}</div>
            @enderror
            <div id="first nameFeedback" class="valid-feedback">
                Your Name Looks good!
            </div>
            </div>
        </div>
        <div class="form-row">
            <div class="col-md-6 mb-3">
            <label for="last name">Last Name</label>
            <input type="text" class="form-control is-valid" id="last name"</pre>
name="last_name" aria-describedby="last_name" value="{{ old('last_name') ?
old('last_name') : $familys['last_name'] }}" required>
            @error('last name')
                <div class="alert alert-danger">{{ $message }}</div>
            <div id="last_nameFeedback" class="valid-feedback">
                Your Name Looks good!
            </div>
            </div>
        </div>
        <div class="form-row">
            <div class="col-md-6 mb-3">
            <label for="number phone">Number Phone</label>
            <input type="text" class="form-control is-invalid" id="number_phone"</pre>
name="number phone" aria-describedby="number phone" value="{{ old('number phone')}
? old('number_phone') : $familys['number_phone'] }}" required>
            @error('number phone')
                <div class="alert alert-danger">{{ $message }}</div>
            @enderror
            <div id="number phoneFeedback" class="invalid-feedback">
                Please provide a valid number.
            </div>
        </div>
            <div class="form-row">
```

```
<div class="col-md-6 mb-3">
            <label for="address">Address</label>
            <input type="text" class="form-control is-invalid" id="address"</pre>
name="address" aria-describedby="address" value="{{ old('address') ?
old('address') : $familys['address'] }}" required>
            @error('address')
                <div class="alert alert-danger">{{ $message }}</div>
            @enderror
            <div id="addressFeedback" class="invalid-feedback">
                Please provide a valid address.
            </div>
        </div>
        </div>
            <div class="form-row">
            <div class="col-md-6 mb-3">
            <label for="email">Email</label>
            <input type="text" class="form-control is-invalid" id="email"</pre>
name="email" aria-describedby="email" value="{{ old('email') ? old('email') :
$familys['email'] }}" required>
            @error('email')
                <div class="alert alert-danger">{{ $message }}</div>
            @enderror
            <div id="emailFeedback" class="invalid-feedback">
                Please provide a valid email address.
            </div>
        </div>
        <div class="form-group">
            <div class="form-check">
            <input class="form-check-input is-invalid" type="checkbox" value=""</pre>
id="invalidCheck3" aria-describedby="invalidCheck3Feedback" required>
            <label class="form-check-label" for="invalidCheck3">
                Agree to terms and conditions
            </label>
            <div id="invalidCheck3Feedback" class="invalid-feedback">
                You must agree before submitting.
            </div>
            </div>
        <button class="btn btn-primary" type="submit">Submit form</button>
    </form>
@endsection
<!-- end section hanya ditulis sekali aja di paling akhir -->
```

## 10. Penggunaan Paginate yang berbeda

AppServiceProvider.php

```
<?php
namespace App\Providers;
use Illuminate\Support\ServiceProvider;
use Illuminate\Pagination\Paginator;
class AppServiceProvider extends ServiceProvider
     * Register any application services.
     * @return void
    public function register()
     * Bootstrap any application services.
     * @return void
    public function boot()
        Paginator::useBootstrap();
```

## 11. Penambahan Database Familys

```
-- Table structure for table `familys`
--

CREATE TABLE `familys` (
   `id` int(11) NOT NULL,
   `first_name` varchar(255) NOT NULL,
   `last_name` varchar(255) NOT NULL,
   `number_phone` int(15) NOT NULL,
```

```
address` varchar(100) NOT NULL,
  `email` varchar(100) NOT NULL,
  `created at` timestamp NOT NULL DEFAULT current timestamp(),
  `updated at` timestamp NOT NULL DEFAULT current timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `familys`
INSERT INTO `familys` (`id`, `first name`, `last name`, `number phone`,
address`, `email`, `created_at`, `updated_at`) VALUES
(1, 'Gow', 'Swei Lie', 839274678, 'Kesambi', 'gow_sweilie@gmail.com', '2021-10-18
19:55:55', '2021-10-18 19:55:55'),
(2, 'Gow', 'Ye Lie', 836742965, 'Kanoman', 'gow_yelie@gmail.com', '2021-10-18
13:53:36', '2021-10-18 13:53:36'),
(3, 'Gow', 'Sin Lie', 847291763, 'Kolektoran', 'gow_sinlie@gmail.com', '2021-10-
18 13:58:02', '2021-10-18 13:58:02'),
(4, 'Gow', 'Kim Lie', 849382761, 'Kesambi', 'gow kimlie@gmail.com', '2021-10-18
14:00:47', '2021-10-18 14:00:47'),
(5, 'Gow', 'Beng Lie', 873619367, 'Kalijaga', 'gow_benglie@gmail.com', '2021-10-
18 14:01:55', '2021-10-18 14:01:55'),
(6, 'Gow', 'Chuan Beng', 874624986, 'Kalijaga', 'gow_chuanbeng@gmail.com', '2021-
10-18 14:02:34', '2021-10-18 14:02:34'),
(7, 'Gow', 'Sun Lie', 836962579, 'Jakarta', 'gow_sunlie@gmail.com', '2021-10-18
14:03:18', '2021-10-18 14:03:18'),
(8, 'Berthiana', 'Susanthy', 839271683, 'Kalijaga',
'berthiana_susanthy@gmail.com', '2021-10-24 16:05:34', '2021-10-24 16:05:34');
```

```
-- Indexes for table `familys`
--
ALTER TABLE `familys`
   ADD PRIMARY KEY (`id`),
   ADD UNIQUE KEY `last_name` (`last_name`);
--
```

```
-- AUTO_INCREMENT for table `familys`
--
ALTER TABLE `familys`
MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=9;
```

11. Mengubah Tampilan Warna Card Pada index.blade.php dan show.blade.php

12. Menambah Groups Family