

File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

Connect (SQL Server 16.0.1200.5 - ANITAJAHANFARNI\ab)

- Databases
 - System Databases
 - Database Snapshots
 - AdventureWorksDW2019
 - AP
 - AP DW
 - Book2
 - Chinook
 - ChinookDW
 - db1
 - db1dw
 - Institute
 - Insurance
 - northwinddw2
 - NORTHWND
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
 - NorthWndDW
 - PersianDate
 - pubs
 - pubsDW
 - StudentDW

Anitajahanfa... - Diagram_0*

SQLQuery1.s...RNI\ab (72))*

```
1 use NorthWndDW
2 create table DimGeo
3 (
4   GeoSK int identity(1,1) primary key,
5   GeoBK NVARCHAR(100),
6   City NVARCHAR(15),
7   Region NVARCHAR(15),
8   Country NVARCHAR(15),
9   PostalCode NVARCHAR(10),
10  StartDate DateTime,
11  EndDate DateTime
12 )
13
```

121 % No issues found Ln: 5, Ch: 21 TABS CRLF UTF-8

Messages

Commands completed successfully.

Completion time: 2026-09-24T16:33:21.8178903+03:30

121 % No issues found Ln: 4, Ch: 1 TABS MIXED UTF-8 with BOM

Query executed successfully. (local) (16.0 RTM) ANITAJAHANFARNI\ab (72) NorthWndDW 00:00:00 Row: 1, Col: 1 0 rows

Ready

**Select a Dimension Table and Keys**

Select a dimension table to load and map columns in the transformation input to columns in the dimension table.

Connection manager:

LocalHost.NorthWndDW

New...

Table or view:

[dbo].[DimGeo]

Input Columns	Dimension Columns	Key Type
City	City	Not a key column
Country	Country	Not a key column
	EndDate	
GeoBK	GeoBK	Business key
PostalCode	PostalCode	Not a key column
Region	Region	Not a key column

Help

< Back

Next >

Finish >>|

Cancel

Slowly Changing Dimension Columns

Manage the changes to column data in your slowly changing dimensions by setting the change type for dimension columns.

Fixed Attribute

Select this type when the value in a column should not change. Changes are treated as errors.

Changing Attribute

Select this type when changed values should overwrite existing values. This is a Type 1 change.

Historical Attribute

Select this type when changes in column values are saved in new records. Previous values are saved in records marked as outdated. This is a Type 2 change.

Select a change type for slowly changing dimension columns:

Dimension Columns	Change Type
City	Historical attribute
Country	Historical attribute
PostalCode	Historical attribute
Region	Historical attribute

[Help](#)

< Back

Next >

Finish >>|

Cancel



Historical Attribute Options

You can record historical attributes using a single column or start and end date columns.

☐ Use a single column to show current and expired records

Column to indicate current record:

Value when current:

Expiration value:

☒ Use start and end dates to identify current and expired records

Start date column:

End date column:

Variable to set date values:

StartDate

EndDate

System::StartTime

Help

< Back

Moves to the next wizard page

Cancel

SSIS Toolbox

Search SSIS Toolbox

- Data Conversion
- Data Streaming Destination
- Derived Column
- Lookup
- Merge
- Merge Join
- Multicast
- OData Source
- ODBC Destination
- ODBC Source
- OLE DB Command
- Row Count
- Script Component
- Slowly Changing Dimension**
- Sort
- Union All


Azure

Other Transforms

Other Sources

- ADO NET Source
- Excel Source
- Flat File Source
- OLE DB Source
- Raw File Source
- XML Source

Information...



Solution Explorer

Search Solution Explorer (Ctrl+;)

- Solution 'Integration Services NorthwndDW' (1 of 1 project)
 - Integration Services NorthwndDW
 - Project.params
 - Connection Managers
 - SSIS Packages
 - DimGeo.dtsx
 - Package Parts
 - Control Flow
 - Miscellaneous
 - Linked Azure Resources
 - Azure-SSIS Integration Runtime
 - Azure Storage

File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

- Connect
- Book2
- Chinook
- ChinookDW
- db1
- db1dw
- Institute
- Insurance
- northwinddw2
- NORTHWND
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- NorthWndDW
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - dbo.DimGeo
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms

Anitajahanfa... - Diagram_0*

SQLQuery1.s...RNI\ab (72)*

```
1 select * from DimGeo
2
3
4
5
6
7
```

121 % No issues found Ln: 1, Ch: 1 TABS CRLF UTF-8

Results Messages

	GeoSK	GeoBK	City	Region	Country	PostalCode	StartDate	EndDate
1	1	Aachen Germany 52066	Aachen	NULL	Germany	52066	2026-09-24 16:56:12.000	NULL
2	2	Albuquerque NM USA 87110	Albuquerque	NM	USA	87110	2026-09-24 16:56:12.000	NULL
3	3	Anchorage AK USA 99508	Anchorage	AK	USA	99508	2026-09-24 16:56:12.000	NULL
4	4	Ann Arbor MI USA 48104	Ann Arbor	MI	USA	48104	2026-09-24 16:56:12.000	NULL
5	5	Annecy France 74000	Annecy	NULL	France	74000	2026-09-24 16:56:12.000	NULL
6	6	Århus Denmark 8200	Århus	NULL	Denmark	8200	2026-09-24 16:56:12.000	NULL
7	7	Barcelona Spain 08022	Barcelona	NULL	Spain	08022	2026-09-24 16:56:12.000	NULL
8	8	Barcelona Spain 8022	Barcelona	NULL	Spain	8022	2026-09-24 16:56:12.000	NULL
9	9	Barquisimeto Lara Venezuela 3508	Barquisimeto	Lara	Venezuela	3508	2026-09-24 16:56:12.000	NULL
10	10	Bend OR USA 97101	Bend	OR	USA	97101	2026-09-24 16:56:12.000	NULL
11	11	Bergamo Italy 24100	Bergamo	NULL	Italy	24100	2026-09-24 16:56:12.000	NULL

Query executed successfully. (local) (16.0 RTM) ANITAJAHANFARNI\ab (72) NorthWndDW 00:00:00 Row: 1, Col: 1 128 rows

Ready

File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

- Connect
- Book2
- Chinook
- ChinookDW
- db1
- db1dw
- Institute
- Insurance
- northwinddw2
- NORTHWND
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- NorthWndDW
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - dbo.DimGeo
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms

Anitajahanfa... - Diagram_0*

SQLQuery1.s...RNI\ab (72)**

```
1 Create table DimShippers
2 (
3 ShipperSK int identity(1,1) primary key,
4 ShipperID int,
5 CompanyName nvarchar(40),
6 StartDate Datetime,
7 EndDate Datetime
8 )
9
10
11
12
13
```

121 % No issues found Ln: 8, Ch: 2 TABS CRLF UTF-8

Messages

Commands completed successfully.

Completion time: 2026-09-24T17:06:06.1860036+03:30

121 % No issues found Ln: 4, Ch: 1 TABS MIXED UTF-8 with BOM

Query executed successfully. (local) (16.0 RTM) ANITAJAHANFARNI\ab (72) NorthWndDW 00:00:00 Row: 1, Col: 1 0 rows

Matches: (

**Select a Dimension Table and Keys**

Select a dimension table to load and map columns in the transformation input to columns in the dimension table.

Connection manager:

LocalHost.NorthWndDW

New...

Table or view:

[dbo].[DimShippers]

Input Columns	Dimension Columns	Key Type
CompanyName	CompanyName	Not a key column
	EndDate	
ShipperID	ShipperID	Business key
	StartDate	

Help

< Back

Next >

Finish >>|

Cancel



Slowly Changing Dimension Columns

Manage the changes to column data in your slowly changing dimensions by setting the change type for dimension columns.

Fixed Attribute

Select this type when the value in a column should not change. Changes are treated as errors.

Changing Attribute

Select this type when changed values should overwrite existing values. This is a Type 1 change.

Historical Attribute

Select this type when changes in column values are saved in new records. Previous values are saved in records marked as outdated. This is a Type 2 change.

Select a change type for slowly changing dimension columns:

Dimension Columns	Change Type
CompanyName	Historical attribute

Help

< Back

Next >

Finish >>|

Cancel



Historical Attribute Options

You can record historical attributes using a single column or start and end date columns.

☐ Use a single column to show current and expired records

Column to indicate current record:

Value when current:

Expiration value:

☒ Use start and end dates to identify current and expired records

Start date column:

End date column:

Variable to set date values:

StartDate

EndDate

System::StartTime

Help

< Back

Next >

Finish >>|

Cancel



Inferred Dimension Members

Use inferred members when a fact table may reference dimension members that are not yet loaded.

When data for the inferred member is loaded, you can update the existing record rather than create a new one.

☐ Enable inferred member support

☒ All columns with a change type are null

☐ Use a Boolean column to indicate whether the current record is an inferred member

Inferred member indicator:

Help

< Back

Next >

Finish >>|

Cancel

SSIS Toolbox

Search SSIS Toolbox

- Data Streaming Destination
- Derived Column
- Lookup
- Merge
- Merge Join
- Multicast
- OData Source
- ODBC Destination
- ODBC Source
- OLE DB Command
- Row Count
- Script Component
- Slowly Changing Dimension**
- Sort
- Union All

Azure


Other Transforms

Other Sources

- ADO NET Source
- Excel Source
- Flat File Source
- OLE DB Source
- Raw File Source
- XML Source

Other Destinations

Information...



Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'Integration Services NorthwndDW' (1 of 1 project)

- Integration Services NorthwndDW
 - Project.params
 - Connection Managers
 - SSIS Packages
 - DimGeo.dtsx
 - DimShippers.dtsx**
 - Package Parts
 - Control Flow
 - Miscellaneous
 - Linked Azure Resources
 - Azure-SSIS Integration Runtime
 - Azure Storage

File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

- Connect
- Book2
- Chinook
- ChinookDW
- db1
- db1dw
- Institute
- Insurance
- northwinddw2
- NORTHWND
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- NorthWndDW
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - dbo.DimGeo
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms

Anitajahanfa... - Diagram_0*

SQLQuery1.s...RNI\ab (72))*

```
1 select * from dimshippers
```

162 % No issues found Ln: 1, Ch: 10 TABS CRLF UTF-8

Results Messages

	ShipperSK	ShipperID	CompanyName	StartDate	EndDate
1	1	1	Speedy Express	2026-09-24 17:09:57.000	NULL
2	2	2	United Package	2026-09-24 17:09:57.000	NULL
3	3	3	Federal Shipping	2026-09-24 17:09:57.000	NULL

Query executed successfully. (local) (16.0 RTM) ANITAJAHANFARNI\ab (72) NorthWndDW 00:00:00 Row: 1, Col: 1 3 rows

Ready

File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

- Connect
- Book2
- Chinook
- ChinookDW
- db1
- db1dw
- Institute
- Insurance
- northwinddw2
- NORTHWND
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- NorthWndDW
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - dbo.DimGeo
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms

Anitajahanfa... - Diagram_0*

SQLQuery1.s...RNI\ab (72)*

```
1 create table DimSuppliers
2 (
3 SupplierSK int identity(1,1) primary key,
4 SupplierID int,
5 CompanyName nvarchar(40),
6 ContactName nvarchar(30),
7 ContactTitle nvarchar(30),
8 GeoSk int,
9 StartDate Datetime,
10 EndDate Datetime
11 )
```

134 % No issues found Ln: 4, Ch: 11 TABS CRLF UTF-8

Messages

Commands completed successfully.

Completion time: 2026-09-24T17:21:12.0445833+03:30

134 % No issues found Ln: 4, Ch: 1 TABS MIXED UTF-8 with BOM

Query executed successfully. (local) (16.0 RTM) ANITAJAHANFARNI\ab (72) NorthWndDW 00:00:00 Row: 1, Col: 2 0 rows

Matches: (

**Select a Dimension Table and Keys**

Select a dimension table to load and map columns in the transformation input to columns in the dimension table.

Connection manager:

LocalHost.NorthWndDW

New...

Table or view:

[dbo].[DimSuppliers]

Input Columns	Dimension Columns	Key Type
ContactName	ContactName	Not a key column
ContactTitle	ContactTitle	Not a key column
	EndDate	
GeoSK	GeoSk	Not a key column
	StartDate	
SupplierID	SupplierID	Business key

Help

< Back

Next >

Finish >>|

Cancel



Slowly Changing Dimension Columns

Manage the changes to column data in your slowly changing dimensions by setting the change type for dimension columns.

Fixed Attribute

Select this type when the value in a column should not change. Changes are treated as errors.

Changing Attribute

Select this type when changed values should overwrite existing values. This is a Type 1 change.

Historical Attribute

Select this type when changes in column values are saved in new records. Previous values are saved in records marked as outdated. This is a Type 2 change.

Select a change type for slowly changing dimension columns:

Dimension Columns	Change Type
CompanyName	Historical attribute
ContactName	Historical attribute
ContactTitle	Historical attribute
GeoSk	Historical attribute

Help

< Back

Next >

Finish >>|

Cancel



Historical Attribute Options

You can record historical attributes using a single column or start and end date columns.

☐ Use a single column to show current and expired records

Column to indicate current record:

Value when current:

Expiration value:

☒ Use start and end dates to identify current and expired records

Start date column:

End date column:

Variable to set date values:

StartDate

EndDate

System::StartTime

Help

< Back

Next >

Finish >>|

Cancel



Inferred Dimension Members

Use inferred members when a fact table may reference dimension members that are not yet loaded.

When data for the inferred member is loaded, you can update the existing record rather than create a new one.

☐ Enable inferred member support

☒ All columns with a change type are null

☐ Use a Boolean column to indicate whether the current record is an inferred member

Inferred member indicator:

Help

< Back

Next >

Finish >>|

Cancel

File Edit View Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search Integration Services North

Your version of Visual Studio is no longer supported or serviced. Update to the latest version of 17.14 to remain supported and receive the latest security and quality fixes or install Visual Studio 2026. Update 17.14 Install Visual Studio 2026

SSIS Toolbox

Search SSIS Toolbox

- Favorites
 - Destination Assistant
 - Source Assistant
- Common
 - Aggregate
 - Balanced Data Distributor
 - Conditional Split
 - Data Conversion
 - Data Streaming Destination
 - Derived Column
 - Lookup
 - Merge
 - Merge Join
 - Multicast
 - OData Source
 - ODBC Destination
 - ODBC Source
 - OLE DB Command
 - Row Count
 - Script Component
 - Slowly Changing Dimension**
 - Sort
 - Union All
- Azure
- Other Transforms

Information...

DimSuppliers.dtsx [Design]*

Control Flow Data Flow Parameters Event Ha... Package ... Executio...

Data Flow Task: Data Flow Task

```
graph TD; OLEDBSource[OLE DB Source] --> DerivedColumn[Derived Column]; DerivedColumn --> Lookup[Lookup(DimGeo)]; Lookup -- "Lookup Match Output" --> SCD[Slowly Changing Dimension]; SCD --> DerivedColumn1[Derived Column 1]; Lookup -- "Historical Attribute Inserts Output" --> OLEDBCommand[OLE DB Command]; DerivedColumn1 --> UnionAll[Union All]; OLEDBCommand --> UnionAll; UnionAll --> DerivedColumn2[Derived Column 2]; DerivedColumn2 --> InsertDestination[Insert Destination];
```

Connection Managers

- LocalHost.NORTHWND
- LocalHost.NorthWndDW

Solution Explorer

Search Solution Explorer (Ctrl+;)

- Solution 'Integration Services NorthWndDW' (1 of 1 project)
 - Integration Services NorthWndDW
 - Project.params
 - Connection Managers
 - SSIS Packages
 - DimGeo.dtsx
 - DimShippers.dtsx
 - DimSuppliers.dtsx**
 - Package Parts
 - Control Flow
 - Miscellaneous
 - Linked Azure Resources
 - Azure-SSIS Integration Runtime
 - Azure Storage

Zoom Change: 70%

Add to Source Control Select Repository

File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

- Connect
- Book2
- Chinook
- ChinookDW
- db1
- db1dw
- Institute
- Insurance
- northwinddw2
- NORTHWND
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- NorthWndDW
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - dbo.DimGeo
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms

Anitajahanfa... - Diagram_0*

SQLQuery1.s...RNI\ab (72))*

```
1 select * from DimSuppliers
```

134 % No issues found Ln: 1, Ch: 27 TABS CRLF UTF-8

Results Messages

	SupplierSK	SupplierID	CompanyName	ContactName	ContactTitle	GeoSk	StartDate	EndDate
1	1	1	Exotic Liquids	Charlotte Cooper	Purchasing Manager	50	2026-09-24 17:39:43.000	NULL
2	2	2	New Orleans Cajun Delights	Shelley Burke	Order Administrator	80	2026-09-24 17:39:43.000	NULL
3	3	3	Grandma Kelly's Homestead	Regina Murphy	Sales Representative	4	2026-09-24 17:39:43.000	NULL
4	4	4	Tokyo Traders	Yoshi Nagase	Marketing Manager	120	2026-09-24 17:39:43.000	NULL
5	5	5	Cooperativa de Quesos 'Las Cabras'	Antonio del Valle Saavedra	Export Administrator	83	2026-09-24 17:39:43.000	NULL
6	6	6	Mayumi's	Mayumi Ohno	Marketing Representative	81	2026-09-24 17:39:43.000	NULL
7	7	7	Pavlova, Ltd.	Ian Devling	Marketing Manager	70	2026-09-24 17:39:43.000	NULL
8	8	8	Specialty Biscuits, Ltd.	Peter Wilson	Sales Representative	67	2026-09-24 17:39:43.000	NULL
9	9	9	PB Knäckebröd AB	Lars Peterson	Sales Agent	36	2026-09-24 17:39:43.000	NULL
10	10	10	Refrescos Americanas LTDA	Carlos Diaz	Marketing Manager	102	2026-09-24 17:39:43.000	NULL
11	11	11	Hell Süßwaren GmbH & Co. KG	Petra Winkler	Sales Manager	12	2026-09-24 17:39:43.000	NULL
12	12	12	Plutzer Lebensmittelgroßmärkte AG	Martin Bein	International Marketing Mgr.	32	2026-09-24 17:39:43.000	NULL

Query executed successfully. (local) (16.0 RTM) ANITAJAHANFARNI\ab (72) NorthWndDW 00:00:00 Row: 1, Col: 1 29 rows

Ready

File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

- Connect
- Book2
- Chinook
- ChinookDW
- db1
- db1dw
- Institute
- Insurance
- northwinddw2
- NORTHWND
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- NorthWndDW
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - dbo.DimGeo
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms

Anitajahanfa... - Diagram_0*

SQLQuery1.s...RNI\ab (72))*

```
1 Create table DimProducts
2 (
3 ProductSK int identity(1,1) primary key,
4 ProductID int,
5 ProductName nvarchar(40),
6 CategoryName nvarchar(15),
7 Picture Varbinary(max),
8 SupplierSK int,
9 StartDate Datetime,
10 EndTime Datetime
11 )
```

134 % No issues found Ln: 11, Ch: 2 TABS CRLF UTF-8

Messages

Commands completed successfully.

Completion time: 2026-09-24T18:51:54.3561819+03:30

134 % No issues found Ln: 4, Ch: 1 TABS MIXED UTF-8 with BOM

Query executed successfully. (local) (16.0 RTM) ANITAJAHANFARNI\ab (72) NorthWndDW 00:00:00 Row: 1, Col: 1 0 rows

Matches: (



Select a Dimension Table and Keys

Select a dimension table to load and map columns in the transformation input to columns in the dimension table.

Connection manager:

LocalHost.NorthWndDW

New...

Table or view:

[dbo].[DimProducts]

Input Columns	Dimension Columns	Key Type
CategoryName	CategoryName	Not a key column
	EndTime	
	Picture	
ProductID	ProductID	Business key
ProductName	ProductName	Not a key column
	StartDate	

Help

< Back

Next >

Finish >>|

Cancel



Slowly Changing Dimension Columns

Manage the changes to column data in your slowly changing dimensions by setting the change type for dimension columns.

Fixed Attribute

Select this type when the value in a column should not change. Changes are treated as errors.

Changing Attribute

Select this type when changed values should overwrite existing values. This is a Type 1 change.

Historical Attribute

Select this type when changes in column values are saved in new records. Previous values are saved in records marked as outdated. This is a Type 2 change.

Select a change type for slowly changing dimension columns:

Dimension Columns	Change Type
CategoryName	Historical attribute
ProductName	Historical attribute
SupplierSK	Historical attribute

Help

< Back

Next >

Finish >>|

Cancel



Historical Attribute Options

You can record historical attributes using a single column or start and end date columns.

☐ Use a single column to show current and expired records

Column to indicate current record:

Value when current:

Expiration value:

☒ Use start and end dates to identify current and expired records

Start date column:

End date column:

Variable to set date values:

StartDate

EndTime

System::StartTime

Help

< Back

Next >

Finish >>|

Cancel

Inferred Dimension Members

Use inferred members when a fact table may reference dimension members that are not yet loaded.

When data for the inferred member is loaded, you can update the existing record rather than create a new one.

☐ Enable inferred member support

☒ All columns with a change type are null

☐ Use a Boolean column to indicate whether the current record is an inferred member

Inferred member indicator:

Help

< Back

Next >

Finish >>|

Cancel

SSIS Toolbox

Search SSIS Toolbox

- Aggregate
- Balanced Data Distributor
- Conditional Split
- Data Conversion
- Data Streaming Destination
- Derived Column
- Lookup
- Merge
- Merge Join
- Multicast
- OData Source
- ODBC Destination
- ODBC Source
- OLE DB Command
- Row Count
- Script Component
- Slowly Changing Dimension**
- Sort
- Union All


Azure

Other Transforms

Other Sources

- ADO NET Source
- Excel Source
- Flat File Source

Information...



Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'Integration Services NorthwndDW' (1 of 1 project)

- Integration Services NorthwndDW
 - Project.params
 - Connection Managers
 - SSIS Packages
 - DimGeo.dtsx
 - DimShippers.dtsx
 - DimSuppliers.dtsx
 - DimProducts.dtsx
 - Package Parts
 - Control Flow
 - Miscellaneous
 - Linked Azure Resources
 - Azure-SSIS Integration Runtime
 - Azure Storage

File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

- Connect
- Book2
- Chinook
- ChinookDW
- db1
- db1dw
- Institute
- Insurance
- northwinddw2
- NORTHWND
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- NorthWndDW
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - dbo.DimGeo
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms

Anitajahanfa... - Diagram_0*

SQLQuery1.s...RNI\ab (72))*

```
1 select * from DimProducts
```

178 % No issues found Ln: 1, Ch: 26 TABS CRLF UTF-8

Results Messages

	ProductSK	ProductID	ProductName	CategoryName	Picture	SupplierSK	StartDate	EndTime
1	1	1	Chai	Beverages	NULL	1	2026-09-24 19:11:15.000	NULL
2	2	75	Rhönbräu Klosterbier	Beverages	NULL	12	2026-09-24 19:11:15.000	NULL
3	3	70	Outback Lager	Beverages	NULL	7	2026-09-24 19:11:15.000	NULL
4	4	67	Laughing Lumberjack Lag...	Beverages	NULL	16	2026-09-24 19:11:15.000	NULL
5	5	43	Ipoh Coffee	Beverages	NULL	20	2026-09-24 19:11:15.000	NULL
6	6	76	Lakkalikööri	Beverages	NULL	23	2026-09-24 19:11:15.000	NULL
7	7	38	Côte de Blaye	Beverages	NULL	18	2026-09-24 19:11:15.000	NULL
8	8	35	Steeleye Stout	Beverages	NULL	16	2026-09-24 19:11:15.000	NULL
9	9	34	Sasquatch Ale	Beverages	NULL	16	2026-09-24 19:11:15.000	NULL
10	10	24	Guaraná Fantástica	Beverages	NULL	10	2026-09-24 19:11:15.000	NULL

Query executed successfully. (local) (16.0 RTM) ANITAJAHANFARNI\ab (72) NorthWndDW 00:00:00 Row: 1, Col: 1 77 rows

Ready

File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

- Connect
- Book2
- Chinook
- ChinookDW
- db1
- db1dw
- Institute
- Insurance
- northwinddw2
- NORTHWND
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- NorthWndDW
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - dbo.DimGeo
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms

Anitajahanfa... - Diagram_0*

SQLQuery1.s...RNI\ab (72)*

```
1 Create table DimCustomers
2 (
3 CustomerSK int identity(1,1) primary key,
4 CustomerID nchar(5),
5 CompanyName nvarchar(40),
6 ContactName nvarchar(30),
7 ContactTitle nvarchar(30),
8 GeoSK int,
9 StartDate Datetime,
10 EndDate Datetime
11 )
```

134 % No issues found Ln: 11, Ch: 2 TABS CRLF UTF-8

Messages

Commands completed successfully.

Completion time: 2026-09-24T19:23:16.7658171+03:30

134 % No issues found Ln: 4, Ch: 1 TABS MIXED UTF-8 with BOM

Query executed successfully. (local) (16.0 RTM) ANITAJAHANFARNI\ab (72) NorthWndDW 00:00:00 Row: 1, Col: 1 0 rows

Ready

**Select a Dimension Table and Keys**

Select a dimension table to load and map columns in the transformation input to columns in the dimension table.

Connection manager:

LocalHost.NorthWndDW

New...

Table or view:

[dbo].[DimCustomers]

Input Columns	Dimension Columns	Key Type
CompanyName	CompanyName	Not a key column
ContactName	ContactName	Not a key column
ContactTitle	ContactTitle	Not a key column
CustomerID	CustomerID	Business key
	EndDate	
GeoSK	GeoSK	Not a key column

Help

< Back

Next >

Finish >>|

Cancel



Slowly Changing Dimension Columns

Manage the changes to column data in your slowly changing dimensions by setting the change type for dimension columns.

Fixed Attribute

Select this type when the value in a column should not change. Changes are treated as errors.

Changing Attribute

Select this type when changed values should overwrite existing values. This is a Type 1 change.

Historical Attribute

Select this type when changes in column values are saved in new records. Previous values are saved in records marked as outdated. This is a Type 2 change.

Select a change type for slowly changing dimension columns:

Dimension Columns	Change Type
CompanyName	Historical attribute
ContactName	Historical attribute
ContactTitle	Historical attribute
GeoSK	Historical attribute

Help

< Back

Next >

Finish >>|

Cancel



Historical Attribute Options

You can record historical attributes using a single column or start and end date columns.

☐ Use a single column to show current and expired records

Column to indicate current record:

Value when current:

Expiration value:

☒ Use start and end dates to identify current and expired records

Start date column:

End date column:

Variable to set date values:

StartDate

EndDate

System::StartTime

Help

< Back

Next >

Finish >>|

Cancel

Inferred Dimension Members

Use inferred members when a fact table may reference dimension members that are not yet loaded.

When data for the inferred member is loaded, you can update the existing record rather than create a new one.

☐ Enable inferred member support

☒ All columns with a change type are null

☐ Use a Boolean column to indicate whether the current record is an inferred member

Inferred member indicator:

Help

< Back

Next >

Finish >>|

Cancel




SSIS Toolbox

Search SSIS Toolbox

- Common
 - Aggregate
 - Balanced Data Distributor
 - Conditional Split
 - Data Conversion
 - Data Streaming Destination
 - Derived Column
 - Lookup
 - Merge
 - Merge Join
 - Multicast
 - OData Source
 - ODBC Destination
 - ODBC Source
 - OLE DB Command
 - Row Count
 - Script Component
 - Slowly Changing Dimension**
 - Sort
 - Union All
- Azure
- Other Transforms
- Other Sources
 - ADO NET Source
 - Excel Source

Information...



Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'Integration Services NorthwndDW' (1 of 1 project)

- Integration Services NorthwndDW
 - Project.params
 - Connection Managers
 - SSIS Packages
 - DimGeo.dtsx
 - DimProducts.dtsx
 - DimShippers.dtsx
 - DimSuppliers.dtsx
 - DimCustomers.dtsx
 - Package Parts
 - Control Flow
 - Miscellaneous
 - Linked Azure Resources
 - Azure-SSIS Integration Runtime
 - Azure Storage

File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

- Connect
- Book2
- Chinook
- ChinookDW
- db1
- db1dw
- Institute
- Insurance
- northwinddw2
- NORTHWND
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- NorthWndDW
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - dbo.DimGeo
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms

Anitajahanfa... - Diagram_0*

SQLQuery1.s...RNI\ab (72))*

```
1 Select * from Dimcustomers
```

178 % No issues found Ln: 1, Ch: 27 TABS CRLF UTF-8

Results Messages

	CustomerSK	CustomerID	CompanyName	ContactName	ContactTitle	GeoSK	StartDate	EndDate
1	1	ALFKI	Alfreds Futterkiste	Maria Anders	Sales Representative	13	2026-09-24 19:30:35.000	NULL
2	2	ANATR	Ana Trujillo Emparedados y helad...	Ana Trujillo	Owner	71	2026-09-24 19:30:35.000	NULL
3	3	ANTON	Antonio Moreno Taquería	Antonio Moreno	Owner	73	2026-09-24 19:30:35.000	NULL
4	4	AROUT	Around the Horn	Thomas Hardy	Sales Representative	57	2026-09-24 19:30:35.000	NULL
5	5	BERGS	Berglunds snabbköp	Christina Berglund	Order Administrator	61	2026-09-24 19:30:35.000	NULL
6	6	BLAUS	Blauer See Delikatessen	Hanna Moos	Sales Representative	68	2026-09-24 19:30:35.000	NULL
7	7	BLONP	Blondesddsl père et fils	Frédérique Citeaux	Marketing Manager	116	2026-09-24 19:30:35.000	NULL
8	8	BOLID	Bólide Comidas preparadas	Martin Sommer	Owner	65	2026-09-24 19:30:35.000	NULL
9	9	BONAP	Bon app'	Laurence Lebihan	Owner	69	2026-09-24 19:30:35.000	NULL
10	10	BOTTM	Bottom-Dollar Markets	Elizabeth Lincoln	Accounting Manager	123	2026-09-24 19:30:35.000	NULL

Query executed successfully. (local) (16.0 RTM) ANITAJAHANFARNI\ab (72) NorthWndDW 00:00:00 Row: 1, Col: 1 91 rows

Ready

File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

- Connect
- Book2
- Chinook
- ChinookDW
- db1
- db1dw
- Institute
- Insurance
- northwinddw2
- NORTHWND
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- NorthWndDW
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - dbo.DimGeo
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms

Anitajahanfa... - Diagram_0*

SQLQuery1.s...RNI\ab (72)*

```
1 Create table DimEmployees
2 (
3 EmployeeSK int identity(1,1) primary key,
4 EmployeeID int,
5 FullName nvarchar(30),
6 Title nvarchar(30),
7 TitileOfCourtesy nvarchar(25),
8 AgeStatus nvarchar(20),
9 YearHireDate int,
10 GeoSK int,
11 StartDate Datetime,
12 EndDate Datetime
13 )
```

110 % No issues found Ln: 13, Ch: 2 TABS CRLF UTF-8

Messages

Commands completed successfully.

Completion time: 2026-09-24T19:54:22.9259876+03:30

110 % No issues found Ln: 4, Ch: 1 TABS MIXED UTF-8 with BOM

Query executed successfully. (local) (16.0 RTM) ANITAJAHANFARNI\ab (72) NorthWndDW 00:00:00 Row: 1, Col: 1 0 rows

Matches: (

Select a Dimension Table and Keys

Select a dimension table to load and map columns in the transformation input to columns in the dimension table.

Connection manager:

LocalHost.NorthWndDW

New...

Table or view:

[dbo].[DimEmployees]

Input Columns	Dimension Columns	Key Type
AgeStatus	AgeStatus	Not a key column
EmployeeID	EmployeeID	Business key
	EndDate	
FullName	FullName	Not a key column
GeoSK	GeoSK	Not a key column
	StartDate	

Help

< Back

Next >

Finish >>|

Cancel



Slowly Changing Dimension Columns

Manage the changes to column data in your slowly changing dimensions by setting the change type for dimension columns.

Fixed Attribute

Select this type when the value in a column should not change. Changes are treated as errors.

Changing Attribute

Select this type when changed values should overwrite existing values. This is a Type 1 change.

Historical Attribute

Select this type when changes in column values are saved in new records. Previous values are saved in records marked as outdated. This is a Type 2 change.

Select a change type for slowly changing dimension columns:

Dimension Columns	Change Type
AgeStatus	Changing attribute
FullName	Historical attribute
GeoSK	Historical attribute
Title	Historical attribute
YearHireDate	Fixed attribute
TitleOfCourtesy	Historical attribute

Help

< Back

Next >

Finish >>|

Cancel



Fixed and Changing Attribute Options

Fixed attributes

- ☒ Fail the transformation if changes are detected in a fixed attribute

Changing attributes

- ☐ Change all the matching records, including outdated records, when changes are detected in a changing attribute

Help

< Back

Next >

Finish >>|

Cancel



Historical Attribute Options

You can record historical attributes using a single column or start and end date columns.

☐ Use a single column to show current and expired records

Column to indicate current record:

Value when current:

Expiration value:

☒ Use start and end dates to identify current and expired records

Start date column:

End date column:

Variable to set date values:

StartDate

EndDate

System::StartTime

Help

< Back

Next >

Finish >>|

Cancel



Inferred Dimension Members

Use inferred members when a fact table may reference dimension members that are not yet loaded.

When data for the inferred member is loaded, you can update the existing record rather than create a new one.

☐ Enable inferred member support

☒ All columns with a change type are null

☐ Use a Boolean column to indicate whether the current record is an inferred member

Inferred member indicator:

Help

< Back

Next >

Finish >>|

Cancel

SSIS Toolbox

Search SSIS Toolbox

- Data Streaming Destination
- Derived Column
- Lookup
- Merge
- Merge Join
- Multicast
- OData Source
- ODBC Destination
- ODBC Source
- OLE DB Command
- Row Count
- Script Component
- Slowly Changing Dimension**
- Sort
- Union All

Azure


Other Transforms

Other Sources

- ADO NET Source
- Excel Source
- Flat File Source
- OLE DB Source
- Raw File Source
- XML Source

Other Destinations

Information...



Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'Integration Services NorthwndDW' (1 of 1 project)

- Integration Services NorthwndDW
 - Project.params
 - Connection Managers
 - SSIS Packages
 - DimCustomers.dtsx
 - DimGeo.dtsx
 - DimProducts.dtsx
 - DimShippers.dtsx
 - DimSuppliers.dtsx
 - DimEmployees.dtsx**
 - Package Parts
 - Control Flow
 - Miscellaneous
 - Linked Azure Resources
 - Azure-SSIS Integration Runtime
 - Azure Storage

File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

- Connect
- Insurance
- northwinddw2
- NORTHWND
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Service Broker
 - Storage
 - Security
- NorthWndDW
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - dbo.DimCustomers
 - dbo.DimEmployees
 - dbo.DimGeo
 - dbo.DimProducts
 - dbo.DimShippers
 - dbo.DimSuppliers
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability

Anitajahanfa...DimEmployees Anitajahanfa... - Diagram_0*

SQLQuery1.s...RNI\ab (72))*

```
1 Select * from DimEmployees
```

162 % 1 0 Ln: 1, Ch: 27 TABS CRLF UTF-8

Results Messages

	EmployeeSK	EmployeeID	FullName	Title	TitleOfCourtesy	AgeStatus	YearHireDate	GeoSK	StartDate	EndDate
1	1	1	Nancy Davolio	Sales Representative	Ms.	Old	1992	108	2026-09-24 20:27:59.000	NULL
2	2	2	Andrew Fuller	Vice President, Sales	Dr.	Old	1992	119	2026-09-24 20:27:59.000	NULL
3	3	3	Janet Leverling	Sales Representative	Ms.	Mid	1992	40	2026-09-24 20:27:59.000	NULL
4	4	4	Margaret Peacock	Sales Representative	Mrs.	Old	1993	90	2026-09-24 20:27:59.000	NULL
5	5	5	Steven Buchanan	Sales Manager	Mr.	Old	1993	55	2026-09-24 20:27:59.000	NULL
6	6	6	Michael Suyama	Sales Representative	Mr.	Mid	1993	52	2026-09-24 20:27:59.000	NULL
7	7	7	Robert King	Sales Representative	Mr.	Old	1994	54	2026-09-24 20:27:59.000	NULL
8	8	8	Laura Callahan	Inside Sales Coordinator	Ms.	Old	1994	107	2026-09-24 20:27:59.000	NULL
9	9	9	Anne Dodsworth	Sales Representative	Ms.	Mid	1994	58	2026-09-24 20:27:59.000	NULL

Query executed successfully. (local) (16.0 RTM) ANITAJAHANFARNI\ab (72) NorthWndDW 00:00:00 Row: 1, Col: 1 9 rows

Ready

File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

- Connect
- Insurance
- northwinddw2
- NORTHWND
 - Database Diagrams
 - Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
- NorthWndDW
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - dbo.DimCustomers
 - dbo.DimEmployees
 - dbo.DimGeo
 - dbo.DimProducts
 - dbo.DimShippers
 - dbo.DimSuppliers
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability

Anitajahanfa... - Diagram_0*

SQLQuery1.s...RNI\ab (72)*

```
49 --Specify Start Date and End date here
50 --Value of Start Date Must be Less than Your End Date
51 -----
52
53 DECLARE @StartDate DATETIME = '01/01/1996' --Starting value of Date
54 DECLARE @EndDate DATETIME = '01/01/2009' --End Value of Date Range
55
56 --Temporary Variables To Hold the Values During Processing of Each
57 DECLARE
58 @DayOfWeekToMonth TNT
```

162 % 16 0

Ln: 54, Ch: 40 SPC CRLF UTF-8

Results Messages

	DateKey	Date	FullDate	DayOfMonth	DaySuffix	DayName	DayOfWeek	DayOfWeekInMonth	DayOfWeekInYear	DayOfQuarter	DayOfYear	Week
1	19960101	1996-01-01 00:00:00.000	01/01/1996	1	1st	Monday	2	1	1	1	1	1
2	19960102	1996-01-02 00:00:00.000	01/02/1996	2	2nd	Tuesday	3	1	1	1	2	1
3	19960103	1996-01-03 00:00:00.000	01/03/1996	3	3rd	Wednesday	4	1	1	1	3	1
4	19960104	1996-01-04 00:00:00.000	01/04/1996	4	4th	Thursday	5	1	1	1	4	1
5	19960105	1996-01-05 00:00:00.000	01/05/1996	5	5th	Friday	6	1	1	1	5	1
6	19960106	1996-01-06 00:00:00.000	01/06/1996	6	6th	Saturday	7	1	1	1	6	1
7	19960107	1996-01-07 00:00:00.000	01/07/1996	7	7th	Sunday	1	1	1	1	7	2
8	19960108	1996-01-08 00:00:00.000	01/08/1996	8	8th	Monday	2	2	2	2	8	2
9	19960109	1996-01-09 00:00:00.000	01/09/1996	9	9th	Tuesday	3	2	2	2	9	2
10	19960110	1996-01-10 00:00:00.000	01/10/1996	10	10th	Wednesday	4	2	2	2	10	2
11	19960111	1996-01-11 00:00:00.000	01/11/1996	11	11th	Thursday	5	2	2	2	11	2

Query executed successfully. (local) (16.0 RTM) ANITAJAHANFARNI\ab (72) NorthWndDW 00:00:09 Row: 1, Col: 1 4,749 rows

File Edit View Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search Integration Services No

SSIS Toolbox

Search SSIS Toolbox

- Favorites
 - Data Flow Task
 - Execute SQL Task
- Common
 - Analysis Services Processing Task
 - Bulk Insert Task
 - Data Profiling Task
 - Execute Package Task
 - Execute Process Task
 - Expression Task
 - File System Task
 - FTP Task
 - Script Task
 - Send Mail Task
 - Web Service Task
 - XML Task
- Azure
- Containers
 - For Loop Container
 - Foreach Loop Container
 - Sequence Container
- Other Tasks
- Package Parts

Fact(Hash3).dtsx [Design]* Fact(Hash1).dtsx [Design]

Control F... Data Flow Parameters Event Ha... Package ... Executio...

The diagram shows an 'Execute SQL Task' connected to a 'Data Flow Task'. The 'Data Flow Task' has a downward arrow indicating further steps. The background is light gray with a white grid. A zoom slider on the right shows 100%.

100%

Connection Managers

- LocalHost.NORTHWND
- LocalHost.NorthWndDW

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'Integration Services NorthWndDW' (1 of 1 project)

- Integration Services NorthWndDW
 - Project.params
 - Connection Managers
 - SSIS Packages
 - DimCustomers.dtsx
 - DimEmployees.dtsx
 - DimGeo.dtsx
 - DimProducts.dtsx
 - DimShippers.dtsx
 - DimSuppliers.dtsx
 - Fact(Hash1).dtsx
 - Fact(Hash2).dtsx
 - Fact(Hash3).dtsx
 - Package Parts
 - Control Flow
 - Miscellaneous
 - Linked Azure Resources
 - Azure-SSIS Integration Runtime
 - Azure Storage

Ready Add to Source Control Select Repository

File Edit View Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search Integration Services No

SSIS Toolbox

Search SSIS Toolbox

- Favorites
 - Destination Assistant
 - Source Assistant
- Common
 - Aggregate
 - Balanced Data Distributor
 - Conditional Split
 - Data Conversion
 - Data Streaming Destination
 - Derived Column
 - Lookup
 - Merge
 - Merge Join
 - Multicast
 - OData Source
 - ODBC Destination
 - ODBC Source
 - OLE DB Command
 - Row Count
 - Script Component
 - Slowly Changing Dimension
 - Sort
 - Union All
- Azure
- Other Transforms
- Other Sources

Information...

Fact(Hash3).dtsx [Design]* Fact(Hash1).dtsx [Design]

Control F... Data Flow Parameters Event Ha... Package ... Executio...

Data Flow Task: Data Flow Task

The diagram illustrates a data flow process. It begins with an 'OLE DB Source' at the top, which feeds into a 'Derived Column' task. The output of the 'Derived Column' task is connected to a 'Lookup(DimCustomer)' task. From 'Lookup(DimCustomer)', a 'Lookup Match Output' connects to a 'Lookup(Date1)' task. This pattern continues: 'Lookup(Date1)' connects to 'Lookup(Date2)', which connects to 'Lookup(Date3)', which connects to 'Lookup(DimGeo)', which connects to 'Lookup(DimProducts)'. Finally, 'Lookup(DimProducts)' connects to an 'OLE DB Destination' at the bottom. Each 'Lookup' task (except the first and last) has a 'Lookup Match Output' connecting to the next task in the sequence. A zoom slider on the right indicates a 90% zoom level.

Connection Managers

- LocalHost.NORTHWND
- LocalHost.NorthWndDW

Solution Explorer

Search Solution Explorer (Ctrl+;)

- Solution 'Integration Services NorthWndDW' (1 of 1 project)
 - Integration Services NorthWndDW
 - Project.params
 - Connection Managers
 - SSIS Packages
 - DimCustomers.dtsx
 - DimEmployees.dtsx
 - DimGeo.dtsx
 - DimProducts.dtsx
 - DimShippers.dtsx
 - DimSuppliers.dtsx
 - Fact(Hash1).dtsx
 - Fact(Hash2).dtsx
 - Fact(Hash3).dtsx
 - Package Parts
 - Control Flow
 - Miscellaneous
 - Linked Azure Resources
 - Azure-SSIS Integration Runtime
 - Azure Storage

Zoom Change: 90%

Add to Source Control Select Repository

File Edit View Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search Integration Services No

Developi Default Start

Fact(Hash2).dtsx [Design]*

Control Flow Data Flow Parameters Event Handlers Package Explorer Execution Results

Execute SQL Task

100%

Connection Managers

LocalHost.NORTHWND

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'Integration Services NorthWndDW' (1 of 1 project)

- Integration Services NorthWndDW
 - Project.params
 - Connection Managers
 - SSIS Packages
 - DimCustomers.dtsx
 - DimEmployees.dtsx
 - DimGeo.dtsx
 - DimProducts.dtsx
 - DimShippers.dtsx
 - DimSuppliers.dtsx
 - Fact(Hash1).dtsx
 - Fact(Hash2).dtsx
 - Fact(Hash3).dtsx
 - Package Parts
 - Control Flow
 - Miscellaneous
 - Linked Azure Resources
 - Azure-SSIS Integration Runtime
 - Azure Storage

Ready Add to Source Control Select Repository

File Edit View Git Project Build Debug Test Analyze Tools Extensions Window Help Search Integration Services NorthWndDW

SSIS Toolbox

Search SSIS Toolbox

- Favorites
 - Data Flow Task
 - Execute SQL Task
- Common
 - Analysis Services Processing Task
 - Bulk Insert Task
 - Data Profiling Task
 - Execute Package Task
 - Execute Process Task
 - Expression Task
 - File System Task
 - FTP Task
 - Script Task
 - Send Mail Task
 - Web Service Task
 - XML Task
- Azure
- Containers
 - For Loop Container
 - Foreach Loop Container
 - Sequence Container
- Other Tasks
- Package Parts

Fact(Hash3).dtsx [Design]* Fact(Hash2).dtsx [Design]

Control Flow Data Flow Parameters Event Ha... Package ...

Data Flow Task

Execute SQL Task

100%

Connection Managers

- LocalHost.NORTHWND
- LocalHost.NorthWndDW

Solution Explorer

Search Solution Explorer (Ctrl+;)


Solution 'Integration Services NorthWndDW' (1 of 1 project)

- Integration Services NorthWndDW
 - Project.params
 - Connection Managers
 - SSIS Packages
 - DimCustomers.dtsx
 - DimEmployees.dtsx
 - DimGeo.dtsx
 - DimProducts.dtsx
 - DimShippers.dtsx
 - DimSuppliers.dtsx
 - Fact(Hash1).dtsx
 - Fact(Hash2).dtsx
 - Fact(Hash3).dtsx
 - Package Parts
 - Control Flow
 - Miscellaneous
 - Linked Azure Resources
 - Azure-SSIS Integration Runtime
 - Azure Storage

Information...

This item does not support previewing

Add to Source Control Select Repository



File Edit View Query Git Project Tools Extensions Window Help Search

NorthWndDW Execute

Object Explorer

- Connect
- AP
- AP DW
- Book2
- Chinook
- ChinookDW
- db1
- db1dw
- Institute
- Insurance
- mio
- mioDW
- northwinddw2
- NORTHWND
- Database Diagrams
- Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - dbo.Categories
 - dbo.CustomerCustomerDemo
 - dbo.CustomerDemographics
 - dbo.Customers
 - dbo.Employees
 - dbo.EmployeeTerritories
 - dbo.Order Details
 - dbo.Orders
 - dbo.Products
 - dbo.Region

Anitajahanfa... - Diagram_0* Anitajahanfa...W - Diagram_0 SQLQuery2.s...RNI\ab (54)*

```
1 Select * from FactOrders
```

161 % No issues found Ln: 1, Ch: 25 TABS CRLF UTF-8

Results Messages

	orderid	unitprice	quantity	discount	TotalSales	NumberOfOrd...	NewFreight	Customer...	OrderDateKey	RequiredDateKey	ShippedDateKey	EmployeeSK	GeoSK	ShipperSK	ProductSK
4	10249	18.60	9	0	167.4	2	5.805	79	19960705	19960816	19960710	6	78	1	65
5	10249	42.40	40	0	1696	2	5.805	79	19960705	19960816	19960710	6	78	1	62
6	10250	7.70	10	0	77	3	21.9433	34	19960708	19960805	19960712	4	96	2	74
7	10250	42.40	35	0.15	1261.4	3	21.9433	34	19960708	19960805	19960712	4	96	2	62
8	10250	16.80	15	0.15	214.2	3	21.9433	34	19960708	19960805	19960712	4	96	2	17
9	10251	16.80	6	0.05	95.76	3	13.78	84	19960708	19960805	19960715	3	63	1	53
10	10251	15.60	15	0.05	222.3	3	13.78	84	19960708	19960805	19960715	3	63	1	50
11	10251	16.80	20	0	336	3	13.78	84	19960708	19960805	19960715	3	63	1	17
12	10252	64.80	40	0.05	2462.4	3	17.10	76	19960709	19960806	19960711	4	24	2	37
13	10252	2.00	25	0.05	47.5	3	17.10	76	19960709	19960806	19960711	4	24	2	46
14	10252	27.20	40	0	1088	3	17.10	76	19960709	19960806	19960711	4	24	2	41
15	10253	10.00	20	0	200	3	19.39	34	19960710	19960724	19960716	3	96	2	45
16	10253	14.40	42	0	604.8	3	19.39	34	19960710	19960724	19960716	3	96	2	11

Query executed successfully. localhost (16.0 RTM) ANITAJAHANFARNI\ab (54) NorthWndDW 00:00:00 Row: 1, Col: 1 2,082 rows

		NorthWindDW
		Database Diagrams
		Tables
		System Tables
		File Tables
		External Tables
		Graph Tables
		dbo.Date
		dbo.DimCustomers
		dbo.DimEmployees
		dbo.DimGeo
		dbo.DimProducts
		dbo.DimShippers
		dbo.DimSuppliers
		dbo.FactOrders
		Dropped Ledger Tables

