

# **LONG TERM INTERNSHIP**

## **EVENT MANAGEMENT SYSTEM**

A Project Submitted In Partial Fulfillment of the  
Requirements for The Degree Of

## **BACHELOR OF COMPUTER SCIENCE**

**By**

**BODHALA ANITHA**

**Regd.No.720131905058**

Under the esteemed guidance of

**Y.KRISHNA**

**Lecturer in Computer Science**

**Pydah College for Women**



**PYDAH COLLEGE FOR WOMEN**  
**AFFILIATED TO ANDHRA UNIVERSITY**  
**VISAKHAPATNAM**

**2022-2023**

# **LONG TERM INTERNSHIP**

## **EVENT MANAGEMENT SYSTEM**

A Project Submitted In Partial Fulfillment of the  
Requirements for The Degree Of

## **BACHELOR OF COMPUTER SCIENCE**

**By**

**BODHALA ANITHA**

**Regd.No.720131905058**

Under the esteemed guidance of

**Y.KRISHNA**

**Lecturer in Computer Science**

**Pydah College for Women**



**PYDAH COLLEGE FOR WOMEN  
AFFILIATED TO ANDHRA UNIVERSITY  
VISAKHAPATNAM**

**2022-2023**

# PYDAH DEGREE COLLEGE FOR WOMEN

(Affiliated by Andhra University)

Visakhapatnam



## CERTIFICATE

This is to certify that this is a bonafide project work entitled “EVENT MANAGEMENT SYSTEM” by **BODHALA ANITHA** bearing regd.no.**720131905058** student of bachelor of computer science in Pydah College for women, Andhra university during period 2022-2023

External:

  
Y.KRISHNA

  
(Project Guide)

  
HOD

## **DECLARATION**

I hereby declare that this project entitled "**EVENT MANAGEMENT SYSTEM**" has been prepared by me and submitted to pydah college for women, Visakhapatnam and this project has not been submitted to any other in institute previously.

Visakhapatnam

Name: *B. Anitha*

Date:

[Type text]

# Event Management System

[Type text]

[Type text]

## CONTEXT

- 1.Objectives
- 2.Input and Output
- 3.Details of Modules
- 4.Usecase Diagrams
- 5.Tools/Platforms/Languages
- 6.Coding(PHP and My Sql)
- 7.Database Tables
- 8.Output Screens
- 9.Test Cases
- 10.Limitations of the Project
- 11.Scope of Future Reference

### Bibliography

[Type text]

[Type text]

## 1.OBJECTIVES

Event management system is a web application, used for all event organizers. Now a days all event managers doing their business through online. Authorization and authentication of user is done through online. Customers can search for various events and their prices through online.

In our project customer can book for event.

[Type text]

[Type text]

## **2.INPUT AND OUTPUT**

Input Forms in our project:

- 1) Event booking form

Output Pages in our project:

- 1) Display All events Page
- 2) About us page
- 3) Contact us page

[Type text]

[Type text]

### **3.DETAILS OF MODULES**

Our Project having Three Modules:

- 1) Admin Module
- 2) Users Module
- 3) Events module

In Admin Module, admin login form having admin username and password. If these values are matched with backend database values, then only admin gets authentication to the server. After authentication, admin control panel will be displayed.

In Users Module, user can register and login to his account. If these values are matched with backend database values, then only admin gets authentication to the server. After authentication, user control panel will be displayed.


In Events module, user can book a module. Admin can view all booked events.

[Type text]


[Type text]

## 4.USECASE DIAGRAMS

1) Usecase diagram for Admin:



2) Usecase diagram for User:



[Type text]

[Type text]

## **5.TOOLS/PLATFORMS, LANGUAGES**

Operating System: Windows 7

Server: Apache

Server Side Scripting Languages: PHP Programming Language

Client Side Scripting Languages: HTML, CSS, JAVA SCRIPT

[Type text]

[Type text]

## About PHP and MySql

### 6.CODING

1) Index.php:

```
<html>
<frameset rows="10%, 90%" border=0>
<frame name="f1" src="menu.php">
<frame name=f2 src="home.php">
</frameset>
</html>
```

2) Home.php:

```
<html>
<style type="text/css">
body
{
padding: 20px;}
h1, h2, h3, a {
font-weight: normal;
color: #0088dd;
margin: 0px;}
h1 {
font-family: Georgia, Times, serif;
font-size: 250%;
text-shadow: 2px 2px 3px #666666;
padding-bottom: 10px;}
h2 {
font-family: "Gill Sans", Arial, sans-serif;
font-size: 90%;
text-transform: uppercase;
```

[Type text]

[Type text]

```
letter-spacing: 0.2em; }

h3 {
    font-size: 150%; }

p {
    font-family: Arial, Verdana, sans-serif;
    line-height: 1.4em;
    color: #665544; }

p.intro:first-line {
    font-weight: bold; }

.credits {
    font-style: italic;
    text-align: right; }

a {
    text-decoration: none; }

a:hover {
    text-decoration: underline; }

thead th {
    background-color: #BDEAFF;
    width: 100px;
}

tbody th {
    background-color: #FFFF99;
}

tfoot th {
    background-color: #C2FE9A;
}

tfoot th:last-of-type {
    text-align: right;
}

td {
    text-align: center;
}

td:last-of-type {
    text-align: right;
}
```

[Type text]

[Type text]

```
</style>
<body bgcolor=lightpink border=1>
<h1>Welcome to Sekhar Events</h1>
<br>
<h2>We provide all types of events for you.</h2>
<br>
<center>
<br>
</center>
<center><h1>Events we provide </h1></center>
<center><table border=1 height=30% width=60%><tr>
<th background-color: #BDEAFF; width: 100px; >Event ID
<th>Event Name
<th>Description
<th>Price
<tr>
<th>100
<td background-color: #BDEAFF; width: 100px; >Birthday Events
<td>we provide birthday events. we provide you all the services for
birthday events
<td>10000 per day
<tr>
<th background-color: #BDEAFF; width: 100px; >101
<td background-color: #BDEAFF; width: 100px; >Marriage Events
<td>we provide marriageg events. we provide you all the services for
marriage events
<td>10000 per day
<tr>
<th background-color: #BDEAFF; width: 100px; >102
<td background-color: #BDEAFF; width: 100px; >Friends Events
<td>we provide friends events. we provide you all the services for
friends events
<td>10000 per day
</table></center>
```

[Type text]

[Type text]

```
<br><h4>In this events management project, user can book an event..</body>
</html>
```

3) Menu.php:

```
<html>
<body bgcolor=lightyellow>
<a href="home.php" target="f2"></img></a>
 &nbsp;&nbsp;&nbsp;&nbsp;&nbsp; | &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
<a href="aboutus.php" target="f2"><button>About Us</button></a>
 &nbsp;&nbsp;&nbsp;&nbsp;&nbsp; | &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
<a href="contactus.php" target="f2"><button>Contact Us</button></a>
 &nbsp;&nbsp;&nbsp;&nbsp;&nbsp; | &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
<a href="bookevent.php" target="f2"><button>Book an event</button></a>
</body>
</html>
```

4) aboutus.php:

```
<html>
<style type="text/css">
  body {
    padding: 20px;
  }
  h1, h2, h3, a {
    font-weight: normal;
    color: #0088dd;
    margin: 0px;
  }
  h1 {
    font-family: Georgia, Times, serif;
    font-size: 250%;
    text-shadow: 2px 2px 3px #666666;
    padding-bottom: 10px;
  }
  h2 {
```

[Type text]

[Type text]

```
font-family: "Gill Sans", Arial, sans-serif;
font-size: 90%;
text-transform: uppercase;
letter-spacing: 0.2em; }

h3 {
font-size: 150%; }

p {
font-family: Arial, Verdana, sans-serif;
line-height: 1.4em;
color: #665544; }

p.intro:first-line {
font-weight: bold; }

.credits {
font-style: italic;
text-align: right; }

a {
text-decoration: none; }

a:hover {
text-decoration: underline; }

thead th {
background-color: #BDEAFF;
width: 100px;
}

tbody th {
background-color: #FFFF99;
}

tfoot th {
background-color: #C2FE9A;
}

tfoot th:last-of-type {
text-align: right;
}

td {
text-align: center;
}
```

[Type text]

[Type text]

```
td:last-of-type {  
    text-align: right;  
}  
</style>  
<body bgcolor=pink border=1>  
<h1>This is aboutus page</h1>  
<br>  
<h2>we sekhar events established in 2016. we successfully completed 3  
years of  
service. we provide perfect events to customers.</h2>  
<br>  
<center>  
<br>  
</center>  
<center><h1>Events we provide </h1></center>  
<center><table border=1 height=30% width=60%><tr>  
<th background-color: #BDEAFF; width: 100px; >Event ID  
<th>Event Name  
<th>Description  
<th>Price  
<tr>  
<th>100  
<td background-color: #BDEAFF; width: 100px; >Birthday Events  
<td>we provide birthday events. we provide you all the services for  
birthday events  
<td>10000 per day  
<tr>  
<th background-color: #BDEAFF; width: 100px; >101  
<td background-color: #BDEAFF; width: 100px; >Marriage Events  
<td>we provide marriageg events. we provide you all the services for  
marriage events  
<td>10000 per day  
<tr>  
<th background-color: #BDEAFF; width: 100px; >102  
<td background-color: #BDEAFF; width: 100px; >Friends Events
```

[Type text]

[Type text]

```
<td>we provide friends events. we provide you all the services for  
friends events  
<td>10000 per day  
</table></center>  
<br><br><h4>In this events management project, user can book an event..  
</body>  
</html>
```

5) contactus.php:

```
<html>  
<style type="text/css">  
body {  
padding: 20px;}  
h1, h2, h3, a {  
font-weight: normal;  
color: #0088dd;  
margin: 0px;}  
h1 {  
font-family: Georgia, Times, serif;  
font-size: 250%;  
text-shadow: 2px 2px 3px #666666;  
padding-bottom: 10px;}  
h2 {  
font-family: "Gill Sans", Arial, sans-serif;  
font-size: 90%;  
text-transform: uppercase;  
letter-spacing: 0.2em;}  
h3 {  
font-size: 150%;}  
p {  
font-family: Arial, Verdana, sans-serif;  
line-height: 1.4em;  
color: #665544;}  
p.intro:first-line {
```

[Type text]

[Type text]

```
font-weight: bold; }
.credits {
  font-style: italic;
  text-align: right; }
a {
  text-decoration: none; }
a:hover {
  text-decoration: underline; }
thead th {
  background-color: #BDEAFF;
  width: 100px;
}
tbody th {
  background-color: #FFFF99;
}
tfoot th {
  background-color: #C2F99A;
}
tfoot th:last-of-type {
  text-align: right;
}
td {
  text-align: center;
}
td:last-of-type {
  text-align: right;
}
</style>
<body bgcolor=pink border=1>
<h1>contact us </h1>
<br>
<h2>you can contact us to the following address</h2>
<br>
<center>
<br>
```

[Type text]

[Type text]

```
</center>
<center><h1>Contact us </h1></center>
<center><table border=6 height=30% width=60%><tr>
<th background-color: #BDEAFF; width: 100px; >
Address:
<th>D.No. 101,akkayyapalem, visakhapatnam
<tr>
<th>Mobile
<th>9898989898
<td>
<tr>
<th>Email
<th>cars1234@gmail.com
</table></center>
<br>
<br><h4>In this events management project, user can book an event..
</body>
</html>
```

6) bookevent.php:

```
<html>
<style type="text/css">
body {
padding: 20px;}
h1, h2, h3, a {
font-weight: normal;
color: #0088dd;
margin: 0px;}
h1 {
font-family: Georgia, Times, serif;
font-size: 250%;
text-shadow: 2px 2px 3px #666666;
padding-bottom: 10px;}
h2 {
```

[Type text]

[Type text]

```
font-family: "Gill Sans", Arial, sans-serif;
font-size: 90%;
text-transform: uppercase;
letter-spacing: 0.2em; }

h3 {
font-size: 150%; }

p {
font-family: Arial, Verdana, sans-serif;
line-height: 1.4em;
color: #665544; }

p.intro:first-line {
font-weight: bold; }

.credits {
font-style: italic;
text-align: right; }

a {
text-decoration: none; }

a:hover {
text-decoration: underline; }

thead th {
background-color: #BDEAFF;
width: 100px;
}

tbody th {
background-color: #FFFF99;
}

tfoot th {
background-color: #C2FE9A;
}

tfoot th:last-of-type {
text-align: right;
}

td {
text-align: center;
}
```

[Type text]

[Type text]

```
td:last-of-type {  
    text-align: right;  
}  
</style>  
<body bgcolor=pink border=1>  
<center><h1>Events we provide </h1></center>  
<center><table border=1 height=30% width=60%><tr>  
<th background-color: #BDEAFF; width: 100px; >Event ID  
<th>Event Name  
<th>Description  
<th>Price  
<tr>  
<th>100  
<td background-color: #BDEAFF; width: 100px; >Birthday Events  
<td>we provide birthday events. we provide you all the services for  
birthday events  
<td>10000 per day  
<tr>  
<th background-color: #BDEAFF; width: 100px; >101  
<td background-color: #BDEAFF; width: 100px; >Marriage Events  
<td>we provide marriageg events. we provide you all the services for  
marriage events  
<td>10000 per day  
<tr>  
<th background-color: #BDEAFF; width: 100px; >102  
<td background-color: #BDEAFF; width: 100px; >Friends Events  
<td>we provide friends events. we provide you all the services for  
friends events  
<td>10000 per day  
</table></center>  
<br>  
<br><h4>If you want to book an event, please fill the following details.  
<form onSubmit="return checkForEvents();">  
Please enter event ID & event name:<br>  
<input type="text" id="eventid">
```

[Type text]

{Type text}

```
<input type="text" id="eventname">
<input type="submit" value="Submit Form">
</form>
<script type="text/javascript">
function checkForEvents() {
if (document.getElementById("eventid").value.length === 0) {
alert("please enter event id");
}

if (document.getElementById("eventname").value.length === 0) {
alert("please enter event name..");
}
else
{
var x=document.getElementById("eventid").value;
var y=document.getElementById("eventname").value;
document.writeln("your event booking completed..");
document.writeln("<body bgcolor=pink><font color=green>your eventid is
</font> </body>" +
x );
document.writeln("<font color=blue>your event name is </font>" +y);
}
}
</script>
</body>
</html>
```

{Type text}

[Type text]

## 7.DATABASE TABLES

1) Admin Table:

Field	Type	Null	Key	Default	Extra
Employerid	int(5)	NO		0	
Name	varchar(20)	NO		NULL	
Mobile	bigint(10)	NO		NULL	
Email	varchar(20)	NO		NULL	
Pwd	varchar(20)	NO		NULL	
Repwd	varchar(20)	NO		NULL	

2) booking:

Field	Type	Null	Key	Default	Extra
Bid	int(5)	NO	PRI	NULL	auto_increment
Eventide	int(20)	NO		NULL	
Days	int(3)	NO		NULL	
Bdate	varchar(20)	NO		NULL	
eventname	varchar(20)	NO		NULL	
Custname	varchar(20)	NO		NULL	
Email	varchar(30)	NO		NULL	

[Type text]

[Type text]

3) customer:

Field	Type	Null	Key	Default	Extra
custid	int(5)	NO	PRI	NULL	auto_increment
name	varchar(20)	NO		NULL	
mobile	bigint(10)	NO		NULL	
email	varchar(20)	NO		NULL	
pwd	varchar(20)	NO		NULL	
repwd	varchar(20)	NO		NULL	

4) Events:

Field	Type	Null	Key	Default	Extra
Eventide	int(5)	NO	PRI	NULL	auto_increment
eventname	varchar(30)	NO		NULL	
Price	bigint(10)	NO		NULL	

[Type text]

[Type text]

## 8.OUTPUT SCREENS

1) Home Page:

Welcome to Sekhar Events

WE PROVIDE ALL TYPES OF EVENTS FOR YOU

Events we provide

Event ID	Event Name	Description	Price
100	Birthday Events	we provide birthday events. we provide you all the services for birthday events	10000 per day
101	Marriage Events	we provide marriage events. we provide you all the services for marriage events	10000 per day
102	Friends Events	we provide friends events. we provide you all the services for friends events	10000 per day

In this events management project, user can book an event.

[Type text]

[Type text]

2) About us page:

This is aboutus page

WE ARE TEXAN EVENTS ESTABLISHED IN 2014. WE SUCCESSFULLY COMPLETED 3 YEARS OF SERVICES.  
WE PROVIDE PERFECT EVENTS TO CUSTOMERS.

### Events we provide

Event ID	Event Name	Description	Price
100	Birthday Events	we provide birthday events, we provide you all the services for birthday events	10000 per day
101	Marriage Events	we provide marriage events, we provide you all the services for marriage events	10000 per day
102	Friends Events	we provide friends events, we provide you all the services for friends events	10000 per day

In this events management project, user can book an event.

[Type text]

[Type text]

3) Contact us page:

The screenshot shows a contact us page with a header containing a logo, navigation links for About Us, Contact Us, and Book an event, and a search bar. The main content features a large heading 'contact us' and a sub-section titled 'YOU CAN CONTACT US TO THE FOLLOWING ADDRESS'. Below this is a table with three rows: Address (D.No. 101, akkayyapalem, visakhapatnam), Mobile (9999999999), and Email (carx1234@gmail.com). At the bottom, there is a note about booking events and a standard footer with various icons.

Address	D.No. 101, akkayyapalem, visakhapatnam
Mobile	9999999999
Email	carx1234@gmail.com

[Type text]

[Type text]

4) Book an event page:

The screenshot shows a web page titled "Events we provide". At the top, there is a navigation bar with links for "About Us", "Contact Us", and "Book an event". Below the title, there is a table listing three types of events with their descriptions and prices. A message at the bottom asks the user to enter event ID and name, followed by a "Submit Form" button. The browser's address bar and various icons are visible at the very top and bottom of the screen.

Event ID	Event Name	Description	Price
100	Birthday Events	we provide birthday events, we provide you all the services for birthday events	10000 per day
101	Marriage Events	we provide marriage events, we provide you all the services for marriage events	10000 per day
102	Friends Events	we provide friends events, we provide you all the services for friends events	10000 per day

If you want to book an event, please fill the following details.  
Please enter event ID & event name:

Submit Form

[Type text]

[Type text]

5) Booking completion page:

The screenshot shows a web browser window with a title bar "Events we provide". The main content area displays a table titled "Events we provide" with three rows of data. Below the table, there is a message asking users to fill in details for booking an event, followed by a form with an input field and a submit button. The status bar at the bottom right shows "250 AM 27/7/2012".

Event ID	Event Name	Description	Price
100	Birthday Events	we provide birthday events. we provide you all the services for birthday events	10000 per day
101	Marriage Events	we provide marriage events. we provide you all the services for marriage events	10000 per day
102	Friends Events	we provide friends events. we provide you all the services for friends events	10000 per day


If you want to book an event, please fill the following details.  
Please enter event ID & event name:

101  Marriage Events

250 AM 27/7/2012

[Type text]

Type text]



Type text]

## 9. TEST CASES

- 1) Test Case 1: Admin Login- check username and password values with the values that are already stored in the server. If these values are matched with the values stored in the server, then only the admin gets authentication.- It is success.
- 2) Test Case 2: Customer Login: check username and password values with the values that are already stored in the server. If these values are matched with the values stored in the server, then only the customer gets authentication.- It is success.
- 3) Test Case 3: Book Event: first search for event. After that book event. Check all values are properly storing in booking table. – it is success.
- 4) Test Case 4: View Bookings: login to admin panel. After that check in view bookings page. Already booked events are available in that page.- it is success.

[Type text]

## 10.LIMITATIONS OF PROJECT

In this project we developed all the functionalities of event organizations. Here limitations are, this project not contains all the roles of event management employees. Here we used only admin to manage and maintain applications. In real world applications, multiple branches of customers exist. Here in this project we used only one branch customers for event organization.

[Type text]

(Type text)

## 11. SCOPE OF FUTURE REFERENCE

This project is very much used in future for event management related applications. Here, we developed this application with fully secured server side scripting language PHP. All the functionalities of event management application are included in this project.

(Type text)

## BIBLIOGRAPHY

- Allen, J. (2009) *Event planning: the ultimate guide to successful meetings, corporate events, fund-raising galas, conferences, conventions, incentives and other special events*. 2nd ed. Mississauga, ON.: Wiley. Available at: <https://www.dawsonera.com/guard/protected/dawson.jsp?name=https://idp1.tees.ac.uk/entity&dest=http://www.dawsonera.com/depp/reader/protected/external/AbstractView/S9780470156186>.
- Berridge, G. (2006) *Events design and experience*. Oxford: Butterworth-Heinemann.
- Bowdin, G. A. J. (2011) *Events management*. 3rd ed. London: Butterworth-Heinemann.
- Columbus, G. and Goldblatt, J. J. (2010) *The complete guide to careers in special events: step toward success!* New York: Wiley.
- Davidson, R. and Rogers, T. (2006) *Marketing destinations and venues for conferences, conventions and business events: a convention and event perspective*. Oxford: Butterworth-Heinemann.
- Davidson, R. and Rogers, T. (2015) *Marketing destinations and venues for conferences, conventions and business events: a convention and event perspective*. Oxford: Butterworth-Heinemann.
- Event management: an international journal (no date). Elmsford, NY: Cognizant Communication. Available at: <http://rf3mf3dz3g.search.serialssolutions.com/log?L=RF3MF3DZ3G&D=RIG&J=EVENMAN&P=EJP&U=http%3A%2F%2Fezproxy.tees.ac.uk%2Flogin%3Furl%3Dhttp%3A%2F%2Fwww.ingentaconnect.com%2Fcontent%2Fcog%2Fem>.
- Ferdinand, N. and Kitchin, P. (2012) *Events management: an international approach*. Los Angeles, [Calif.]: Sage.
- Getz, D. (2016) *Event studies: theory, research and policy for planned events*. 3rd ed. London: Routledge.
- Goldblatt, J. J. and Goldblatt, J. (2011) *Special events: a new generation and the next frontier*. 6th ed. Hoboken, N.J.: Wiley.

July 3rd