

YOUTUBE_CLOAN

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>StreamHub - Video Sharing Platform</title>

  <script src="https://cdn.tailwindcss.com"></script>

  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.4.0/css/all.min.css">

  <style>

    /* Custom animations and transitions */

    .video-card {

      transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);

    }

    .video-card:hover {

      transform: translateY(-4px);

    }

    .modal-backdrop {

      backdrop-filter: blur(8px);

      background-color: rgba(0, 0, 0, 0.7);

    }

    .category-pill {

      transition: all 0.2s ease;

    }

    .category-pill:hover {

      transform: scale(1.05);

    }

    .category-pill.active {
```

```
background-color: #000;
color: white;
}
.search-input:focus {
  box-shadow: 0 0 0 3px rgba(59, 130, 246, 0.1);
}
.duration-badge {
  background: rgba(0, 0, 0, 0.8);
  backdrop-filter: blur(4px);
}
.comment-item {
  animation: slideIn 0.3s ease-out;
}
@keyframes slideIn {
  from {
    opacity: 0;
    transform: translateX(-20px);
  }
  to {
    opacity: 1;
    transform: translateX(0);
  }
}
.upload-area {
  border: 2px dashed #cbd5e1;
  transition: all 0.3s ease;
}
.upload-area:hover {
  border-color: #3b82f6;
  background-color: #f8f9fc;
}
```

```

.upload-area.dragover {
    border-color: #3b82f6;
    background-color: #eff6ff;
}
</style>
</head>
<body class="bg-gray-50">
    <!-- Navigation Bar -->
    <nav class="bg-white shadow-sm sticky top-0 z-40">
        <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
            <div class="flex items-center justify-between h-16">
                <!-- Branding -->
                <div class="flex items-center">
                    <button id="menuToggle" class="lg:hidden p-2 rounded-md hover:bg-gray-100">
                        <i class="fas fa-bars text-gray-600"></i>
                    </button>
                    <div class="flex items-center ml-2 lg:ml-0">
                        <i class="fas fa-play-circle text-red-600 text-3xl mr-2"></i>
                        <span class="text-xl font-bold text-gray-900">StreamHub</span>
                    </div>
                </div>
            </div>
        </div>
    </nav>
    <!-- Search Bar -->
    <div class="flex-1 max-w-2xl mx-4">
        <div class="relative">
            <input
                type="text"
                id="searchInput"
                placeholder="Search videos..."
                class="search-input w-full px-4 py-2 pl-10 pr-4 border border-gray-300 rounded-full
                focus:outline-none focus:border-blue-500 transition-all"
            >
        </div>
    </div>

```

```

        >
        <i class="fas fa-search absolute left-3 top-1/2 transform -translate-y-1/2 text-gray-
400"></i>
    </div>
</div>

<!-- User Actions -->
<div class="flex items-center space-x-4">
    <button id="uploadBtn" class="bg-blue-600 text-white px-4 py-2 rounded-full hover:bg-
blue-700 transition-colors flex items-center">
        <i class="fas fa-upload mr-2"></i>
        <span class="hidden sm:inline">Upload</span>
    </button>
    <button class="p-2 rounded-full hover:bg-gray-100 relative">
        <i class="fas fa-bell text-gray-600"></i>
        <span class="absolute top-0 right-0 h-2 w-2 bg-red-600 rounded-full"></span>
    </button>
    <div class="relative">
        <button id="profileBtn" class="w-10 h-10 rounded-full overflow-hidden border-2
border-gray-300 hover:border-blue-500 transition-colors">
            
        </button>
    </div>
</div>
</div>
</div>
</nav>

<!-- Category Filters -->
<div class="bg-white border-b sticky top-16 z-30">
    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

```

```
<div class="flex items-center space-x-2 py-3 overflow-x-auto scrollbar-hide">

  <button class="category-pill active px-4 py-1.5 rounded-full bg-gray-100 text-sm font-
medium whitespace-nowrap" data-category="all">

    All

  </button>

  <button class="category-pill px-4 py-1.5 rounded-full bg-gray-100 text-sm font-medium
whitespace-nowrap hover:bg-gray-200" data-category="education">

    Education

  </button>

  <button class="category-pill px-4 py-1.5 rounded-full bg-gray-100 text-sm font-medium
whitespace-nowrap hover:bg-gray-200" data-category="music">

    Music

  </button>

  <button class="category-pill px-4 py-1.5 rounded-full bg-gray-100 text-sm font-medium
whitespace-nowrap hover:bg-gray-200" data-category="food">

    Food

  </button>

  <button class="category-pill px-4 py-1.5 rounded-full bg-gray-100 text-sm font-medium
whitespace-nowrap hover:bg-gray-200" data-category="travel">

    Travel

  </button>

  <button class="category-pill px-4 py-1.5 rounded-full bg-gray-100 text-sm font-medium
whitespace-nowrap hover:bg-gray-200" data-category="technology">

    Technology

  </button>

</div>

</div>

</div>
```

<!-- Video Grid -->

```
<main class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-6">
```

```
<div id="videoGrid" class="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-3 xl:grid-cols-4 gap-6">
```

```
<!-- Videos will be dynamically inserted here -->
```

</div>

</main>

<!-- Video Player Modal -->

<div id="videoModal" class="fixed inset-0 z-50 hidden">

<div class="modal-backdrop fixed inset-0" onclick="closeVideoModal()"></div>

<div class="fixed inset-0 overflow-y-auto">

<div class="flex items-center justify-center min-h-screen p-4">

<div class="relative bg-white rounded-lg shadow-xl max-w-6xl w-full max-h-[90vh] overflow-hidden">

<!-- Modal Header -->

<div class="flex items-center justify-between p-4 border-b">

<h2 id="modalVideoTitle" class="text-xl font-semibold text-gray-900"></h2>

<button onclick="closeVideoModal()" class="p-2 rounded-full hover:bg-gray-100">

<i class="fas fa-times text-gray-600"></i>

</button>

</div>

<!-- Video Player -->

<div class="relative bg-black">

<video id="videoPlayer" class="w-full" controls>

<source src="" type="video/mp4">

Your browser does not support the video tag.

</video>

</div>

<!-- Video Info -->

<div class="p-6">

<div class="flex items-start justify-between mb-4">

<div>

<h3 id="modalVideoTitle2" class="text-lg font-semibold mb-2"></h3>

```

        <div class="flex items-center space-x-4 text-sm text-gray-600">
            <span id="modalVideoViews"></span>
            <span id="modalVideoDate"></span>
        </div>
    </div>

    <div class="flex items-center space-x-2">
        <button class="flex items-center space-x-2 px-4 py-2 bg-gray-100 rounded-full
hover:bg-gray-200">
            <i class="fas fa-thumbs-up"></i>
            <span>1.2K</span>
        </button>
        <button class="flex items-center space-x-2 px-4 py-2 bg-gray-100 rounded-full
hover:bg-gray-200">
            <i class="fas fa-share"></i>
            <span>Share</span>
        </button>
    </div>
</div>

<div class="border-t pt-4">
    <p id="modalVideoDescription" class="text-gray-700 mb-4"></p>
</div>

<!-- Comments Section -->

<div class="border-t pt-4">
    <h4 class="font-semibold mb-4">Comments (24)</h4>
    <div class="space-y-4 mb-4">
        <div class="comment-item flex space-x-3">
            
            <div class="flex-1">
                <div class="bg-gray-100 rounded-lg p-3">

```

```
        <p class="font-medium text-sm">Sarah Johnson</p>
        <p class="text-sm text-gray-700">Great video! Very informative and well
explained.</p>
    </div>
    <div class="flex items-center space-x-4 mt-1 text-xs text-gray-500">
        <button class="hover:text-gray-700">Like</button>
        <button class="hover:text-gray-700">Reply</button>
        <span>2 hours ago</span>
    </div>
</div>
</div>
<div class="comment-item flex space-x-3">
    
    <div class="flex-1">
        <div class="bg-gray-100 rounded-lg p-3">
            <p class="font-medium text-sm">Mike Chen</p>
            <p class="text-sm text-gray-700">Thanks for sharing this! Really helped me
understand the concept.</p>
        </div>
        <div class="flex items-center space-x-4 mt-1 text-xs text-gray-500">
            <button class="hover:text-gray-700">Like</button>
            <button class="hover:text-gray-700">Reply</button>
            <span>5 hours ago</span>
        </div>
    </div>
</div>
</div>
<div class="flex space-x-3">
    
    <div class="flex-1">
```



```
        <input type="text" placeholder="Add a comment..." class="w-full px-4 py-2
border border-gray-300 rounded-full focus:outline-none focus:border-blue-500">
```

```
    </div>
```

```
  </div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Upload Modal -->
```

```
<div id="uploadModal" class="fixed inset-0 z-50 hidden">
```

```
  <div class="modal-backdrop fixed inset-0" onclick="closeUploadModal()"></div>
```

```
  <div class="fixed inset-0 overflow-y-auto">
```

```
    <div class="flex items-center justify-center min-h-screen p-4">
```

```
      <div class="relative bg-white rounded-lg shadow-xl max-w-2xl w-full">
```

```
        <!-- Modal Header -->
```

```
        <div class="flex items-center justify-between p-6 border-b">
```

```
          <h2 class="text-2xl font-semibold text-gray-900">Upload Video</h2>
```

```
          <button onclick="closeUploadModal()" class="p-2 rounded-full hover:bg-gray-100">
```

```
            <i class="fas fa-times text-gray-600"></i>
```

```
          </button>
```

```
        </div>
```

```
<!-- Upload Form -->
```

```
<div class="p-6">
```

```
  <div class="upload-area p-12 rounded-lg text-center cursor-pointer mb-6"
id="uploadArea">
```

```
    <i class="fas fa-cloud-upload-alt text-6xl text-gray-400 mb-4"></i>
```

```
    <p class="text-lg font-medium text-gray-700 mb-2">Drag and drop video files to
upload</p>
```

```
<p class="text-sm text-gray-500 mb-4">or</p>

<button class="bg-blue-600 text-white px-6 py-2 rounded-full hover:bg-blue-700
transition-colors">

    Browse Files

</button>

<input type="file" id="fileInput" class="hidden" accept="video/*">

<p class="text-xs text-gray-500 mt-4">Supported formats: MP4, MOV, AVI (Max
2GB)</p>

</div>

<div class="space-y-4">

    <div>

        <label class="block text-sm font-medium text-gray-700 mb-2">Video Title</label>

        <input type="text" placeholder="Enter video title" class="w-full px-4 py-2 border
border-gray-300 rounded-lg focus:outline-none focus:border-blue-500">

    </div>

    <div>

        <label class="block text-sm font-medium text-gray-700 mb-2">Description</label>

        <textarea placeholder="Tell viewers about your video" rows="4" class="w-full px-4
py-2 border border-gray-300 rounded-lg focus:outline-none focus:border-blue-500"></textarea>

    </div>

    <div>

        <label class="block text-sm font-medium text-gray-700 mb-2">Category</label>

        <select class="w-full px-4 py-2 border border-gray-300 rounded-lg focus:outline-
none focus:border-blue-500">

            <option>Select category</option>

            <option>Education</option>

            <option>Music</option>

            <option>Food</option>

            <option>Travel</option>

            <option>Technology</option>

        </select>

    </div>

</div>
```

```

    </div>

    <div class="flex justify-end space-x-3 mt-6">
        <button onclick="closeUploadModal()" class="px-6 py-2 border border-gray-300
rounded-lg hover:bg-gray-50">
            Cancel
        </button>
        <button class="px-6 py-2 bg-blue-600 text-white rounded-lg hover:bg-blue-700">
            Upload Video
        </button>
    </div>
</div>
</div>
</div>
</div>
</div>

```

```

<script>
    // Sample video data
    const videos = [
        {
            id: 1,
            title: "Learn JavaScript in 30 Minutes",
            author: "CodeMaster",
            views: "125K",
            duration: "30:45",
            thumbnail: "https://picsum.photos/seed/video1/320/180.jpg",
            category: "education",
            date: "2 days ago",
            description: "A comprehensive JavaScript tutorial covering the basics and advanced
concepts. Perfect for beginners who want to learn programming quickly.",
            videoUrl: "https://www.w3schools.com/html/mov_bbb.mp4"
        }
    ]

```

```
    },  
    {  
      id: 2,  
      title: "Relaxing Piano Music - Study Session",  
      author: "MusicFlow",  
      views: "2.1M",  
      duration: "45:20",  
      thumbnail: "https://picsum.photos/seed/video2/320/180.jpg",  
      category: "music",  
      date: "1 week ago",  
      description: "Beautiful piano music to help you focus while studying or working. This  
calming playlist features original compositions.",  
      videoUrl: "https://www.w3schools.com/html/mov_bbb.mp4"  
    },  
    {  
      id: 3,  
      title: "Amazing Street Food Tour in Bangkok",  
      author: "TravelWithMe",  
      views: "890K",  
      duration: "15:30",  
      thumbnail: "https://picsum.photos/seed/video3/320/180.jpg",  
      category: "travel",  
      date: "3 days ago",  
      description: "Join me on an incredible street food adventure through Bangkok! We'll try the  
best local dishes and explore hidden gems.",  
      videoUrl: "https://www.w3schools.com/html/mov_bbb.mp4"  
    },  
    {  
      id: 4,  
      title: "Homemade Pizza Recipe - Perfect Crust",  
      author: "ChefMaria",  
      views: "345K",
```

```
    duration: "12:15",
    thumbnail: "https://picsum.photos/seed/video4/320/180.jpg",
    category: "food",
    date: "5 days ago",
    description: "Learn how to make the perfect homemade pizza with a crispy crust. This step-by-step recipe will make you look like a pro!",
    videoUrl: "https://www.w3schools.com/html/mov_bbb.mp4"
  },
  {
    id: 5,
    title: "AI and Machine Learning Explained",
    author: "TechInsights",
    views: "567K",
    duration: "22:40",
    thumbnail: "https://picsum.photos/seed/video5/320/180.jpg",
    category: "technology",
    date: "1 day ago",
    description: "Understand the fundamentals of AI and machine learning in this easy-to-follow tutorial. Perfect for tech enthusiasts!",
    videoUrl: "https://www.w3schools.com/html/mov_bbb.mp4"
  },
  {
    id: 6,
    title: "Morning Yoga Routine - 20 Minutes",
    author: "YogaLife",
    views: "1.2M",
    duration: "20:00",
    thumbnail: "https://picsum.photos/seed/video6/320/180.jpg",
    category: "education",
    date: "2 weeks ago",
    description: "Start your day with this energizing 20-minute yoga routine. Perfect for all levels, no experience needed!",
```

```

        videoUrl: "https://www.w3schools.com/html/mov_bbb.mp4"
      },
      {
        id: 7,
        title: "Electronic Music Production Basics",
        author: "BeatMaker",
        views: "234K",
        duration: "18:30",
        thumbnail: "https://picsum.photos/seed/video7/320/180.jpg",
        category: "music",
        date: "4 days ago",
        description: "Learn the basics of electronic music production using popular DAW software.
Create your first track today!",
        videoUrl: "https://www.w3schools.com/html/mov_bbb.mp4"
      },
      {
        id: 8,
        title: "Tokyo Travel Guide 2024",
        author: "Wanderlust",
        views: "789K",
        duration: "25:45",
        thumbnail: "https://picsum.photos/seed/video8/320/180.jpg",
        category: "travel",
        date: "1 week ago",
        description: "Complete travel guide for Tokyo 2024. Best places to visit, eat, and stay in
Japan's vibrant capital city.",
        videoUrl: "https://www.w3schools.com/html/mov_bbb.mp4"
      }
    ];

    let currentCategory = 'all';
    let filteredVideos = [...videos];

```

```

// Initialize the app
document.addEventListener('DOMContentLoaded', function() {
  renderVideos();
  setupEventListeners();
});

// Render videos
function renderVideos() {
  const videoGrid = document.getElementById('videoGrid');
  videoGrid.innerHTML = '';

  filteredVideos.forEach(video => {
    const videoCard = createVideoCard(video);
    videoGrid.appendChild(videoCard);
  });
}

// Create video card element
function createVideoCard(video) {
  const card = document.createElement('div');
  card.className = 'video-card cursor-pointer';
  card.onclick = () => openVideoModal(video);

  card.innerHTML = `
    <div class="relative rounded-lg overflow-hidden bg-white shadow-md hover:shadow-xl">
      <div class="relative">
        
        <span class="duration-badge absolute bottom-2 right-2 text-white text-xs px-2 py-1
rounded">
          ${video.duration}

```

```

        </span>
    </div>
    <div class="p-4">
        <h3 class="font-semibold text-gray-900 mb-2 line-clamp-2">${video.title}</h3>
        <p class="text-sm text-gray-600 mb-1">${video.author}</p>
        <p class="text-xs text-gray-500">${video.views} views • ${video.date}</p>
    </div>
</div>
`;

return card;
}

```

```

// Setup event listeners
function setupEventListeners() {
    // Category filters
    document.querySelectorAll('.category-pill').forEach(button => {
        button.addEventListener('click', function() {
            document.querySelectorAll('.category-pill').forEach(btn => {
                btn.classList.remove('active');
            });
            this.classList.add('active');

            currentCategory = this.dataset.category;
            filterVideos();
        });
    });

    // Search functionality
    document.getElementById('searchInput').addEventListener('input', function(e) {
        const searchTerm = e.target.value.toLowerCase();
    });
}

```



```
filteredVideos = videos.filter(video =>
  video.title.toLowerCase().includes(searchTerm) ||
  video.author.toLowerCase().includes(searchTerm)
);
renderVideos();
});

// Upload button
document.getElementById('uploadBtn').addEventListener('click', openUploadModal);

// Upload area drag and drop
const uploadArea = document.getElementById('uploadArea');
const fileInput = document.getElementById('fileInput');

uploadArea.addEventListener('click', () => fileInput.click());

uploadArea.addEventListener('dragover', (e) => {
  e.preventDefault();
  uploadArea.classList.add('dragover');
});

uploadArea.addEventListener('dragleave', () => {
  uploadArea.classList.remove('dragover');
});

uploadArea.addEventListener('drop', (e) => {
  e.preventDefault();
  uploadArea.classList.remove('dragover');
  const files = e.dataTransfer.files;
  if (files.length > 0) {
    handleFileUpload(files[0]);
  }
});
```

```

    }
  });

  fileInput.addEventListener('change', (e) => {
    if (e.target.files.length > 0) {
      handleFileUpload(e.target.files[0]);
    }
  });
}

// Filter videos by category
function filterVideos() {
  if (currentCategory === 'all') {
    filteredVideos = [...videos];
  } else {
    filteredVideos = videos.filter(video => video.category === currentCategory);
  }
  renderVideos();
}

// Open video modal
function openVideoModal(video) {
  const modal = document.getElementById('videoModal');
  const videoPlayer = document.getElementById('videoPlayer');

  document.getElementById('modalVideoTitle').textContent = video.title;
  document.getElementById('modalVideoTitle2').textContent = video.title;
  document.getElementById('modalVideoViews').textContent = `${video.views} views`;
  document.getElementById('modalVideoDate').textContent = video.date;
  document.getElementById('modalVideoDescription').textContent = video.description;

```

```
    videoPlayer.src = video.videoUrl;

    modal.classList.remove('hidden');
    document.body.style.overflow = 'hidden';
}

// Close video modal
function closeVideoModal() {
    const modal = document.getElementById('videoModal');
    const videoPlayer = document.getElementById('videoPlayer');

    videoPlayer.pause();
    videoPlayer.currentTime = 0;

    modal.classList.add('hidden');
    document.body.style.overflow = 'auto';
}

// Open upload modal
function openUploadModal() {
    document.getElementById('uploadModal').classList.remove('hidden');
    document.body.style.overflow = 'hidden';
}

// Close upload modal
function closeUploadModal() {
    document.getElementById('uploadModal').classList.add('hidden');
    document.body.style.overflow = 'auto';
}

// Handle file upload (demo mode)
```

```
function handleFileUpload(file) {  
  if (file.type.startsWith('video/')) {  
    // Simulate upload process  
    const uploadArea = document.getElementById('uploadArea');  
    uploadArea.innerHTML = `  
      <i class="fas fa-check-circle text-6xl text-green-500 mb-4"></i>  
      <p class="text-lg font-medium text-gray-700 mb-2">File selected: ${file.name}</p>  
      <p class="text-sm text-gray-500">Ready to upload!</p>  
    `;  
  } else {  
    alert('Please select a valid video file.');  }  
}  
  
// Close modals on escape key  
document.addEventListener('keydown', function(e) {  
  if (e.key === 'Escape') {  
    closeVideoModal();  
    closeUploadModal();  
  }  
});  
</script>  
</body>  
</html>
```