

PROJECT REPORT

Implement Client Script & UI Policy (Incident)

ServiceNow Platform Project

Project Title	Implement Client Script & UI Policy (Incident)
Date	30 September 2026
Team ID	6ab9453830f9767f8773c674
Team Lead	Anithashree tt
Team Members	Harani R Pooja N Sangeetha M

Prepared as an academic project documentation report based on the supplied ServiceNow configuration screenshots and project requirements.

PROJECT REPORT FORMAT

The report follows the supplied reference structure while adapting each section to the ServiceNow project.

1. Introduction	4
1.1 Project Overview	4
1.2 Purpose	4
2. Ideation Phase	4
2.1 Problem Statement	4
2.2 User Interaction Considerations	4
2.3 Configuration Approach	4
3. Requirement Analysis	4
3.1 User Interaction Flow	4
3.2 Solution Requirement	5
3.3 Data Flow Diagram	5
3.4 Technology Stack	5
4. Project Design	6
4.1 Problem Solution Fit	6
4.2 Proposed Solution	6
4.3 Solution Architecture	6
5. Project Planning & Scheduling	6
5.1 Project Planning	6
6. Functional and Performance Testing	7
6.1 Performance Testing	7
6.2 Functional Testing Areas	7
7. Results	8
7.1 Output Screenshots	8
8. Advantages & Disadvantages	10
9. Setup Instructions	10
9.1 Prerequisites	10
9.2 Configuration Steps	11
10. Running the Application	11
11. Supporting Configuration Documentation	11
11.1 Folder Structure	11
11.2 API Documentation	11
11.3 Authentication	11

11.4 User Interface	12
12. Future Scope	12
13. Conclusion	12
14. Appendix	13
14.1 Project Demonstration Link	13
14.2 Evidence Notes	13

1. INTRODUCTION

1.1 Project Overview

The project “Implement Client Script & UI Policy (Incident)” is developed on the ServiceNow platform to improve the functionality and usability of the Incident form. The implementation focuses on client-side configuration that can respond to user input and dynamically control how Incident form fields behave.

Client Scripts and UI Policies are used to control client-side form behavior, perform field validation, and dynamically manage field properties such as mandatory, visible, and read-only states. The supplied configuration evidence shows an Incident Client Script and an Incident UI Policy configured within the ServiceNow interface.

1.2 Purpose

The purpose of the project is to configure the ServiceNow Incident form so that user interaction is handled consistently through defined client-side conditions. The configuration is intended to support appropriate information entry before an Incident is submitted or updated and to provide a clearer, more controlled form experience.

2. IDEATION PHASE

2.1 Problem Statement

A standard Incident form can contain many fields and conditional requirements. Without appropriate client-side controls, users may enter information inconsistently or may not receive immediate guidance about fields whose behavior should change according to the current Incident data. The project addresses this need through ServiceNow Client Scripts and UI Policies.

2.2 User Interaction Considerations

The project considers the interaction between the user and the Incident form. The supplied Incident screenshot shows the form with fields including Caller, Category, Subcategory, Service, Configuration item, Short description, Description, State, Impact, Urgency, Priority, Assignment group, and Assigned to. These fields form the primary user interaction area for the configuration.

2.3 Configuration Approach

The implementation uses two complementary ServiceNow configuration mechanisms. A Client Script handles client-side scripting behavior, while a UI Policy defines conditional user-interface behavior. The supplied screenshots show an onChange Client Script named “Auto set urgency for high impact” and a UI Policy named “High Impact Control”.

3. REQUIREMENT ANALYSIS

3.1 User Interaction Flow

Stage	Description
User	User opens or updates an Incident record.
Incident Form	The user enters or changes Incident information.
Client Script / UI Policy	Configured conditions determine client-side behavior.


Stage	Description
Field Validation & UI Behavior	Fields may be validated or controlled according to the configuration.
Incident Record	The Incident record is submitted or updated in the ServiceNow Incident table.

3.2 Solution Requirement

The required solution is a ServiceNow-based configuration that supports client-side field validation and conditional UI behavior on the Incident form. The project requirements include mandatory-field control, visibility control, read-only control, conditional behavior, and validation during Incident creation and update.

3.3 Data Flow Diagram

The project does not use a separate application server or custom external API. The relevant interaction flow is contained within the ServiceNow platform:



3.4 Technology Stack

Component	Project Use
Platform	ServiceNow Cloud Dimensions DEV / Training Instance
Client-Side Configuration	ServiceNow Client Script
User Interface Configuration	ServiceNow UI Policy
Data Management	ServiceNow Incident table
Primary User Interface	ServiceNow Incident form

The project is implemented directly within the ServiceNow platform. A traditional local application stack is not applicable to the supplied project evidence.

4. PROJECT DESIGN

4.1 Problem Solution Fit

The solution directly addresses the need for controlled Incident-form interaction. Client Scripts can respond to client-side field changes and perform validation or value handling, while UI Policies can conditionally control field properties. Together, these configurations provide a platform-native approach to managing Incident form behavior.

4.2 Proposed Solution

- Configure the Incident Client Script with an appropriate script type and condition.
- Use client-side logic to respond to Incident field changes where required.
- Configure a UI Policy with a defined condition for the Incident table.
- Define field properties through UI Policy Actions when required.
- Validate the resulting behavior through Incident form interaction.

4.3 Solution Architecture

The ServiceNow architecture is centered on the Incident table and Incident form. The supplied screenshots provide direct evidence of the configuration objects used in the project.

Layer	Implementation
User Layer	ServiceNow user interacting with the Incident form
Form Layer	Incident form and its Incident fields
Behavior Layer	Client Script and UI Policy configurations
Data Layer	Incident [incident] table

5. PROJECT PLANNING & SCHEDULING

5.1 Project Planning

The project work can be organized into configuration, validation, and evidence stages. The following plan reflects the requested project scope and the components visible in the supplied screenshots.

Phase	Planned Activity	Output
1. Environment Setup	Access ServiceNow Cloud Dimensions DEV / Training Instance and required Incident configuration areas.	Configured working environment
2. Client Script	Create and configure the required Client Script, including type and conditions.	Client Script configuration
3. UI Policy	Create and configure the required UI Policy and conditions.	UI Policy configuration
4. Form Verification	Open the Incident form and verify field behavior and interaction.	Incident form evidence
5. Testing & Evidence	Review Incident creation/update behavior and supporting filter/results evidence.	Testing evidence and screenshots

Phase	Planned Activity	Output
6. Documentation	Organize configuration details, screenshots, and project summary.	Final project report

6. FUNCTIONAL AND PERFORMANCE TESTING

6.1 Performance Testing

The supplied project evidence is primarily functional and configuration-oriented. No numerical performance benchmark, load test, response-time measurement, or stress-test result was provided. Therefore, this report does not claim a quantitative performance result.

6.2 Functional Testing Areas

Testing Area	Evidence / Verification Focus
Incident creation	Open Create New and enter required Incident information.
Incident update	Update an existing Incident and observe client-side behavior.
Client Script validation	Verify the configured Client Script responds to its defined condition.
UI Policy condition	Verify the UI Policy applies under its defined condition.
Mandatory field behavior	Check whether configured fields become mandatory where applicable.
Field visibility	Check configured visibility behavior.
Read-only behavior	Check configured read-only behavior.
Form submission	Verify the form can be submitted with required information.
User interaction	Confirm that the configured behavior is understandable during form use.

Evidence status: The supplied screenshots confirm the presence of the Incident form, Client Script configuration, UI Policy configuration, and an Incident filter/result view. They do not, by themselves, demonstrate every end-to-end behavior listed above. Accordingly, the report does not state that all functional tests passed.

7. RESULTS

7.1 Output Screenshots

The following screenshots are placed according to the content they visibly demonstrate. Important ServiceNow fields and configuration areas are retained, and images are scaled proportionally for readability.

The screenshot displays the ServiceNow interface for configuring a Client Script. The browser address bar shows the URL: `dev215738.service-now.com/now/nav/ui/classic/params/target/sys_script_client_list.do%3Fsysparm_first_row%3D1%26sysparm_query%3Dsys_class_name%253Dsys_...`. The ServiceNow header includes the logo, navigation tabs (All, Favorites, History, Workspaces), and a search bar. The main title is "Client Script" with the subtitle "Auto set urgency for high impact". The configuration fields are as follows:

Field	Value
Name	Auto set urgency for high impact
Table	Incident [Incident]
UI Type	Desktop
Type	onChange
Field name	
Description	
Messages	
Script	<pre>function onChange(control, oldValue, newValue, isLoading) { if (isLoading newValue == '') { return; } if (newValue == '1') { g_form.setValue('urgency', '1'); g_form.addInfoMessage('Urgency set to High for High impact incident.'); } }</pre>
Application	Global
Active	☒
Inherited	☐
Global	☒
View	

Figure 1: Client Script Configuration — “Auto set urgency for high impact” on the Incident table.

The screenshot shows the Client Script record with the Incident table selected, Desktop UI type, onChange type, active and global settings, and the visible script editor area. The displayed script includes logic that checks the new value and sets the Incident urgency value to “1” when the condition is met.

The screenshot shows the ServiceNow UI Policy configuration page for the Incident table. The page title is "UI Policy - High Impact Control". The "Table" dropdown is set to "Incident [Incident]". The "Application" is set to "Global". The "Active" checkbox is checked. The "Short description" field contains "High Impact Control". The "When to Apply" section shows a condition: "Impact" is "1 - High". The "Related Links" section includes "Convert this to Data Policy", "Advanced view", and "Run Point Scan". The "UI Policy Actions (2)" section is visible at the bottom.

Figure 2: UI Policy Configuration — “High Impact Control” for the Incident table.

The screenshot shows the UI Policy record for the Incident table. Its visible condition is Impact is 1 - High. The lower portion of the screenshot shows the UI Policy Actions area, supporting the project’s use of conditional UI behavior.

The screenshot shows the ServiceNow Incident form for creating a new record. The form title is "Incident - Create INC0010006". The "Number" field is set to "INC0010006". The "Channel" dropdown is set to "-- None --". The "State" dropdown is set to "New". The "Impact" dropdown is set to "3 - Low". The "Urgency" dropdown is set to "3 - Low". The "Priority" dropdown is set to "5 - Planning". The "Assignment group" and "Assigned to" fields are empty. The "Short description" and "Description" fields are empty. The "Related Search Results" section is visible at the bottom.

Figure 3: Incident Form — Create New Incident record.

The screenshot shows the ServiceNow Incident form used for user interaction. It includes the Incident number, Caller, Category, Subcategory, Service, Configuration item, Short description, Description, State, Impact, Urgency, Priority, Assignment group, and Assigned to fields.

Number	Opened	Short description	Caller	Priority	State	Category	Assignment group	Assigned to	Updated	Updated by
INC0000055	2026-05-22 21:47:23	SAP Sales app is not accessible	Carol Coughlin	1 - Critical	In Progress		Service Desk	Beth Anglin	2026-06-05 16:08:31	admin
INC0000054	2015-11-02 12:49:08	SAP Materials Management is slow or there is an outage	Christen Mitchell	1 - Critical	On Hold	Software	Service Desk	(empty)	2015-11-24 07:47:36	admin
INC0000038	2026-03-19 17:36:44	my PDF docs are all locked from editing	Bow Ruggeri	4 - Low	Closed	Software	Service Desk	Luke Wilson	2026-06-12 12:57:55	admin
INC0000037	2026-03-14 17:34:56	Request for a new service	Sam Sorokin	3 - Moderate	In Progress	Inquiry / Help	Service Desk	Howard Johnson	2026-06-12 12:51:40	admin
INC0000035	2026-03-22 17:32:47	Reset my password	Natasha Ingram	5 - Planning	Closed	Inquiry / Help	Service Desk	Luke Wilson	2026-06-12 13:16:15	admin
INC0000029	2026-03-12 17:00:44	I can't get my weather report	Charlie Whitherspoon	5 - Planning	In Progress	Inquiry / Help	Service Desk	Don Goodliffe	2026-06-12 12:50:57	admin

Figure 4: Incident Filter / Result — Assignment group is Service Desk.

The screenshot shows the Incidents list with a filter condition for Assignment group is Service Desk and the resulting Incident records. It provides supporting evidence of Incident record filtering and list-level review.

8. ADVANTAGES & DISADVANTAGES

Aspect	Description
Advantage	Client-side validation can provide immediate feedback during Incident form interaction.
Advantage	UI Policies support conditional control of field properties such as mandatory, visible, and read-only states.
Advantage	The configuration is implemented within the ServiceNow platform rather than requiring a separate application interface.
Advantage	The Incident form can provide more controlled and consistent user interaction.
Disadvantage	The behavior depends on correctly defined conditions and configuration rules.
Disadvantage	Complex client-side requirements may require careful maintenance as Incident processes evolve.
Disadvantage	The supplied evidence does not include quantitative performance measurements.

9. SETUP INSTRUCTIONS

9.1 Prerequisites

- ServiceNow account
- Access to the Cloud Dimensions DEV / Training Instance
- Appropriate permissions to configure Incident records
- Access to Client Scripts
- Access to UI Policies

9.2 Configuration Steps

- 1. Log in to the ServiceNow instance.
- 2. Navigate to the Incident module.
- 3. Open the Incident form.
- 4. Create and configure the required Client Script.
- 5. Define the appropriate Client Script type and conditions.
- 6. Create and configure the required UI Policy.
- 7. Define the UI Policy conditions.
- 8. Configure the required field properties.
- 9. Save the configurations.
- 10. Test the Incident form to verify the implemented functionality.

10. RUNNING THE APPLICATION

- Log in to the ServiceNow Cloud Dimensions DEV / Training Instance.
- Navigate to All → Incident.
- Select Create New.
- Enter the required Incident information.
- Verify Client Script behavior.
- Verify UI Policy behavior.
- Check mandatory, visible, and read-only field properties.
- Submit or update the Incident.
- Verify that the Incident record is successfully created or updated.

11. SUPPORTING CONFIGURATION DOCUMENTATION

11.1 Folder Structure

Not Applicable. A traditional local folder structure is not used because the project is developed directly within the ServiceNow platform.

- Client Scripts
- UI Policies
- Incident Table
- Incident Form

11.2 API Documentation

Not Applicable. The project does not implement a custom REST API, external backend API, or separate web service. The functionality is implemented using ServiceNow Client Scripts and UI Policies.

11.3 Authentication

Authentication is handled by the ServiceNow platform. Users must log in using valid ServiceNow credentials and must have appropriate permissions to access the Incident module and relevant configuration components.

11.4 User Interface

The main user interface is the ServiceNow Incident Form. The project scope includes client-side field validation, mandatory field behavior, visibility changes, read-only behavior, conditional field interaction, and Incident submission and update.

12. FUTURE SCOPE

- Implementing additional Client Scripts.
- Adding more advanced UI Policies.
- Introducing additional field validation.
- Improving Incident form usability.
- Adding more conditional field behavior.
- Integrating additional ServiceNow automation features.
- Implementing advanced Business Rules where required.
- Extending the solution to other ServiceNow modules.

13. CONCLUSION

The project “Implement Client Script & UI Policy (Incident)” demonstrates the configuration of client-side form behavior in ServiceNow using Client Scripts and UI Policies. The supplied evidence shows an Incident Client Script configuration, a conditional UI Policy, the Incident form, and an Incident filter/result view.

The solution is designed to improve Incident-form usability by supporting client-side validation and conditional field behavior. The documentation deliberately limits functional claims to what is supported by the supplied project requirements and screenshots.

Project Detail	Value
Project Title	Implement Client Script & UI Policy (Incident)
Date	30 September 2026
Team ID	6ab9453830f9767f8773c674
Team Lead	Anithashree tt
Team Members	Harani R, Pooja N, Sangeetha M

14. APPENDIX

14.1 Project Demonstration Link

YouTube Demo Playlist:

https://www.youtube.com/playlist?list=PLc_xloP2-0m8

The playlist contains the project demonstration videos showing the execution and functionality of the implemented ServiceNow Client Script and UI Policy.

14.2 Evidence Notes

The report uses the four screenshots supplied with the project requirements. The screenshots were mapped to the sections where their visible content is most relevant: Client Script configuration, UI Policy configuration, Incident form interaction, and Incident filter/results.

No separate source-code appendix, dataset link, or external application repository was supplied for this ServiceNow project. The supplied demonstration playlist is included above as the project demonstration link.

Submission Record

Project: Implement Client Script & UI Policy (Incident)

Team ID: 6ab9453830f9767f8773c674

Date: 30 September 2026