


Tables, Listings, and Figures (TLF) Report

Table 14.1.1: Objective Response Rate (ORR) Summary (Full Analysis Set)

Treatment Arm	N	Responders (n, %)	Odds Ratio	95% CI
Immunotherapy A	120	54 (45.0%)	1.85	(1.10, 3.10)
Standard of Care	118	32 (27.1%)	—	—

Notes:

1. ORR defined as Complete Response (CR) or Partial Response (PR) per RECIST 1.1.
2. Percentages are based on total number of subjects in each treatment arm.
3. Odds ratio estimated using logistic regression model.
4. PD-L1 used as stratification factor.


Figure 14.2.1: Kaplan–Meier Curve for Progression-Free Survival (PFS)**Notes:**

PFS defined as time from randomization to progression or death.

Subjects without event are censored at last adequate tumor assessment.

Tick marks represent censored observations.

Figure 14.2.2: Subgroup Forest Plot (ORR by PD-L1 Expression)




Notes:

Odds ratios derived from logistic regression models within subgroups.

Horizontal bars represent 95% confidence intervals.

Vertical line at OR = 1 indicates no treatment effect.

Figure 14.2.3: Bayesian Posterior Distribution of Treatment Effect



Notes:

Posterior distribution obtained from Bayesian logistic regression.

Shaded region represents 95% credible interval.

Vertical line represents clinically meaningful threshold.