```
FindNeighbours[IList_, JList_, Start_, nextI_, nextJ_, ConvexHull_] :=
  Module[{SortedPointsKeys = <||>, SortedPoints = {}, proportionJ,
   Modul
    proportionI, jtemp, itemp, PotNextJDir, distanceNextPotPointJ, PotNextIDir ,
    distanceNextPotPointI, NeighbourNumberJ, NeighbourNumberI, distanceJ,
    distanceI, NextJDir, NextIDir, StartPropJForFirstCompleteGridJ},

   Print["
   gib aus

Detect I and J rows of
       imaginäre Einheit I
      Points_____________________________________________________________

"];
   Clear[CheckPoints];
   lösche
   CheckPoints = {};
   StartPoint = Start;
   StartPointI = Start;
   StartPointJ = Start;
   NextPointI = nextI;
   NextPointJ = nextJ;

   Print["Start = ", Start];
   gib aus
   Print[" nextI = ", nextI];
   gib aus
   Print["nextJ = ", nextJ];
   gib aus
   IDirStart = {nextI[CoordI] - Start[CoordI], nextI[CoordJ] - Start[CoordJ]};
   JDirStart = {nextJ[CoordI] - Start[CoordI], nextJ[CoordJ] - Start[CoordJ]};

   Print["IDir = ", IDirStart];
   gib aus
   Print["JDir = ", JDirStart];
   gib aus
   StartProportionI = nextI[CoordJ] - Start[CoordJ];
   StartProportionJ = nextJ[CoordI] - Start[CoordI];

   StartDistanceI = Sqrt[Abs[IDirStart[[1]]^2 + IDirStart[[2]]^2]];
                    Qua·· Absolutwert
   StartDistanceJ = Sqrt[Abs[JDirStart[[1]]^2 + JDirStart[[2]]^2]];
                    Qua·· Absolutwert

   AssociateTo[StartPoint, {NeighbourJ → 1, NeighbourI → 1}];
   assoziiere mit
   AssociateTo[NextPointI , { NeighbourJ → 1, NeighbourI → 2}];
   assoziiere mit
   AssociateTo[NextPointJ, { NeighbourJ → 2, NeighbourI → 1}];
   assoziiere mit
   AppendTo[SortedPoints, {StartPoint, NextPointI, NextPointJ}];
   hänge an bei
```

```
AppendTo[CheckPoints, Start];
AppendTo[CheckPoints, nextJ];
AppendTo[CheckPoints, nextI];

NeighbourNumberJ = 2;
NeighbourNumberI = 2;
aI = 2;
aJ = 2;
NextJDir = JDirStart;
distanceJ = StartDistanceJ;

proportionJ = StartProportionJ;
StartPropJForFirstCompleteGridJ = StartProportionJ;

For[pp = 1, pp ≤ Length[JList] * 2, pp++,
 For[tt = 1, tt ≤ Length[JList], tt++,
   If[JList[[tt]][CoordJ] ≠ StartPointJ[CoordJ] &&
       JList[[tt]][CoordJ] ≥ NextPointJ[CoordJ] && JList[[tt]][CoordI] ≥
        NextPointJ[CoordI] || JList[[tt]][CoordI] ≤  NextPointJ[CoordI],

    PotNextJDir = {JList[[tt]][CoordJ] - NextPointJ[CoordJ],
      JList[[tt]][CoordI] - NextPointJ[CoordI]};
    distanceNextPotPointJ = Sqrt[Abs[PotNextJDir[[1]]^2 + PotNextJDir[[2]]^2]];

   ];

   If[JList[[tt]][CoordJ] ≠ NextPointJ[CoordJ] &&
     JList[[tt]][CoordJ] ≠ StartPointJ[CoordJ] &&
     (JList[[tt]][CoordI]) ≤ NextPointJ[CoordI] + proportionJ + 0.3 &&
     (JList[[tt]][CoordI]) ≥  NextPointJ[CoordI] + proportionJ - 0.3 &&
     distanceNextPotPointJ ≤ (distanceJ + 0.5) &&
     JList[[tt]][CoordJ] ≥ NextPointJ[CoordJ] + (distanceJ / 2),

    StartPointJ = NextPointJ;
    NextPointJ = JList[[tt]];

    Print["Test J = ", JList[[tt]]];

    NextJDir = {NextPointJ[CoordJ] - StartPointJ [CoordJ],
      NextPointJ[CoordI] - StartPointJ [CoordI]};
    distanceJ = Sqrt[Abs[NextJDir[[1]]^2 + NextJDir[[2]]^2]];
    proportionJ = NextPointJ[CoordI] - StartPointJ[CoordI];
    aJ = aJ + 1;
    AppendTo[CheckPoints, JList[[tt]]];
```

```
    hänge an bei
    AssociateTo[SortedPointsKeys,
    assoziiere mit
     {JList[[tt]], NeighbourJ → aJ, NeighbourI → 1}];
    AppendTo[SortedPoints, SortedPointsKeys];
    hänge an bei
    LastJPointsCellI = JList[[tt]][CellI];
    CheckLastPointJ = JList[[tt]];
    AssociateTo[CheckLastPointJ, {NeighbourJ → aJ, NeighbourI → 1}];
    assoziiere mit
   ];
  ];
];
(*];*)

AppendTo[SortedPoints, SaftyListJ[Start, CheckLastPointJ,
hänge an bei
  proportionJ, LastJPointsCellI, ConvexHull, distanceJ, NextJDir]];

AppendTo[SortedPoints, CompleteJGrid[ nextI, ConvexHull, StartDistanceJ,
hänge an bei
  StartPropJForFirstCompleteGridJ, Start , NeighbourNumberJ, aI]];

proportionI = StartProportionI;
distanceI = StartDistanceI;
NextIDir = IDirStart;

For[pp = 1, pp ≤ Length[IList] * 2, pp++,
For-Schleife   Länge
 For[tt = 1, tt ≤ Length[IList], tt++,
 For-Schleife   Länge
   If[IList[[tt]][CoordI] ≠ StartPointI[CoordI] &&
   wenn
      IList[[tt]][CoordJ] ≥ NextPointI[CoordJ] || IList[[tt]][CoordJ] ≤
       NextPointI[CoordJ] && IList[[tt]][CoordI] ≥ NextPointI[CoordI],

    PotNextIDir = {IList[[tt]][CoordJ] - NextPointI[CoordJ],
      IList[[tt]][CoordI] - NextPointI[CoordI]};
    distanceNextPotPointI = Sqrt[Abs[PotNextIDir[[1]]^2 + PotNextIDir[[2]]^2]];
                            Qua··  Absolutwert

   ];

   If[IList[[tt]][CoordI] ≠ NextPointI [CoordI] &&
   wenn
     IList[[tt]][CoordI] ≠ StartPointI[CoordI] &&
     (IList[[tt]][CoordJ]) ≤ NextPointI[CoordJ] + proportionI + 0.3 &&
     (IList[[tt]][CoordJ]) ≥ NextPointI[CoordJ] + proportionI - 0.3 &&
     distanceNextPotPointI ≤ distanceI + 0.5 &&
     IList[[tt]][CoordI] ≥ NextPointI[CoordI] + (distanceI / 3),

    Print["Test I = ", IList[[tt]]];
    gib aus   imaginäre Einheit I
    StartPointI = NextPointI;
    NextPointI = IList[[tt]];
```

```
        NextIDir = {NextPointI[CoordJ] - StartPointI[CoordJ],
          NextPointI[CoordI] - StartPointI[CoordI]};
        distanceI = Sqrt[Abs[NextIDir[[1]]^2 + NextIDir[[2]]^2]];
                    Qua··  Absolutwert

        proportionI = NextPointI[CoordJ] - StartPointI[CoordJ];
        (*propJForGrind =Abs[NextPointI[CoordJ]-StartPointI[CoordJ]];*)
                         Absolutwert
        propJForGrind = Abs[StartProportionJ];
                        Absolutwert
        aI = aI + 1;

        AppendTo[CheckPoints, IList[[tt]]];
        hänge an bei
        AssociateTo[SortedPointsKeys,
        assoziiere mit
         {IList[[tt]], NeighbourJ → 1, NeighbourI → aI}];
        AppendTo[SortedPoints, SortedPointsKeys];
        hänge an bei

        LastIPointsCellJ = IList[[tt]][CellJ];
        CheckLastPointI = IList[[tt]];
        AssociateTo[CheckLastPointI, {NeighbourJ → 1, NeighbourI → aI}];
        assoziiere mit

        NeighbourNumberJ = NeighbourNumberJ;
        AppendTo[SortedPoints, SaftyListI[Start, CheckLastPointI,
        hänge an bei
          proportionI, LastIPointsCellJ, ConvexHull, distanceI, NextIDir]];

        AppendTo[SortedPoints, CompleteJGrid[IList[[tt]],
        hänge an bei
          ConvexHull, distanceJ, propJForGrind, Start, NeighbourNumberJ , aI]];


       ];
      ];
    ];



    Print["Länge ConvexHull = ", Length[ConvexHull]];
    gib aus                      Länge
    Print["Länge SortedPoints = ", Length[Flatten[SortedPoints]]];
    gib aus                      Länge   ebne ein
    If[Length[Flatten[SortedPoints]] ≠ Length[ConvexHull] && splits ≤ 8,
    ···  Länge   ebne ein                Länge
     splits = splits + 1;
     Clear[CheckPoints];
     lösche
     CheckPoints = {};
     Print["
     gib aus
Another
        round_____________________________________________________________
```

```
"];
    FindMinMax[PointList],
    Print["
    gib aus
End and
beende Kontext
       Result_____________________________________________________________


"];
    Print["SortedPoints = ", Flatten[SortedPoints]];
    gib aus                  ebne ein
    DrawGraph[SortedPoints];
    splits = 2;
   ];
  ];


SaftyListJ[Start_, CheckLastPointJ_, proportionJ_,
   LastJPointsCellI_, ConvexHull_, distanceJ_, NextJDir_] :=
  Module[{SaftyList = {}, SaftyKeys = <||>, SaftyKeysList = {},
  Modul
    propJ, lastDirJ, lastdistanceJ , PotNextJDir, tempj,
    distanceNextPotPointJ , nextNeighbourNumber, StartAtThisJPoint},

   If[Length[SaftyKeysList] ≠ 0,
   ··· Länge
    Clear[SaftyKeysList];
    lösche
   ];
   StartAtThisJPoint = CheckLastPointJ;
   nextNeighbourNumber = CheckLastPointJ[NeighbourJ] + 1;
   propJ = proportionJ;
   lastDirJ = NextJDir;
   lastdistanceJ = distanceJ;

   For[ii = 1, ii ≤ Length[ConvexHull], ii++,
   For-Schleife          Länge

    If[ConvexHull[[ii]][CellI] == CheckLastPointJ[CellI] + 1 ||
    wenn
       ConvexHull[[ii]][CellI] == CheckLastPointJ[CellI] - 1 ||
       ConvexHull[[ii]][CellI] == CheckLastPointJ[CellI] &&
        ConvexHull[[ii]][CellJ] ≥ CheckLastPointJ[CellJ],

      AppendTo[SaftyList, ConvexHull[[ii]]];
      hänge an bei
     ];
   ];

   Print["SaftyList J = ", SaftyList];
   gib aus
```

```
gib aus
For[ll = 1, ll ≤ Length[SaftyList], ll++,
For–Schleife   Länge
 If[SaftyList[[ll]][CoordJ] ≠ Start[CoordJ] &&
 wenn
    SaftyList[[ll]][CoordJ] ≥ StartAtThisJPoint[CoordJ] &&
    SaftyList[[ll]][CoordI] ≥  StartAtThisJPoint[CoordI] ||
   SaftyList[[ll]][CoordI] ≤  StartAtThisJPoint[CoordI] ,

  PotNextJDir = {StartAtThisJPoint[CoordJ] - SaftyList[[ll]][CoordJ],
    StartAtThisJPoint[CoordI] - SaftyList[[ll]][CoordI]};
  distanceNextPotPointJ = Sqrt[Abs[PotNextJDir[[1]]^2 + PotNextJDir[[2]]^2]];
                          Qua··  Absolutwert
 ];
 If[SaftyList[[ll]][CoordJ] ≠ Start[CoordJ] &&
 wenn
   SaftyList[[ll]][CoordJ] ≠ StartAtThisJPoint[CoordJ]  &&
   SaftyList[[ll]][CoordJ] ≥ StartAtThisJPoint[CoordJ] &&
   SaftyList[[ll]][CoordI] ≤ StartAtThisJPoint[CoordI] + propJ + 0.3 &&
   SaftyList[[ll]][CoordI] ≥  StartAtThisJPoint[CoordI] + propJ - 0.3 &&
   distanceNextPotPointJ ≤ lastdistanceJ + 0.5 &&
   SaftyList[[ll]][CoordJ] ≥ StartAtThisJPoint[CoordJ] + lastdistanceJ / 3
   (**(3/4)*) && MemberQ[CheckPoints, SaftyList[[ll]]] == False,
                 enthalten?                              falsch
  Print["SaftyListPoint = ", SaftyList[[ll]]];
  gib aus
  AppendTo[CheckPoints, SaftyList[[ll]]];
  hänge an bei
  AssociateTo[SaftyKeys, { SaftyList[[ll]],
  assoziiere mit
    NeighbourJ → nextNeighbourNumber , NeighbourI → CheckLastPointJ[NeighbourI]}];
  AppendTo[SaftyKeysList, SaftyKeys];
  hänge an bei

  lastDirJ  = {StartAtThisJPoint [CoordJ] - SaftyList[[ll]] [CoordJ],
    StartAtThisJPoint[CoordI] - SaftyList[[ll]][CoordI]};
  lastdistanceJ  = Sqrt[Abs[lastDirJ [[1]]^2 + lastDirJ [[2]]^2]];
                   Qua··  Absolutwert
  propJ = SaftyList[[ll]][CoordI] - StartAtThisJPoint[CoordI];

  StartAtThisJPoint = SaftyList[[ll]];
  Print["StartAtThisJPoint = ", StartAtThisJPoint];
  gib aus
  nextNeighbourNumber = nextNeighbourNumber + 1;


  For[ii = 1, ii ≤ Length[ConvexHull], ii++,
  For–Schleife   Länge
   If[ConvexHull[[ii]][CellI] == StartAtThisJPoint[CellI] + 1 ||
   wenn
      ConvexHull[[ii]][CellI] == StartAtThisJPoint[CellI] - 1 ||
      ConvexHull[[ii]][CellI] == StartAtThisJPoint[CellI] &&
       ConvexHull[[ii]][CellJ] ≥ StartAtThisJPoint[CellJ],

     AppendTo[SaftyList, ConvexHull[[ii]]];
     hänge an bei
```

```
        hänge an bei
       ];
      ];
     ];
    ];

    Clear[SaftyList];
    lösche
    Return[SaftyKeysList];
    gib zurück
   ];


SaftyListI[Start_, CheckLastPointI_, proportionI_,
    CheckCellJForI_, ConvexHull_, distanceI_, NextIDir_] :=
  Module[{SaftyList = {}, SaftyKeys = <||>, SaftyKeysList = {}, propI,
   Modul
     lastDirI, lastdistanceI , PotNextIDir, tempi, distanceNextPotPointI ,
     nextNeighbourNumber, StartAtThisIPoint},

    If[Length[SaftyKeysList] ≠ 0,
    ··· Länge
     Clear[SaftyKeysList];
     lösche
    ];
    StartAtThisIPoint = CheckLastPointI;
    nextNeighbourNumber = CheckLastPointI[NeighbourI] + 1;

    propI = proportionI;
    lastDirI = NextIDir;
    lastdistanceI = distanceI;

    For[kk = 1, kk ≤ Length[ConvexHull], kk++,
    For-Schleife          Länge

     If[ConvexHull[[kk]][CellJ] == CheckLastPointI[CellJ] + 1 ||
     wenn
         ConvexHull[[kk]][CellJ] == CheckLastPointI[CellJ] - 1 &&
          ConvexHull[[kk]][CellI] ≥ CheckLastPointI[CellI],

       AppendTo[SaftyList, ConvexHull[[kk]]];
       hänge an bei
      ];
    ];

    Print["SaftyList I = ", SaftyList];
    gib aus              imaginäre Einheit I
    For[uu = 1, uu ≤  Length[SaftyList], uu++,
    For-Schleife          Länge
     (*Print["Start At This JPoint = ",StartAtThisJPoint];*)
       gib aus
     If[SaftyList[[uu]][CoordI] ≠ Start[CoordI] &&
     wenn
         SaftyList[[uu]][CoordI] ≥  StartAtThisIPoint[CoordI] &&
         SaftyList[[uu]][CoordJ] ≥   StartAtThisIPoint[CoordJ] ||
```

```
    SaftyList[[uu]][CoordJ] ≤  StartAtThisIPoint[CoordJ] ,

   PotNextIDir = {StartAtThisIPoint[CoordI] - SaftyList[[uu]][CoordI],
     StartAtThisIPoint[CoordJ] - SaftyList[[uu]][CoordJ]};
   distanceNextPotPointI = Sqrt[Abs[PotNextIDir[[1]]^2 + PotNextIDir[[2]]^2]];
                           Qua··  Absolutwert
  ];
  If[SaftyList[[uu]][CoordI] ≠ Start[CoordI] &&
  wenn
    SaftyList[[uu]][CoordI] ≠ StartAtThisIPoint[CoordI]  &&
    SaftyList[[uu]][CoordI] ≥ StartAtThisIPoint[CoordI] &&
    SaftyList[[uu]][CoordJ] ≤ StartAtThisIPoint[CoordJ] + propI + 0.3 &&
    SaftyList[[uu]][CoordJ] ≥  StartAtThisIPoint[CoordJ] + propI - 0.3 &&
    distanceNextPotPointI ≤ lastdistanceI + 0.5 &&
    SaftyList[[uu]][CoordI] ≥ StartAtThisIPoint[CoordI] + lastdistanceI / 3
    (**(3/4)*) && MemberQ[CheckPoints, SaftyList[[uu]]] == False,
                  enthalten?                               falsch
   Print["SaftyListPoint I = ", SaftyList[[uu]]];
   gib aus                    imaginäre Einheit I
   AppendTo[CheckPoints, SaftyList[[uu]]];
   hänge an bei
   AssociateTo[SaftyKeys,
   assoziiere mit
    { SaftyList[[uu]], NeighbourJ → 1 , NeighbourI → nextNeighbourNumber}];
   AppendTo[SaftyKeysList, SaftyKeys];
   hänge an bei

   lastDirI = {StartAtThisIPoint [CoordI] - SaftyList[[uu]] [CoordI],
     StartAtThisIPoint[CoordJ] - SaftyList[[uu]][CoordJ]};
   lastdistanceI  = Sqrt[Abs[lastDirI [[1]]^2 + lastDirI [[2]]^2]];
                    Qua··  Absolutwert

   propI = SaftyList[[uu]][CoordJ] - StartAtThisIPoint[CoordJ];
   StartAtThisIPoint = SaftyList[[uu]];
    nextNeighbourNumber = nextNeighbourNumber + 1;

   AppendTo[SaftyKeysList, CompleteJGrid[StartAtThisIPoint,
   hänge an bei
     ConvexHull, lastdistanceI, propI, Start, 2 , nextNeighbourNumber - 1]];

   For[ii = 1, ii ≤ Length[ConvexHull], ii++,
   For-Schleife          Länge
    If[ConvexHull[[ii]][CellJ] == StartAtThisIPoint[CellJ] + 1 ||
    wenn
       ConvexHull[[ii]][CellJ] == StartAtThisIPoint[CellJ] - 1 ||
       ConvexHull[[ii]][CellJ] == StartAtThisIPoint[CellJ] &&
        ConvexHull[[ii]][CellJ] ≥ StartAtThisIPoint[CellJ],

      AppendTo[SaftyList, ConvexHull[[ii]]];
      hänge an bei
     ];
   ];
  ];
 ];
```

```
    Clear[SaftyList];
    lösche
    Return[SaftyKeysList];
    gib zurück
   ];

CompleteJGrid[StartPointI_, ConvexHull_, StartDistanceJ_, proportionJ_,
    Start_, NeighbourNumberJ_, aI_] := Module[{PossiblePointsListJ = {},
                                        Modul
     SortedPointsKeys = <||>, SaftyPossiblePointsListJ = {}, propJ, StartPointForJGrid ,
     distanceJ , NextNeighbourNumbrtJ, distanceNextPotGridPointJ , tempj,
     NextPointJDir, PotNextJDir , NextJDir, CheckPointJ, CheckCellForJ},

    propJ = proportionJ;
    StartPointForJGrid = StartPointI;
    distanceJ = StartDistanceJ;
    NextNeighbourNumbrtJ = NeighbourNumberJ;

    Print["proportionJ Complete Grid = ", proportionJ];
    gib aus                              Gitter

    For[aa = 1, aa ≤ Length[ConvexHull], aa++,
    For-Schleife          Länge
     If[ConvexHull[[aa]][CellI] ==  StartPointForJGrid[CellI] + 1 ||
     wenn
         ConvexHull[[aa]][CellI] ==  StartPointForJGrid[CellI] - 1 ||
         ConvexHull[[aa]][CellI] == StartPointForJGrid[CellI] && ConvexHull[[aa]][
            CellJ] ≤  splits && MemberQ[CheckPoints, ConvexHull[[aa]]] == False,
                                  enthalten?                                falsch
       AppendTo[PossiblePointsListJ, ConvexHull[[aa]]];
       hänge an bei
      ];
    ];

    Print["PossiblePointList = ", PossiblePointsListJ];
    gib aus

    For[pp = 1, pp ≤ Length[PossiblePointsListJ], pp++,
    For-Schleife          Länge

     If[PossiblePointsListJ[[pp]][CoordJ] ≠ StartPointForJGrid[CoordJ] &&
     wenn
         PossiblePointsListJ[[pp]][CoordJ] ≥ StartPointForJGrid[CoordJ] &&
         PossiblePointsListJ[[pp]][CoordI] ≤ StartPointForJGrid[CoordI] ||
       PossiblePointsListJ[[pp]][CoordI] ≥  StartPointForJGrid[CoordI],

      PotNextJDir = {PossiblePointsListJ[[pp]][CoordJ] - StartPointForJGrid[CoordJ],
        PossiblePointsListJ[[pp]][CoordI] - StartPointForJGrid[CoordI]};
      distanceNextPotGridPointJ  = Sqrt[Abs[PotNextJDir[[1]]^2 + PotNextJDir[[2]]^2]];
                                   Qua···Absolutwert
     ];
     If[PossiblePointsListJ[[pp]][CoordJ] ≠ StartPointForJGrid[CoordJ]  &&
     wenn
       PossiblePointsListJ[[pp]][CoordJ] ≠ Start[CoordJ] &&
```

```
        PossiblePointsListJ[[pp]][CoordJ] ≥ StartPointForJGrid[CoordJ] &&
        PossiblePointsListJ[[pp]][CoordI] ≤  StartPointForJGrid[CoordI] + propJ + 0.3 &&
        PossiblePointsListJ[[pp]][CoordI] ≥
         StartPointForJGrid[CoordI] + propJ - (*1.0*)3.0 &&
        PossiblePointsListJ[[pp]][CoordJ] ≥ StartPointForJGrid[CoordJ] + distanceJ / 3 &&
        distanceNextPotGridPointJ  ≤ (distanceJ + 0.9) &&
        MemberQ[CheckPoints, PossiblePointsListJ[[pp]]] == False,
        enthalten?                                      falsch
       Print["[PossiblePointsListJ[[pp]]]; = ", PossiblePointsListJ[[pp]]];
       gib aus
       NextJDir = { PossiblePointsListJ[[pp]][CoordJ] - StartPointForJGrid[CoordJ],
         PossiblePointsListJ[[pp]][CoordI] - StartPointForJGrid[CoordI]};
       distanceJ = Sqrt[Abs[NextJDir[[1]]^2 + NextJDir[[2]]^2]];
                   Qua··  Absolutwert

       propJ = PossiblePointsListJ[[pp]][CoordI] - StartPointForJGrid[CoordI];

       StartPointForJGrid = PossiblePointsListJ[[pp]];

       AppendTo[CheckPoints, PossiblePointsListJ[[pp]]];
       hänge an bei
       AssociateTo[SortedPointsKeys, {PossiblePointsListJ[[pp]],
       assoziiere mit
         NeighbourJ → NextNeighbourNumbrtJ, NeighbourI → aI}];
       AppendTo[SaftyPossiblePointsListJ, SortedPointsKeys];
       hänge an bei
       AssociateTo[StartPointForJGrid,
       assoziiere mit
        {NeighbourJ → NextNeighbourNumbrtJ, NeighbourI → aI}];
       NextNeighbourNumbrtJ = NextNeighbourNumbrtJ + 1;
      ];

     ];

     CheckPointJ = StartPointForJGrid;
     CheckCellForJ = StartPointForJGrid[CellJ];

     AppendTo[SaftyPossiblePointsListJ, SaftyListJ[Start, StartPointForJGrid,
     hänge an bei
       propJ, StartPointForJGrid[CellJ], ConvexHull, distanceJ, NextJDir]];

     Clear[PossiblePointsListJ];
     lösche
     Print["Checklist = ", CheckPoints];
     gib aus
     Print["NEXT"];
     gib aus
     Return[SaftyPossiblePointsListJ];
     gib zurück
    ];

CreateSyntheticPointsForFurtherChecks[] := Module[{},
                                           Modul
```

```
];
```