

Week 1 MCQ Programming

MCQ question for Week 1 [Programming]

* Indicates required question

1. Email *

anjalbhattarai79@gmail.com

2. Name *

Anjal Bhattarai

3. Section *

AI-4

MCQ question for Week 1 [Programming]

Each question carry 1 mark each

4. 1. The founder of Java is *

1 point

Mark only one oval.

- ☐ Dennis Ritchie
- ☐ Guido van Rossum
- ☐ Bjarne Stroustrup
- ☒ James Gosling

5. 2. A file with the '.java' extension is called a/an *

1 point

Mark only one oval.

- ☐ source code
- ☐ executable file
- ☐ java file
- ☐ bytecode

6. 3. Which of the following is not a component of a computer system? *

1 point

Mark only one oval.

- ☐ Input devices
- ☐ Output devices
- ☐ CPU
- ☐ Cellular devices

7. 4. Which of the following provides a complete package of tools for developing and executing Java code?

* 1 point

Mark only one oval.

- ☐ JVM
- ☐ JDK
- ☐ JRE
- ☐ None of the above

8. 5. Java ME is used to build apps for ? *

1 point

Mark only one oval.

- ☐ desktops
- ☐ mobile devices
- ☐ web servers
- ☐ both a and b

9. 6. The input taken from input device will be in the form of *

1 point

Mark only one oval.

- ☐ text
- ☐ voice
- ☐ pictures
- ☐ all of the above

10. 7. In Object Oriented Programming, a/an _____ describes what a/an _____ can contain within the code *

1 point

Mark only one oval.

- ☐ object, class
- ☐ source code, bytecode
- ☐ class, object
- ☐ none of the above

11. 8. A _____ is a set of instructions used to solve a specific problem * 1 point

Mark only one oval.

- ☐ program
- ☐ software
- ☐ programmer
- ☐ programming language

12. 9. Java is an example of a _____ * 1 point

Mark only one oval.


- ☐ machine level language
- ☐ assembly level language
- ☐ logical language
- ☐ high level language

13. 10. Interpreter translates programs written in high level language to _____ * 1 point

Mark only one oval.


- ☐ bytecode
- ☐ machine level language whole at a time
- ☐ assembly level language
- ☐ machine level language once at a time

Q.1

A screenshot of a code editor window titled 'MyIntro.java'. The editor has a menu bar with 'File', 'Edit', and 'View'. The code is as follows:

```
public class MyIntro
{
    public static void main(String[]args)
    {
        System.out.println("Anjal Bhattarai");
        System.out.println("Kamalpokhari");
        System.out.println("Islington College");
    }
}
```

Fig 1: Screenshot of the coding file.

A screenshot of a Windows command prompt window. The title bar shows 'C:\Windows\System32\cmd.e'. The text in the window is:

```
Microsoft Windows [Version 10.0.22631.4460]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Anjal Bhattarai\Desktop\class>javac MyIntro.java

C:\Users\Anjal Bhattarai\Desktop\class>java MyIntro.java
Anjal Bhattarai
Kamalpokhari
Islington College

C:\Users\Anjal Bhattarai\Desktop\class>
```

Fig 2 : Screenshot of compilation and execution of the program from cmd.

Q.2.

= Main method in java is the entry point in program from where JVM starts executing.

Example of main method is:

❖ `Public static void main (String [] args) {` `}`

