30 YF & WALLED I 4 calculates and 30016 90 Ect 100 import java . vil. scanner; clars Book : [(| auno | = = | alo |)]: string name; Emby author 200 . at a strong . here may ? float mice; int num-rage; Must a bed sydni void cet-details) notion were boom Mest the think to sunner sc= new scanner (system: in): Cystem. aut. printla ("Enter book name, author, price, no. of pages "1; name = sc. next(1; author = screet (1; It friet = sc. reat place (1; visi all monp? num-rayers rext 9 nt 1, 1 1 1 DELLO City year 122 a patri STY I NOVE WITH IS AN XOND

```
void get - details (book 65), itn'ng search-nume,
int n=b.length;
    boolean ( aund = false ;
  for (int (= 0; i'e n; i'e+)
   [ if (bti)-rame. cquals (search_names)
       found = true:
        System. out. print In (" details of bookiss"),
      Grem. out. println (b [i). to shing (11;
                      in host like will trapped
 if (lound == lalse)
 2 system-aut. printle ("no. book facti);
  public string to stringly
   return retre 6000 4 rame = " was must ren
        by " - author + u at count of + nom
    pages en pages à cost à topité,
 public static resid main (shing arge (3)
  system all, printin sucrete no. of books to
      generate "1;
    int n = sc. next gut()
      BOOK b[ ] 2 New brokey)
```

```
fur (inti= 0; i cn; i+t)
 E 6 Ei) = new booker;
   bilid a ret - details (); which we
System-aut- println 10 enter name of book to
       search as,
string steath sourch -name = scan. next();
 storique. details (b, scarch-rame);
        3 saper words expens and
import j'ava-utis. scanner;
  abstract class shape &
with xyy with
aberract void mea (i)
 public static void maintening avçs [3)
 E snape abil= neu circle (1) co posso blos
  objet areacy; one saving the map
 mape obj 2 - new electengle (1)
  anj 2- mea (1.
 snape atoj 3= new triangle (1)
    Obj ? aien Cr?
  and and set all it is the print out
```

dans while extends shape ? arde () { (course si= new (course (system.in)) System aut print in cuente the radius of civiley, NESC. restant (1) your your ration of mitting the more vaid area () System. aus. print m ("avea af rectun qle is "+ noty) Lan vidge extends shape { I ALAMOTE THE STURBLY I grangle & (Scarper 10= rem scarper (system. i'n) system-autophetin l'entir the house and height of the shangle n= ac very out () 4:51. rest grt 17,9 vaid area co il short were it a system. aut. print h l'avea af ruetangle issu class priangle extends there & scarrer (reur (rearrer ls ystem. in) system. out-printing ("enth the bank and

Class mectangle extends shape [rentangle (1 { (vuinner sc= rew scanner (system.in); System- aut-printh ("entr' the king the cind breath of the rectangle 11); out hours n= sc. rent mt(1) y - 11. vert out (1) void meal) E system. aut. minten ("onen oftrectungle is"+ 2019) bushelmous of : 3min clens Triangle extends engye E. scanner sc= new scanner (system 12) Cysrum-out-print In wenth the base I beight of the triangle"); . TV9700 C n= screetant(1) 3000 po willow of your = 3/proty= sc-rest ant (1); 3 Esystem aux-mintle u one a of mangle is to skully on all all all oned of wangle is the outeut: orca of fecturgle: 50 . 20000 3 12/1/24 area of mangle: 16.0 or Na of circle: (13.00) 3353

was of wide it so. 24 breath of recturate 2 enter the bane and reight of triangle 2 6 Enver the radius of worde 4 enter name, author, price, no. of payes area of triangle is seek 6.0 wed of meteungle is 12 OL OUTPUT:

enter the not of to ook, s. TUGIOU IN S85 aa 0001

No-9 rages ay book: 200 Samo was name of allthor aa THE BOOK LIBRARY price of book 1000 007