Live SQL

SQL Worksheet

Clear | Find | Actions ⌄ | Save

Run ▶

```
1  create table clientmaster
2  (clientno varchar(20),name varchar(20),
3  address varchar(20), city varchar(20),
4  pincode int, state varchar (20)) ;
5
```

Table created.

Live SQL

SQL Worksheet

Clear   Find   Actions ⌄   Save

Run ▶

```
1  insert into clientmaster values('C0195','Elena
2  insert into clientmaster values('C0196','Carol
3  insert into clientmaster values('C0197','Jeren
4  insert into clientmaster values('C0198','Stela
5  insert into clientmaster values('C0199','Damon
```

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

Live SQL

SQL Worksheet

◇ Clear   ⚡ Find   Actions ⌄   💾 Save

Run ▶

```
1   select * from clientmaster;
```

CLIENTNO	NAME	ADDRESS	CITY	PINCODE
C0195	Elena	Bandra	Mumbai	421201
C0196	Caroline	Andheri	Mumbai	421201
C0197	Jeremy	Gandhinagar	Delhi	685202
C0198	Stelan	Suninaar	Bangalore	782122
C0199	Damon	Ramnanagar	Maryana	182201

Download CSV

5 rows selected.

Live SQL

SQL Worksheet

Clear   Find   Actions ⌄   💾 Save

Run ▶

```
1    insert into clientmaster values('C0200', 'Bonr
```

1 row(s) inserted.

≡ ⬭ **Live SQL** 💬 ❓ 👤 ⌄

SQL Worksheet

🧼 Clear   🖌 Find   Actions ⌄   💾 Save

Run ▶

```
1    select * from clientmaster;
```

CLIENTNO	NAME	ADDRESS	CITY	PINCODE
C0200	Bonnie	Chandigarh	Hariyana	182202
C0195	Elena	Bandra	Mumbai	421201
C0196	Caroline	Andheri	Mumbai	421201
C0197	Jeremy	Gandhinagar	Delhi	685202
C0198	Stelan	Suninaar	Bangalore	782122
C0199	Damon	Ramnanagar	Maryana	182201

Download CSV

6 rows selected.

Live SQL

SQL Worksheet

Clear   Find   Actions ⌄   Save

Run ▶

```
1    select clientno, name from clientmaster;
```

CLIENTNO	NAME
C0200	Bonnie
C0195	Elena
C0196	Caroline
C0197	Jeremy
C0198	Stelan
C0199	Damon

Download CSV

6 rows selected.

SQL Worksheet

Clear   Find   Actions ⌄   💾 Save

Run ▶

```sql
1    select distinct (name) from clientmaster;
```

NAME
Caroline
Jeremy
Damon
Bonnie
Elena
Stelan

Download CSV

6 rows selected.

Live SQL

SQL Worksheet

Clear | Find | Actions ⌄ | 💾 Save

Run ▶

```
1  select clientno, name, address, city from clie
2  order by clientno;
```

CLIENTNO	NAME	ADDRESS	CITY
C0195	Elena	Bandra	Mumbai
C0196	Caroline	Andheri	Mumbai
C0197	Jeremy	Gandhinagar	Delhi
C0198	Stelan	Suninaar	Bangalore
C0199	Damon	Ramnanagar	Maryana
C0200	Bonnie	Chandigarh	Hariyana

Download CSV

6 rows selected.

Live SQL

SQL Worksheet

Clear   Find   Actions ⌄   Save

Run ▶

```
1  select clientno, name, address, city from clie
2  order by clientno desc;
```

CLIENTNO	NAME	ADDRESS	CITY
C0200	Bonnie	Chandigarh	Hariyana
C0199	Damon	Ramnanagar	Maryana
C0198	Stelan	Suninaar	Bangalore
C0197	Jeremy	Gandhinagar	Delhi
C0196	Caroline	Andheri	Mumbai
C0195	Elena	Bandra	Mumbai

Download CSV

6 rows selected.

Live SQL

SQL Worksheet

Clear | Find | Actions ˅ | Save

Run ▶

```
1  select clientno, name from clientmaster
2  where clientno='C0200';
```

CLIENTNO	NAME
C0200	Bonnie

Download CSV

Live SQL

SQL Worksheet

Clear   Find   Actions ⌄   Save

Run ▶

```
1  alter table clientmaster add(telno int,taxno i
```

Table altered.

SQL Worksheet

◇ Clear   ✎ Find   Actions ⌄   💾 Save

Run ▶

```
1   desc clientmaster;
```

▲

TABLE CLIENTMASTER

Column	Null?	Type
CLIENTNO	-	VARCHAR2(20)
NAME	-	VARCHAR2(20)
ADDRESS	-	VARCHAR2(20)
CITY	-	VARCHAR2(20)
PINCODE	-	NUMBER
STATE	-	VARCHAR2(20)
TELNO	-	NUMBER
TAXNO	-	NUMBER

Download CSV

Live SQL

SQL Worksheet

Clear   Find   Actions ⌄   Save

Run ▶

```
1    alter table clientmaster modify (taxno varcha
```

Table altered.

Live SQL

SQL Worksheet

Clear   Find   Actions ⌄   💾 Save

Run ▶

```
1  desc clientmaster;
```

TABLE CLIENTMASTER

Column	Null?	Type
CLIENTNO	-	VARCHAR2(20)
NAME	-	VARCHAR2(20)
ADDRESS	-	VARCHAR2(20)
CITY	-	VARCHAR2(20)
PINCODE	-	NUMBER
STATE	-	VARCHAR2(20)
TELNO	-	NUMBER
TAXNO	-	VARCHAR2(20)

Download CSV

Live SQL

SQL Worksheet

Clear   Find   Actions ⌄   💾 Save

Run ▶

```
1    drop table clientmaster;
```

Table dropped.