



SQL Worksheet



Clear



Find

Actions ▾



Save

Run

```
1 create table client_master
2 (clientno varchar(8),
3 name varchar(20),
4 city varchar(20), pincode int,
5 state varchar(20), baldue int) ;|
```

Table created.



SQL Worksheet



Clear



Find

Actions ▾



Save

Run

```
1 insert into client_master values('C00002', 'As
2 insert into client_master values('C00003', 'Jo
3 insert into client_master values('C00004', 'De
4 insert into client_master values('C00005', 'Sh
```

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.



SQL Worksheet



Clear



Find

Actions ▾



Save

Run

```
1 select * from client_master;
```

CLIENTNO	NAME	CITY	PINCODE	STATE	BA
C00002	Ashwani	Chennai	780001	TamilNadu	0
C00003	Joshi	Mangaloor	560001	Karnataka	500
C00004	Deepak	Chennai	780001	TamilNadu	0
C00005	Sharma	Mumbai	4000054	Maharashtra	200
C00001	Ivan	Mumbai	400054	Maharashtra	150

Download CSV

rows selected.



SQL Worksheet



Clear



Find

Actions ▾



Save

Run

```
1 select name from client_master;
```

NAME

Ashwani

Joshi

Deepak

Sharma

Ivan

[Download CSV](#)

5 rows selected.



SQL Worksheet



Clear



Find

Actions ▾



Save

Run

```
1 select name, city, state from client_master;
```

NAME	CITY	STATE
Ashwani	Chennai	TamilNadu
Joshi	Mangaloor	Karnataka
Deepak	Chennai	TamilNadu
Sharma	Mumbai	Maharashtra
Ivan	Mumbai	Maharashtra

[Download CSV](#)

5 rows selected.



SQL Worksheet



Clear



Find

Actions ▾



Save

Run

```
1 select * from client_master where city='Mumbai';
```

CLIENTNO	NAME	CITY	PINCODE	STATE	BALDU
C00005	Sharma	Mumbai	4000054	Maharashtra	2000
C00001	Ivan	Mumbai	400054	Maharashtra	15000

[Download CSV](#)

2 rows selected.