

Lists & Tables

HTML ke Structural Elements — Lecture 05

Summary Notes | By – Nishant Sir

1. Lists in HTML

HTML mein **3 tarah ki lists** hoti hain, jo use hoti hain data ko organized tarike se dikhane ke liye:

Unordered List

Ordered List

Description List

List Type	Tag	Kab use karein
Unordered List	<code></code>	Jab order/sequence matter nahi karta — jaise shopping items, kisi bhi order mein likho farak nahi padta.
Ordered List	<code></code>	Jab order/sequence matter karta hai — jaise recipe ke steps (pehle pyaaz kaato, phir tel garam karo).
Description List	<code><dl></code>	Jab kisi term ka naam aur uski explanation deni ho — jaise glossary, FAQs, definitions.

1.1 Unordered List — `<ul>`

`<ul>` poori list ka **container** hai, aur `<li>` (List Item) har individual item ke liye hota hai jo iske andar hota hai.

`<ul>` ek dabbe jaisa hai jisme `<li>` items rakhe jaate hain — `<ul>` khud kuch nahi dikhata, uske andar ke `<li>` hi dikhte hain.

```
<ul>
  <li>Hindi</li>
  <li>English</li>
  <li>Maths</li>
</ul>
```

1.2 Ordered List — `<ol>`

`<ol>` mein bhi `<li>` hi use hota hai — sirf container tag `<ul>` se `<ol>` mein badal jaata hai, aur items automatically numbered (1, 2, 3...) ho jaate hain.

```
<ol>
  <li>Pyaaaz kaato</li>
  <li>Tel garam karo</li>
</ol>
```

1.3 Description List — <dl>

`<dl>` poori description list ka container hai. Isme do tags hote hain:

Tag	Full Form	Kaam
<code><dt></code>	Description Term	Term ya title hota hai
<code><dd></code>	Description Details	Us term ki description/explanation hoti hai

`<dl>` ek dabbe jaisa hai jisme `<dt>` terms aur unki `<dd>` descriptions rakhi jaati hain — `<dl>` khud kuch nahi dikhata, uske andar ke `<dt>` aur `<dd>` hi dikhte hain.

```
<dl>
  <dt>HTML</dt>
  <dd>HyperText Markup Language</dd>
</dl>
```

1.4 List Styling — CSS list-style-type

Unordered list ke bullet ka style change karne ke liye `list-style-type` property use hoti hai:

Value	Description
<code>disc</code>	Default filled circle
<code>circle</code>	Hollow circle
<code>square</code>	Filled square
<code>none</code>	Koi bullet point nahi

1.5 Nested Lists

Lists ko **ek dusre ke andar** bhi likha ja sakta hai — jaise ek main list item ke andar poori sub-list. Yeh **nested list** kehlati hai.

EXAMPLE — NESTED ORDERED + UNORDERED

1. Fruits
 1. Mango
 2. Orange
2. Vegetables
 1. Cabbage
 2. Capsicum
 - Green Capsicum
 - Yellow Capsicum
 - Red Capsicum

👉 Yahaan outer list **ordered** hai, aur sabse andar wali (Capsicum ke colours) **unordered** hai.

Homework — Nested List Practice

Ek deep nested list banao is structure ke saath:

- I. List Item 1 → a, b (alphabetic)
- II. List Item 2 → 1, 2 (numeric) → 2.2 ke andar bullets → usme bhi square bullets
- III. List Item 3 → simple bullets

Hint: `type="a"`, `type="1"` attributes aur nested `<ul>`/`<ol>` ka combination use karo.

2. Tables in HTML

2.1 List vs Table — Kab kya use karein?

Situation	Use karein
Data ek hi dimension mein ho (sirf items, ek ke baad ek)	List
Data grid mein ho (rows aur columns dono)	Table

Table basically **rows aur columns ka collection** hota hai.

2.2 Table ke Core Tags

Tag	Full Form	Kaam
<code><table></code>	Table	Poori table ka container (jaise poori marksheet ka frame)
<code><tr></code>	Table Row	Ek horizontal row
<code><td></code>	Table Data	Ek individual cell (box), row ke andar

```
<table>
  <tr>
    <td>90</td>
    <td>50</td>
  </tr>
</table>

```

Theek-Thaak Homework — Time Table

Ek weekly Time Table banao jisme:

- Top row mein **"Time Table"** heading — poori width mein colspan se merged
- Left side mein **"Hours"** label — rowspan se saari rows cover kare
- Mon–Fri columns, beech mein ek **"Lunch"** row jo poori width cover kare
- Friday ke last do periods mein **"Project"** cell — rowspan se merged

Crazy Homework — Seminar Schedule

Ek advanced nested-merge table banao:

- **Day** column — Monday, Tuesday, Wednesday rows ko rowspan se group karo (jitne slots utni height)
- "Seminar" ek top-level header — poori width colspan
- Uske neeche "Schedule" (Begin + End columns) aur "Topic" column
- Monday: 2 topics (2 rows), Tuesday: 3 alag time-slots (3 rows), Wednesday: 1 row

Yeh homework **colspan + rowspan dono ko ek saath, multiple levels mein** use karne ki practice karwata hai.

Quick Recap

- **Lists:** `<ul>` (unordered), `<ol>` (ordered), `<dl>+<dt>+<dd>` (description) — sabme `<li>` item hota hai (dl chhod ke)
- **Nested Lists:** ek list dusri list ke andar — different types combine kar sakte hain
- **Tables:** `<table>` → `<tr>` (row) → `<td>/<th>` (cell)
- **Structure:** `<thead>` (header rows), `<tbody>` (data rows)
- **Merging:** colspan = columns merge, rowspan = rows merge
- **Caption:** table ka title dikhane ke liye