

HRIS

Project Overview & Design System

A specification of the visual language behind the iHITS platform — colour theory, palette tokens, typography and component geometry, sampled directly from the sign-in surface and the Alerts & Reminders console.



01 — THE PRODUCT

An exception-driven HR operations console

iHITS HRIS is a browser-based Human Resource Information System. Its landing surface, HRIS Alerts & Reminders, inverts the usual dashboard pattern: instead of reporting what has already happened, it foregrounds what is still outstanding — pending approvals, unallocated shifts, and missing statutory data — so that every element on screen maps to an action an HR operator can take today.

Action, not analytics

Every tile resolves to a queue with a count. Numbers are affordances that lead somewhere, never decoration.

Severity is colour-coded

A three-level H / M / L chip system lets an operator triage a 20-row column in a single downward scan.

Modules stay one tap away


A 19-tile launcher overlays the dashboard, so context switching never costs a full page navigation.

Screen anatomy

- **Entry surface** Split sign-in: teal marketing field with illustration on the left, floating white auth card on the right.
- **Top bar** Brand hamburger, page title, Menu / Employee context switch, global search, avatar, launcher toggle.
- **KPI strip** Three headline counters — Login Count, Increment Given, Transfer Count — each on a coloured left rail.
- **Alert columns** Three scrollable panels grouping alerts by domain: lifecycle, time & attendance, payroll compliance.
- **Module launcher** A 3-column overlay grid of 19 illustrated module tiles, anchored top-right.
- **Footer band** Mint-tinted copyright bar; watermark of the company name sits behind the content well.

Module map

Nineteen modules are exposed through the launcher grid:




Implementation note

Token sampling of the live build returns #E9ECEF for muted surfaces, #FFC107 for the low-severity chip and #3F4254 for body copy — values that align with a Bootstrap 5 admin foundation. The system documented here is written to sit on top of those defaults rather than replace them.

02 — SOURCE MATERIAL

The two surfaces this system describes

Every token in this document was sampled from the two screens below. They are the only surfaces a user meets before reaching module-level detail — and, as the annotations note, they do not currently speak the same visual language.




Entry surface — sign in

TEAL FIELD

LOGO RED

An illustrated marketing field on the left, a floating white auth card on the right. Field colour Teal #62C1C6; headline Deep Teal #2D9BA1; wordmark in warm grey #58595B with a single red accent #EC1C24. Google's #4285F4 appears verbatim, as its brand policy requires.



Operational surface — alerts dashboard

EMERALD BRAND

SEVERITY H/M/L

Neutral canvas, white cards, coloured rails. Brand green #37B678 appears only in the nav rail and the active Menu toggle — everything else is neutral or a severity signal. That restraint is correct for a surface read hours at a time.

03 — INFORMATION ARCHITECTURE

Three columns, one mental model

Alerts are grouped by the team that resolves them, not by the table they come from. Counts observed in the reference capture are shown for scale — note the two-orders-of-magnitude spread, which is what forces a severity system rather than a flat list.

Employee lifecycle

Probation completion pending	738	H
Joining confirmation pending	65	H
Personal details approval pending	25	M
Employee activation approval	21	H
Resignation approval by RM	18	H
Resignation acceptance by HR	8	H

Time & attendance

Off day not allocated	135	H
Shift missing employees	100	H
Leave approval pending	23	H
WFH approval	8	H
Leave group missing	6	H
On duty approval	6	H

Payroll & statutory data

PAN No missing	1601	H
IFSC missing	144	H
Employment PF variance	42	L
PF UAN missing	15	M
Employer contribution to EPS variance	9	L
Loan approval pending	3	H


Why severity is not derived from count

PAN No missing (1601) and Loan approval pending (3) both carry a High chip, while Employment PF variance (42) carries Low. Severity encodes statutory or blocking risk, not volume — a variance can wait a cycle, a missing PAN cannot clear payroll. Volume is communicated by the count pill; urgency by the chip. Keeping the two channels independent is what makes the column scannable.

04 — FOUNDATIONS

A green core with a warm alarm axis

The palette resolves to two opposing families. A cool green spine (hue 145–160°) carries brand, navigation and confirmation. A warm alarm axis (hue 5–45°) carries everything that needs attention. Because the two sit on near-opposite sides of the wheel, an alert chip never has to compete with the brand for salience.



Hue positions of the 12 chromatic tokens

The 190° relationship

Emerald sits at hue 152°; Rose at 342°. The 190° separation is a split-complement rather than a true complement, which is deliberate — a strict 180° pairing of green and magenta vibrates at small sizes. Pulling Rose slightly toward red keeps the chip readable at 16 px while preserving maximum hue distance from the brand.

Orange (30°) and Amber (45°) then fill the warm arc between them, giving a continuous severity ramp that reads as a single gradient of urgency rather than three unrelated colours.

Governing rules





- 60 / 30 / 10** Roughly 60% neutral surface, 30% brand green, 10% alarm. Alarm colour is rationed — the moment more than a tenth of the viewport is warm, triage collapses.
- Saturation earns attention** Neutrals stay under 8% saturation. Anything above 60% saturation is reserved for a state the user must resolve.
- Lightness carries hierarchy** Within a hue family, lightness — not hue — signals depth: Emerald 46% L for interactive, Forest 32% for emphasis, Pine 17% for grounding.
- Never colour alone** Every severity colour is paired with a letter (H / M / L). The system must survive deuteranopia, where Rose and Forest converge.

05 — CORE PALETTE



Brand, semantic and data tokens

Every value below was sampled from the production interface. Contrast is measured against the colour named in the AA column, using WCAG 2.1 relative luminance.

Brand

 #37B678	 #347928	 #00582D	 #C0E5D2
Emerald hsl(151 54% 46%) 3.83:1 on ink Primary. Nav rail, active toggle, top hairline, primary buttons.	Forest hsl(111 50% 32%) 5.37:1 on white Positive KPI rail, success states, confirmation icons.	Pine hsl(151 100% 17%) 8.63:1 on white Deepest brand tone. Timeline nodes, dark surfaces, cover fields.	Mint hsl(149 42% 83%) 7.26:1 on ink Brand tint. Footer band, table zebra, subtle success backgrounds.



Severity

 #F04770	 #FF7F15	 #FFC107	 #E9ECEF
Rose / High hsl(345 85% 61%) 3.6:1 on white Blocking or statutory. Resolve within the current day.	Orange / Medium hsl(27 100% 54%) 3.92:1 on ink Time-bound but non-blocking. Resolve this week.	Amber / Low hsl(45 100% 51%) 6.08:1 on ink Advisory variance. Resolve before the next cycle.	Mist / Neutral hsl(210 16% 93%) 8.36:1 on ink Count pills and inert chips. Carries no urgency at all.





06 — EXTENDED SETS

Data accents, neutrals and surfaces

Data & module accents

 #F0730E Tangerine hsl(27 89% 50%) 3.38:1 on ink First KPI rail; payroll module family.	 #FA9E34 Amber Glow hsl(32 95% 59%) 4.72:1 on ink Timeline node, secondary warm accent.	 #FDDE55 Butter hsl(49 98% 66%) 7.44:1 on ink Third KPI rail. Never for text — too light to carry ink.	 #4171CB Azure hsl(219 57% 53%) 4.72:1 on white Informational nodes, links, time-office family.
 #5392DD Sky hsl(213 67% 60%) 3.22:1 on white Numeric emphasis inside informational rows.	 #8F9CD5 Periwinkle hsl(229 45% 70%) 3.72:1 on ink Quiet chart series, decorative slivers.		

Neutrals & surfaces

 #FFFFFF Surface hsl(0 0% 100%) 9.91:1 on ink Card and panel background. The default plane.	 #F4F4F4 Canvas hsl(0 0% 96%) 9.01:1 on ink Page background sitting one step behind every card.	 #E9ECEF Mist hsl(210 16% 93%) 8.36:1 on ink Count pill fill, disabled fields, muted chip.	 #D3D4D7 Line hsl(225 5% 84%) 6.69:1 on ink Hairline dividers and card borders at 0.5–1 px.
 Ink #3F4254 · 9.91:1 Body copy, row labels	 Ink Strong #3D3D3D · 10.86:1 Headings, KPI figures	 Muted #7E8299 · 3.79:1 Captions, placeholders, meta	

Accessibility ceiling

Butter (#FDDE55) and Amber (#FFC107) reach only 6.08:1 and 7.44:1 against ink, and fail entirely against white. Treat both as fill-only tokens: acceptable as a chip background carrying a single bold glyph at 12 px or larger, never as a text or icon colour on a light surface. Emerald likewise clears AA for large text only — body copy on Emerald must use Pine.

07 — SIGN-IN PALETTE

Teal, terracotta and the identity gap

The login screen runs on a palette the dashboard never uses. Documented here as a separate set, because it is one — and because the gap between the two is the single largest branding issue in the product.

Identity






			
Logo Red hsl(358 85% 52%) 4.41:1 on white The dots above the wordmark. The only true brand mark in the product.	Logo Grey hsl(220 2% 35%) 7.01:1 on white Wordmark body. Warm neutral, distinct from the UI ink.	Teal hsl(183 47% 58%) 4.7:1 on ink Entry field background. Carries the whole first impression.	Deep Teal hsl(183 56% 40%) 3.33:1 on white Marketing headline and sub-copy on white.

Illustration & form

			
Sage hsl(177 30% 65%) 4.96:1 on ink Backdrop blob behind the illustration; quiet secondary teal.	Indigo hsl(244 51% 57%) 5.57:1 on white Illustration garment and footwear accent.	Terracotta hsl(13 45% 56%) 3.6:1 on white Warm skin and garment tone; balances the cool field.	Gold hsl(42 82% 68%) 6.22:1 on ink Chair and sticky-note accent; the only warm structural colour.
			
Moss hsl(163 27% 38%) 4.87:1 on white Deep green in the illustration — the nearest bridge to Emerald.	Charcoal hsl(240 14% 20%) 13.93:1 on white Illustration line and mass. Not a UI ink.	Google Blue hsl(217 89% 61%) 3.56:1 on white Federated sign-in only. Fixed by Google brand policy.	Field Line hsl(270 3% 86%) 7.18:1 on ink Input border at rest, 1 px.

The identity gap

			31° apart in hue. Neither surface uses the logo red at all.
Login field hue 183° · sat 47%	Dashboard brand hue 151° · sat 54%	Logo mark hue 358° · sat 85%	

A user signs in against a saturated teal field, then lands on a green-and-neutral console. Nothing carries across — not the hue, not the illustration style, not the wordmark's red. The teal is not wrong, but it is doing brand work the product then abandons.

Three ways to close it

	Adopt teal	Make #62C1C6 the primary and demote Emerald to success-only. Cheapest visually, but teal at 68% saturation tires as a persistent nav colour.
	Adopt emerald	Re-skin the login field to Pine #00582D with Emerald accents. Strongest option — the dark field flatters the white auth card and previews the console.
	Bridge on red	Promote logo red #EC1C24 to a shared accent on every surface. It collides with Rose #F04770, so the severity chip would need re-tuning.

08 — TYPE SYSTEM

Poppins for voice, Inter for work

The production build currently renders in a Roboto-class neutral grotesque inherited from its Bootstrap foundation. The system below formalises that into a two-family pairing: a geometric face for identity, and a UI-optimised grotesque for the dense operational surfaces where the product actually lives.

Poppins

DISPLAY & HEADINGS

AaBbCc 0123456789

Geometric sans, near-circular bowls, single-storey g. Distinct at large sizes, tiring below 14 px. Weights 300 / 400 / 500 / 700.

Inter

INTERFACE & BODY

AaBbCc 0123456789

Tall x-height, open apertures, tabular figures on demand. Designed for screen text at 11–16 px. Weights 400 / 500 / 600 / 700.

JetBrains Mono

NUMERIC & CODE

AaBbCc 0123456789

Fixed advance width for hex tokens, employee IDs and any column of figures that must align vertically.

Type scale

A 1.25 major-third ramp, rounded to whole pixels. Line height tightens as size grows.

TOKEN	SPECIMEN	SIZE / LEAD	USED FOR
Display	Pending approvals	22 / 40	Cover and section openers only
H1	Pending approvals	24 / 32	Page title in the top bar
H2	Pending approvals	20 / 28	Panel and card group headings
H3	Pending approvals	16 / 24	KPI figure, sub-section label
Body	Pending approvals	14 / 22	Alert row labels, default UI text
Body S	Pending approvals	13 / 20	Secondary rows, dense tables
Caption	Pending approvals	12 / 16	Count pills, meta, footer
Overline	Pending approvals	10 / 14	Uppercase eyebrow, +0.08em tracking

Rules

- Never more than three weights on one screen — 400 for body, 600 for labels, 700 for figures.
- Counts and any vertically stacked numerals use tabular figures so digits do not shift column.
- Sentence case everywhere except the overline token. Alert labels are noun phrases, not commands.
- Minimum body size is 13 px. Below that, drop content rather than shrink it.


09 — GEOMETRY & COMPONENTS

Spacing, radius and the four core patterns


Spacing — 4 px base




Corner radius




Core patterns



KPI tile — 4 px coloured rail, label at Body, figure at H3/700. One tile per metric; the rail colour identifies the domain, not the value.



Alert row — rail, label, count pill, severity chip. Fixed 56 px height so a column of twenty scans as a single rhythm.



Severity chip — 18 px circle, 700 weight glyph, always paired with a letter so the state survives colour-blindness and greyscale print.



Timeline node — connects sequential compliance checks. Node colour marks the domain; the connector stays neutral at Line.

Elevation

One shadow only: 0 2 px 8 px rgba(0, 0, 0, 0.06), applied to cards and the launcher overlay. Depth beyond that is expressed by surface colour — Canvas behind, Surface in front — not by stacking blur.