

Test Result

Accepted Runtime: 0 ms

Case 1 Case 2 Case 3

```
nums =  
[-2,1,-3,4,-1,2,1,-5,4]
```

Output

6

Expected

6

♥ [Contribute a testcase](#)

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

✓ Sample Test case 0

Input (stdin)

Download

✓ Sample Test case 1

1 5

2 1 2 1 3 2

✓ Sample Test case 2

3 3 2

Your Output (stdout)

1 2

Expected Output

1 2

Download

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Sample Test case 1

Input (stdin)

Download

```
1 2
2 4
3 1 2 3 4
4 6
5 2 -1 2 3 4 -5
```

Your Output (stdout)

```
1 10 10
2 10 11
```

Expected Output

Download

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Sample Test case 1

Sample Test case 2

Input (stdin)

```
1 5
2 AAAA
3 BBBB
4 ABABABAB
5 BABABA
6 AAABBB
```

Download

Your Output (stdout)

```
1 3
2 4
3 0
```

LOGIN PAGE FOR INTERNET AC

Alternating Characters | Hacker

Longest Substring Without Rep

Longest Substring C++ Code

Ask Gemini

leetcode.com/problems/longest-substring-without-repeating-characters/

M Error

Problem List

Submit

Premium

Test Result

Accepted Runtime: 0 ms

Case 1 Case 2 Case 3

Input

s = "abcabcbb"

Output

3

Expected

3

Contribute a testcase

Search

33°C Sunny

10:55 28/08/2026

LOGIN PAGE FOR INTERNET

Alternating Characters | Hack

Longest Substring Without Re

Longest Substring C++ Code

Find and Replace Pattern - Le

Ask Gemini

leetcode.com/problems/find-and-replace-pattern/

Problem List

Submit

0

M

Premium

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Input

words =
["abc", "deq", "mee", "aqq", "dkd", "ccc"]

pattern =
"abb"

Output

["mee", "aqq"]

Expected

["mee", "aqq"]

Contribute a testcase

Search

33°C
Mostly sunny

ENG
UK

10:56
28/08/2026

LOGIN PAGE FOR INTE

Alternating Characters

Longest Substring Wit

Longest Substring C++

Find and Replace Patte

String Matching in an

Ask Gemini

leetcode.com/problems/string-matching-in-an-array/

MError

Problem List

Submit

Premium

Test Result

AcceptedRuntime: 0 ms

Case 1Case 2Case 3

Input

words =
["mass","as","hero","superhero"]

Output

["as","hero"]

Expected

["as","hero"]

Contribute a testcase

Search

News for you
Vijay among top...

ENG
UK

10:58
28/08/2026

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Sample Test case 1

Sample Test case 2

Sample Test case 3

Input (stdin)

```
1 4 4 1
2 1 2 3 4
3 5 6 7 8
4 9 10 11 12
5 13 14 15 16
```

Download

Your Output (stdout)

```
1 2 3 4 8
2 1 7 11 12
3 5 6 10 16
4 9 13 14 15
```