Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

- Sample Test case 0
- Sample Test case 1
- Sample Test case 2

Input (stdin) Download

```
4
aba
baba
aba
xzxb
3
aba
xzxb
ab
```

Your Output (stdout)

Implement Linked List Java Cod | Word Order | HackerRank | Sparse Arrays | HackerRank | Top K Frequent Elements - Lee | Ask Gemini

leetcode.com/problems/top-k-frequent-elements/

Problem List | Submit | 68:04:32 | Premium

Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2 | Case 3

Input

nums =

[1,1,1,2,2,3]

k =

2

Output

[1,2]

Expected

[1,2]

Contribute a testcase

Search | 28°C Clear | ENG IN | 22:59 09/10/2026

Implement Linked List Java C | Word Order | HackerRank | Sparse Arrays | HackerRank | Top K Frequent Elements - Le | Group Anagrams - LeetCode | Ask Gemini

leetcode.com/problems/group-anagrams/

Problem List | Submit | 0 | 68:04:32 | Premium

Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2 | Case 3

Input

strs =

```
["eat","tea","tan","ate","nat","bat"]
```

Output

```
[["eat","tea","ate"],["bat"],["tan","nat"]]
```

Expected

```
[["bat"],["nat","tan"],["ate","eat","tea"]]
```

Contribute a testcase

Search | 28°C Clear | ENG IN | 23:01 09/10/2026

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

- Sample Test case 0
- Sample Test case 1
- Sample Test case 2

Input (stdin) Download

```
8
1 5
1 6
3 2
1 10
1 10
1 6
2 5
3 2
```

Your Output (stdout)

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Input (stdin) Download

```
6 3
5 3 5 2 3 2
```

Your Output (stdout)

```
3
```

Expected Output Download

```
3
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

- Sample Test case 0
- Sample Test case 1
- Sample Test case 2

Input (stdin) Download

```
2
4 2
1 2
1 3
1
3 1
2 3
2
```

Your Output (stdout)

```
6 6 -1
```

Test Result

Accepted Runtime: 1 ms

Case 1 | Case 2

Input

words =

```
["i","love","leetcode","i","love","coding"]
```

k =

```
2
```

Output

```
["i","love"]
```

Expected

```
["i","love"]
```

Contribute a testcase

Word O | Sparse / | Top K Fr | Group A | Frequen | Java De | BFS: Sh | Top K Fr | Design | Java Ha | Ask Gemini

leetcode.com/problems/design-hashmap/

Problem List | Submit | 0 | 68:04:32 | Premium

Test Result

Accepted Runtime: 2 ms

Case 1

Input

```
["MyHashMap","put","put","get","get","put","get","remove","get"]
```

```
[[],[1,1],[2,2],[1],[3],[2,1],[2],[2],[2]]
```

Output

```
[null,null,null,1,-1,null,1,null,-1]
```

Expected

```
[null,null,null,1,-1,null,1,null,-1]
```

Contribute a testcase

Search | 28°C Clear | ENG IN | 23:18 09/10/2026

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Input (stdin) Download

```
12
ENTER John 3.75 50
ENTER Mark 3.8 24
ENTER Shafaet 3.7 35
SERVED
SERVED
ENTER Samiha 3.85 36
SERVED
ENTER Ashley 3.9 42
ENTER Maria 3.6 46
ENTER Anik 3.95 49
```