# WEB DEVELOPMENT USING FLASK PROJECT REPORT ON DAILY NEWS

Submitted by

ANJAN KUMAR (2019272004)

A report for the project submitted to the Faculty of

#### FULL STACK SOFTWARE DEVELOPMENT

in partial fulfillment for the award of the degree

of

**MASTERS** 

in

### **COMPUTER APPLICATION**




DEPARTMENT OF INFORMATION SCIENCE AND TECHNOLOGY
COLLEGE OF ENGINEERING, GUINDY
ANNA UNIVERSITY
CHENNAI 600 025

## **ABSTRACT**


In this project I have developed a news based web app for reading daily news.


In this there is seprate couloumn for daily headlined which is added or brought through APIs of Hindustan times. There are various card showing daily important headlines which can be read one by one. There is also a search module which can be used to search type of news based on our choice.


# SETTING VIRTUAL ENVIRONMENT AND ISNTALLING FLASK AND RUNNING APP.PY:



#### **OUTPUTS:**








© 2020 Copyright: anjank663@gmail.com

#### **SEARCH BASED RESULTS:**



# **CODES:**

#### 1. INDEX.HTML:

```
{% extends "layout.html" %}
{% block content %}
<h1> Top Head Lines </h1>
<div class="card-group" >
{% for i in articles[:4] %}
<div class="card border border-success">
 <img class="card-img-top rounded" src="{{i['urlToImage']}}" height=175px</pre>
alt="Card image cap">
 <div class="card-body">
  <h5 class="card-title">{{ i['title'] }}</h5>
  <span><b>Published: </b><i>{{ i['publishedAt'][:10]}}</i></span>
  {{ i['description'][:100] }}... 
  <a href="\{\i['url']\}\" class="btn btn-success">Read more</a>
 </div>
</div>
{% endfor %}
</div>
<div class="card-group">
{% for i in articles[4:8] %}
<div class="card border border-success">
 <img class="card-img-top" src="{{i['urlToImage']}}" height=175px alt="Card image
cap">
 <div class="card-body">
  <h5 class="card-title">{{ i['title'] }}</h5>
  <span><b>Published: </b><i>{{ i['publishedAt'][:10]}}</i></span>
  {{ i['description'][:100]}}...
  <a href="{{i['url']}}" class="btn btn-success">Read more</a>
 </div>
</div>
{% endfor %}
</div>
{% endblock %}
```

#### 2.LAYOUT.HTML:

```
<!doctype html>
<html lang="en">
  <head>
     <!-- Required meta tags -->
     <meta charset="utf-8">
     <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
     <!-- Bootstrap CSS -->
     k rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXmFcJlSAwiGgFAW/dAiS6JXwFcJlSAwiGgFAW/dAiS6JXwFCJlSAwiGgFAW/dAiS6JXwFCJlSAwiGgFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFAW/dAiS6JXwFA
" crossorigin="anonymous">
     <script src='static/js/style.js'></script>
     rel="stylesheet" style='text/css'href="{{ url for('static',
filename='static/style.css') }}" media="all">
<title>Daily News</title>
  </head>
  <body>
<div class="container">
<nav class="navbar navbar-dark bg-dark">
  <!-- Navbar content -->
     <button class="btn btn-outline-warning" type="button"><a style="text-
decaration:none" href="{{url_for('home')}}}">Top HeadLines</a></button>
     <form class="form-inline" method='POST' action={{ url for('search')}}>
     <input class="form-control mr-sm-2" name='search' type="search"
placeholder="Search" aria-label="Search">
     <buton class="btn btn-outline-success my-2 my-sm-0"
type="submit">Search</button>
     </form>
</nav>
<div id="carouselExampleIndicators" class="carousel slide" data-ride="carousel">

    class="carousel-indicators">

     data-target="#carouselExampleIndicators" data-slide-to="0"
class="active">
     data-target="#carouselExampleIndicators" data-slide-to="1">
     data-target="#carouselExampleIndicators" data-slide-to="2">
  <div class="carousel-inner">
     <div class="carousel-item active">
       <img class="d-block w-100" src="static/c4.png" alt="First slide" height=500px>
     <div class="carousel-item">
       <img class="d-block w-100" src="static/c.png" alt="Second slide" height=500px>
```

```
</div>
  <div class="carousel-item">
   <img class="'d-block w-100" src="static/c2.png" alt="Third slide" height=500px>
  </div>
  <div class="carousel-item">
   <img class="'d-block w-100" src="static/c3.png" alt="fourth slide" height=500px>
 </div>
 <a class="carousel-control-prev" href="#carouselExampleIndicators" role="button"
data-slide="prev">
  <span class="carousel-control-prev-icon" aria-hidden="true"></span>
  <span class="sr-only">Previous</span>
 </a>
 <a class="carousel-control-next" href="#carouselExampleIndicators" role="button"
data-slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="sr-only">Next</span>
 </a>
</div>
   <br>
{% block content %}
{% endblock %}
</div>
</div>
</div>
<!-- Footer -->
<footer class="page-footer font-small blue">
 <!-- Copyright -->
 <div class="footer-copyright text-center py-3">© 2020 Copyright:
  <a href="#"> anjank663@gmail.com</a>
 </div>
 <!-- Copyright -->
</footer>
<!-- Footer -->
  <!-- Optional JavaScript -->
  <!-- jQuery first, then Popper.js, then Bootstrap JS -->
  <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-</pre>
KJ3o2DKtlkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5
KkN" crossorigin="anonymous"></script>
  <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q''
crossorigin="anonymous"></script>
```

#### 3.SEARCH.HTML:

```
{% extends "layout.html" %}
{% block content %}
<h1> search results:'{{ data }}' </h1>
<samall style='color:green;'> Top 20 results here.</small>
<div class="card-group">
{% set c=0 %}
{% for i in articles[:4] %}
<div class="card border border-success">
 <img class="card-img-top rounded" src="{{i['urlToImage']}}" height=175px alt="Card
image cap">
 <div class="card-body">
  <h5 class="card-title">{{ i['title'] }}</h5>
  <span><b>Published:</b><i>{{i['publishedAt'][:10]}}</i>
  {{ i['description'][:120] }}... 
  <a href="\{\i['url']\}\" class="btn btn-success">Read more</a>
 </div>
</div>
{% endfor %}
</div>
<div class="card-group">
{% for i in articles[4:8] %}
<div class="card border border-success">
 <img class="card-img-top rounded" src="{{i['urlToImage']}}" height=175px alt="Card
image cap">
 <div class="card-body">
  <h5 class="card-title">{{ i['title'] }}</h5>
  <span><b>Published:</b><i>{{i['publishedAt'][:10]}}</i>
  {{ i['description'][:120] }}... 
  <a href="\{\i['url']\}\" class="btn btn-success">Read more</a>
 </div>
</div>
{% endfor %}
<div>
<div class="card-group">
{% for i in articles[8:12] %}
<div class="card border border-success">
```

```
<img class="card-img-top rounded" src="{{i['urlToImage']}}" height=175px alt="Card
image cap">
 <div class="card-body">
  <h5 class="card-title">{{ i['title'] }}</h5>
  <span><b>Published:</b><i>{{i['publishedAt'][:10]}}</i>
  {{ i['description'][:120] }}... 
  <a href="{{i['url']}}" class="btn btn-success">Read more</a>
 </div>
</div>
{% endfor %}
<div>
<div class="card-group">
{% for i in articles[12:16] %}
<div class="card border border-success">
 <img class="card-img-top rounded" src="{{i['urlToImage']}}" height=175px alt="Card</pre>
image cap">
 <div class="card-body">
  <h5 class="card-title">{{ i['title'] }}</h5>
  <span><b>Published:</b><i>{{i['publishedAt'][:10]}}</i>
  {{ i['description'][:120] }}... 
  <a href="\{\i['url']\}\" class="btn btn-success">Read more</a>
 </div>
</div>
{% endfor %}
<div>
<div class="card-group">
{% for i in articles[16:20] %}
<div class="card border border-success">
 <img class="card-img-top rounded-10" src="{{i['urlToImage']}}" height=175px alt="Card
image cap">
 <div class="card-body">
  <h5 class="card-title">{{ i['title'] }}</h5>
  <span><b>Published:</b><i>{{i['publishedAt'][:10]}}</i>
  {{ i['description'][:120] }}... 
  <a href="\{\i['url']\}\" class="btn btn-success">Read more</a>
 </div>
</div>
{% endfor %}
<div>
{% endblock %}}
```

#### **4. APP.PY:**

```
#from bs4 import BeautifulSoup
#from newsapi import NewsApiClient
from flask import Flask, request, render template, url for, redirect
import requests
#newsapi = NewsApiClient(api_key='65729ab9862c408a85621220be43ee5f')
#top headlines = newsapi.get top headlines(q='bitcoin',
                         sources='bbc-news,the-verge',
 ##
                          category='business',
 #
                         language='en',
 #
                         country='in')
app = Flask( name )
url = ('https://newsapi.org/v2/top-headlines?'
    'country=in&'
    'apiKey=65729ab9862c408a85621220be43ee5f')
def get_data(url):
  response = requests.get(url)
  data = response.json()
  articles = data['articles']
  return articles
articles = get_data(url)
@app.route('/')
def home():
  return render_template('index.html',articles=articles)
@app.route('/invalid')
def invalid():
  return "<center><h2 style='color:green;'>something went wrong..!</h2></center>"
@app.route('/search', methods=['POST','GET'])
def search():
  if request.method =='POST':
      data =request.form['search']
      if not data:
         return redirect(url for('invalid'))
      else:
         url=
('https://newsapi.org/v2/everything?q='+data+'&apiKey=65729ab9862c408a85621220be43ee5f')
         articles = get_data(url)
         return render_template('search.html',articles=articles,data=data)
  #print(get_data(url))
   # redirect(url_for('index.html'))
```

if \_\_name\_\_ == '\_\_main\_\_':
 app.run(debug=True)