

Exercise 4:

Post.js:

```
1  class Post {
2    constructor(id, title, body){
3      this.id=id;
4      this.title=title;
5      this.body=body;
6    }
7  }
8  export default Post;
```

Posts.js:

```
1  import React from "react";
2  import Post from "../Post";
3
4  class Posts extends React.Component {
5
6    constructor(props) {
7      super(props);
8
9      this.state = {
10        posts: []
11      };
12    }
13
14    loadPosts() {
15
16      fetch("https://jsonplaceholder.typicode.com/posts")
17        .then(response => response.json())
18        .then(data => {
19
20          const posts = data.map(
21            p => new Post(p.id, p.title, p.body)
22          );
23
24          this.setState({
25            posts: posts
26          });
27
28        })
29        .catch(error => {
30          console.error(error);
31        });
32    }
33  }
```

```
33     }
34
35     componentDidMount() {
36         this.loadPosts();
37     }
38
39     componentDidCatch(error, info) {
40         alert(error);
41         console.log(info);
42     }
43
44     render() {
45
46         return (
47
48             <div>
49
50                 <h1>Blog Posts</h1>
51
52                 {
53                     this.state.posts.map(post => (
54
55                         <div key={post.id}>
56
57                             <h3>{post.title}</h3>
58
59                             <p>{post.body}</p>
60
61                             <hr />
62
63                         </div>
64
65                     ))
66
67                 }
68
69             </div>
70
71         );
72     }
73
74 }
75
76 }
77
78 export default Posts;
```

Post.js:

```
1 import Posts from "../Posts";
2
3 function App() {
4
5   return (
6
7     <div>
8
9       <Posts />
10
11     </div>
12
13   );
14
15 }
16
17 export default App;
```

Output:

