HeaderLocations.java

```
package Home_Page;

import java.time.Duration;
import java.util.List;

import org.openqa.selenium.By;
import org.openqa.selenium.JavascriptExecutor;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.interactions.Actions;
import org.openqa.selenium.support.ui.ExpectedConditions;
import org.openqa.selenium.support.ui.WebDriverWait;

public class HeaderLocations {

   WebDriver driver;
   WebDriverWait wait;

   public HeaderLocations(WebDriver driver) {

      this.driver = driver;

      wait = new WebDriverWait(
            driver,
            Duration.ofSeconds(30)
      );
   }

   // Locator for "Locations" menu item (may match multiple - mobile + desktop)
   private By locationsMenuAll = By.xpath(
         "//a[@class='hfe-menu-item' and contains(text(),'Locations')]"
   );

   // Locator for a specific location link inside the dropdown
   private By locationLink(String locationName) {

      return By.xpath(
            "//a[@class='hfe-sub-menu-item' and normalize-space()='" + locationName + "']"
      );
   }

   // Find the VISIBLE "Locations" menu element (skip hidden mobile/desktop duplicates)
   private WebElement getVisibleLocationsMenu() {

      wait.until(
            ExpectedConditions.presenceOfElementLocated(
                  locationsMenuAll
            )
      );

      List<WebElement> menus = driver.findElements(locationsMenuAll);

      for (WebElement menu : menus) {
```

```
        if (menu.isDisplayed()) {
            return menu;
        }
    }

    throw new RuntimeException(
            "No visible 'Locations' menu found. Total elements matched: " + menus.size()
    );
}

// Hover on "Locations" menu to open dropdown
public void hoverOnLocationsMenu() {

    WebElement menu = getVisibleLocationsMenu();

    ((JavascriptExecutor) driver).executeScript(
            "arguments[0].scrollIntoView({block:'center'});",
            menu
    );

    try {
        Thread.sleep(300);
    } catch (InterruptedException ignored) {
    }

    Actions actions = new Actions(driver);
    actions.moveToElement(menu).perform();

    wait.until(
            ExpectedConditions.presenceOfElementLocated(
                    By.xpath("//ul[contains(@class,'sub-menu-open')]")
            )
    );
}

// Select a location from the open dropdown
public void selectLocation(String locationName) {

    List<WebElement> links = driver.findElements(locationLink(locationName));

    WebElement targetLink = null;

    for (WebElement link : links) {
        if (link.isDisplayed()) {
            targetLink = link;
            break;
        }
    }

    if (targetLink == null) {
        throw new RuntimeException(
                "No visible location link found for: " + locationName
        );
    }

    ((JavascriptExecutor) driver).executeScript(
            "arguments[0].scrollIntoView({block:'center'});",
```

```
            targetLink
        );

        ((JavascriptExecutor) driver).executeScript(
            "arguments[0].click();",
            targetLink
        );
    }
}
```