HeaderLocationsTest.java

```
package Home_Page;

import java.time.Duration;

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.support.ui.WebDriverWait;

import org.testng.Assert;
import org.testng.annotations.AfterMethod;
import org.testng.annotations.BeforeMethod;
import org.testng.annotations.DataProvider;
import org.testng.annotations.Test;

public class HeaderLocationsTest {

   WebDriver driver;
   WebDriverWait wait;

   HeaderLocations headerLocations;

   String baseUrl = "https://palakkad.lulumall.in/";


   // ========================================
   // Browser setup
   // Runs before EVERY test
   // ========================================

   @BeforeMethod
   public void setUp() {

      driver = new ChromeDriver();

      driver.manage().window().maximize();

      wait = new WebDriverWait(
            driver,
            Duration.ofSeconds(30)
      );

      driver.get(baseUrl);

      headerLocations = new HeaderLocations(driver);

      System.out.println("Browser started");
   }


   // ========================================
   // Test data - location name + expected URL fragment
   // ========================================
```

```
@DataProvider(name = "locationItems")
public Object[][] locationItems() {

   return new Object[][] {

      {
         "Kochi",
         "kochi.lulumall.in"
      },

      {
         "Bengaluru",
         "bengaluru.lulumall.in"
      },

      {
         "Thiruvananthapuram",
         "thiruvananthapuram.lulumall.in"
      },

      {
         "Lucknow",
         "lucknow.lulumall.in"
      },

      {
         "Hyderabad",
         "hyderabad.lulumall.in"
      },

      {
         "Kozhikode",
         "kozhikode.lulumall.in"
      },

      {
         "Kottayam",
         "kottayam.lulumall.in"
      }
   };
}


// ========================================
// Test
// ========================================

@Test(dataProvider = "locationItems")
public void verifyLocationNavigation(
      String locationName,
      String expectedUrlPart) throws InterruptedException {

   System.out.println(
         "================================"
   );

   System.out.println(
```

```
            "Testing location: " + locationName
        );

        // Always start fresh from Palakkad site
        driver.get(baseUrl);

        Thread.sleep(1500);

        // Hover on Locations menu to reveal dropdown
        headerLocations.hoverOnLocationsMenu();

        // Click the specific location link
        headerLocations.selectLocation(locationName);

        // Wait for navigation to complete
        wait.until(driver1 ->
            driver1.getCurrentUrl()
                .contains(expectedUrlPart)
        );

        String actualUrl = driver.getCurrentUrl();

        System.out.println(
            "Expected URL to contain: " + expectedUrlPart
        );

        System.out.println(
            "Actual URL: " + actualUrl
        );

        // Verify navigation happened to correct site
        Assert.assertTrue(
            actualUrl.contains(expectedUrlPart),
            locationName + " navigation URL is incorrect"
        );

        System.out.println(
            locationName + " test PASSED"
        );

        // Navigate back to Palakkad site for next iteration
        driver.get(baseUrl);

        Thread.sleep(1500);
    }


    // ========================================
    // Close browser after EVERY test
    // ========================================

    @AfterMethod
    public void tearDown() {

        if (driver != null) {

            driver.quit();
```

```
            driver = null;
        }

        System.out.println("Browser closed");
    }
}
```