









MAIN.XML

MAINACTIVITY.J AVA NEWACT ML



main.xml

...ulated/0/AppProjects/MyApp1/app/src/main/res/layout













MAIN.XML

MAINACTIVITY.J AVA NEWACTIVITY. ML



MainActivity.java

...ulated/0/AppProjects/MyApp1/app/src/main/java/com/n

```
package com.mycompany.myapp;
import android.app.*;
import android.os.*;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.Toast;
public class MainActivity extends Activity
               Button b;
               @Override
               protected void onCreate(Bundle savedInstanceState)
                                 super.onCreate(savedInstanceState);
                                 setContentView(R.layout.main);
                                 b=findViewById(R.id.b);
                                 b.setOnClickListener(new View.OnClickListener() {
                                                                  @Override
                                                                  public void onClick(View view) {
                                                                                 {\tt Toast.makeText(getApplicationContext(),"Button~clicked", Tourself and Toast.makeText(getApplicationContext(),"Button~clicked", Toast.makeText(),"Button~clicked", Toast
                                                                                  Intent i=new Intent(MainActivity.this,newclass.class);
                                                                                  startActivity(i);
                                               });
              }
```















NEWACTIVITY.X ML

NEWCLASS.JA



newactivity.xml

...ulated/0/AppProjects/MyApp1/app/src/main/res/layout

```
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
android:layout_width="fill_parent"
android:layout_height="fill_parent"
android:gravity="center"
android:orientation="vertical">
<TextView
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:text="Welcome to New Activity"
android:gravity="center"
android:gravity="center"
android:background="#000099"
/>
//LinearLayout>
```













WACTIVITY.X

NEWCLASS.JAVA

ANDROIDMAN ST.XML



newclass.java

...ts/MyApp1/app/src/main/java/com/mycompany/myapp

```
package com.mycompany.myapp;
import android.app.*;

import android.os.Bundle;
public class newclass extends Activity

{
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.newactivity);
}

}
```













IVITY.X

NEWCLASS.JAVA

ANDROIDMANIFE ST.XML



AndroidManifest.xml

/storage/emulated/0/AppProjects/MyApp1/app/src/main

```
<?xml version="1.0" encoding="utf-8"?>
  <manifest xmlns:android="http://schemas.android.com/apk/res/android"</pre>
       package="com.mycompany.myapp" >
       <application
          android:allowBackup="true"
          android:icon="@drawable/ic_launcher"
          android:label="@string/app_name"
          android:theme="@style/AppTheme"
          android:resizeableActivity = "true">
          <activity
               android:name=".MainActivity"
               android:label="@string/app_name" >
               <intent-filter>
                   <action android:name="android.intent.action.MAIN" />
                  <category android:name="android.intent.category.LAUNCHER" />
               </intent-filter>
          </activity>
          <activity
               android:name=".newclass"/>
      </application>
24 </manifest>
```



MyApp1



MyApp1

Welcome to New Activity

Button clicked