Workshop-1

Class Edit Tools Options

sphere

Compile Undo Cut Copy Paste Find... Close Source Code

```java
/**
 * Write a description of class sphere here.
 *
 * @author (Anjina)
 * @version (a version number or a date)
 */
public class sphere
{
    public static void main(String args[]){

        int radius = 3;
        double PI = 3.14;
        double volume = 4/3 * PI * Math.pow(radius,3);
        System.out.println(volume);

    }
```

BlueJ: Terminal Window - Hello world

Options

```
84.78
```

Workshop-1

cuboid - Hello world

Class Edit Tools Options

sphere × cuboid ×

Compile Undo Cut Copy Paste Find... Close

```java
/**
 * Write a description of class cuboid here.
 *
 * @author (Anjina)
 * @version (a version number or a date)
 */
public class cuboid
{
    public static void main(String args[]){
        int length = 5;
        int width = 4;
        int height = 7;
        int totalSurfaceArea = 2*length*width + 2*length*height +2*height*width;
        int volume = length*width*height;
        System.out.println(totalSurfaceArea);
        System.out.println(volume);

    }
}
```

BlueJ: Terminal Window - Hello world

Options

```
166
140
```

walls - Hello world

Class Edit Tools Options

sphere × cuboid × walls ×

Compile Undo Cut Copy Paste Find... Close

```java
/**
 * Write a description of class walls here.
 *
 * @author (your name)
 * @version (a version number or a date)
 */
public class walls
{
    public static void main(String args[]){
        int length= 50;
        int breadth = 30;
        int height = 40;
        int areaOfWalls = 2*(length+breadth)*height;
        System.out.println(areaOfWalls);
```

BlueJ: Terminal Window - Hello world

Options

```
6400
```

Workshop-1

---

cube - Hello world

Class Edit Tools Options

sphere cuboid walls cube

Compile Undo Cut Copy Paste Find... Close Source Code

```java
/**
 * Write a description of class cube here.
 *
 * @author (Anjina)
 * @version (a version number or a date)
 */
public class cube
{
    public static void main(String args []){
        int length  = 6;
     double volumeOfCube = Math.pow(length,3);
     System.out.println(volumeOfCube);


    }

}
```

BlueJ: Terminal Window - Hello world

Options

```
216.0
```

Class Edit Tools Options

sphere cuboid walls cube rectangle

Compile Undo Cut Copy Paste Find... Close Source Code

```java
/**
 * Write a description of class rectangle here.
 *
 * @author (anjina)
 * @version (a version number or a date)
 */
public class rectangle
{
    public static void main(String args[]){
        int length = 8;
        int breadth = 6;
     int areaOfRectangle = length * breadth;
        System.out.println(areaOfRectangle);


    }

}
```

58°F

Workshop-1

BlueJ: Terminal Window - Hello world

Options

```
48
```

---

circumference - Hello world

Class Edit Tools Options

sphere | cuboid | walls | cube | rectangle | circumference

Compile Undo Cut Copy Paste Find... Close Source Code

```
/**
 * Write a description of class circumference here.
 *
 * @author (Anjina)
 * @version (a version number or a date)
 */
public class circumference
{
    public static void main(String args[]){
        int radius = 4;
        double circumference = 2*3.14*radius;
        System.out.println(circumference);

    }
}
```

BlueJ: Terminal Window - Hello world

Options

```
25.12
```

Workshop-1

circle - Hello world

Class Edit Tools Options

sphere × cuboid × walls × cube × rectangle × circumference × triangle × circle ×

Compile Undo Cut Copy Paste Find... Close Source Code

```java
/**
 * Write a description of class circle here.
 *
 * @author (anjina)
 * @version (a version number or a date)
 */
public class circle
{
    public static void main(String args[]){
        int radius = 4;
        double area = 3.14 * Math.pow(radius,2);
        System.out.println(area);
        double circumference = 2*3.14*radius;
        System.out.println(circumference);

    }
}
```

BlueJ: Terminal Window - Hello world

Options

```
50.24
25.12
```

kilo - Hello world

Class Edit Tools Options

sphere × cuboid × walls × cube × rectangle × circumference × triangle × circle × kilo ×

Compile Undo Cut Copy Paste Find... Close Source Code

```java
public class kilo
{
    public static void main(String args[]){
        Scanner sc = new Scanner (System.in);
        System.out.println("Enter kilometer: ");
        int kilometer = sc.nextInt();
        double disInMile = kilometer * 0.62137;
        System.out.println(disInMile);

    }

}
```

Workshop-1

BlueJ: Terminal Window - Hello world

Options

```
Enter kilometer:
4000
2485.48
```

Document2 - Word (Product Activation Failed)

meter - Hello world

Class Edit Tools Options

sphere × cuboid × walls × cube × rectangle × circumference × triangle × circle × kilo × meter ×

Compile Undo Cut Copy Paste Find... Close Source Code

```
/**
 * Write a description of class meter here.
 *
 * @author (anjina)
 * @version (a version number or a date)
 */
public class meter
{
  public static void main(String args[]){
      double meter= 2500;
     double kilometer = (meter/1000);
      System.out.println(kilometer);

  }
}
```

BlueJ: Terminal Window - Hello world

Options

```
2.5
```

Workshop-1

---

potential - Hello world

Class Edit Tools Options

sphere × cuboid × walls × cube × rectangle × circumference × triangle × circle × kilo × meter × potential ×

Compile Undo Cut Copy Paste Find... Close Source Code

```java
/**
 * Write a description of class potential here.
 *
 * @author (anjina)
 * @version (a version number or a date)
 */
public class potential
{
    public static void main(String args[]){
        int mass = 55;
        int height = 5;
        double potentialEnergy = mass*9.8*height;
        System.out.println(potentialEnergy);

    }

}
```

BlueJ: Terminal Window - Hello world

Options

```
2695.0
```

---

perirect - Hello world

Class Edit Tools Options

boid × walls × cube × rectangle × circumference × triangle × circle × kilo × meter × potential × perirect ×

Compile Undo Cut Copy Paste Find... Close Source Code

```java
/**
 * Write a description of class perirect here.
 *
 * @author (anjina)
 * @version (a version number or a date)
 */
public class perirect
{
    public static void main(String args[]){
        int length = 6;
        int breadth = 8;
        int perimeter = 2*(length+breadth);
        System.out.println(perimeter);


    }
}
```

BlueJ: Terminal Window - Hello world

Options

```
28
```

Workshop-1

---

interest - Hello world

Class Edit Tools Options

```java
/**
 * Write a description of class interest here.
 *
 * @author (anjina)
 * @version (a version number or a date)
 */
public class interest
{
  public static void main(String args []){
      int p = 50000;
      double r = 8.7;
      int t= 2;
      double interest = p*t*r/100;
      System.out.println(interest);


  }
}
```

BlueJ: Terminal Window - Hello world

Options

```
8699.999999999998
```

---

cylinder - Hello world

Class Edit Tools Options

```java
import javax.swing.Spring;

/**
 * Write a description of class cylinder here.
 *
 * @author (anjina)
 * @version (a version number or a date)
 */
public class cylinder
{
    public static void main(String args []){
        int radius = 4;
        int height = 10;
        double totalSurfaceArea = 2*3.14*radius*(height + radius);
        System.out.println(totalSurfaceArea);

    }


}
```

BlueJ: Terminal Window - Hello world

Options

```
351.68
```

Workshop-1

---

square - Hello world

Class Edit Tools Options

gle × circumference × triangle × circle × kilo × meter × potential × perirect × interest × cylinder × square ×

Compile Undo Cut Copy Paste Find... Close Source Code

```
/**
 * Write a description of class square here.
 *
 * @author (anjina)
 * @version (a version number or a date)
 */
public class square
{
    public static void main(String args []){
        int length = 6;
        double area = Math.pow(length,2);
        System.out.println(area);

    }
}
```

BlueJ: Terminal Window - Hello world

Options

```
36.0
```

tsasphere - Hello world

Class Edit Tools Options

variablenum × split × pen × tsasphere ×

Compile Undo Cut Copy Paste Find... Close Source Code

```
/**
 * Write a description of class tsasphere here.
 *
 * @author (anjina)
 * @version (a version number or a date)
 */
public class tsasphere
{
    public static void main(String args[]){
        int radius = 4;
        double tsa = 4*3.14*Math.pow(radius,2);
        System.out.println(tsa);

    }
}
```

BlueJ: Terminal Window - Hello world

Options

```
200.96
```

Workshop-1

Document2 - Word (Product Activation Failed)

distance - Hello world

Class Edit Tools Options

iangle × circle × kilo × meter × potential × perirect × interest × cylinder × square × tsasphere × distance ×

Compile Undo Cut Copy Paste Find... Close Source Code

```
/**
 * Write a description of class distance here.
 *
 * @author (anjina)
 * @version (a version number or a date)
 */
public class distance
{
    public static void main(String args[]){
        int u = 28;
        int a = 30;
        int t = 4;
    double distance = u*t+1.0/2.0*(a*t*t);
        System.out.println(distance);


    }
}
```

BlueJ: Terminal Window - Hello world

Options

```
352.0
```

---

paise - Hello world

Class Edit Tools Options

circle × kilo × meter × potential × perirect × interest × cylinder × square × tsasphere × distance × paise ×

Compile Undo Cut Copy Paste Find... Close Source Code

```
/**
 * Write a description of class paise here.
 *
 * @author (your name)
 * @version (a version number or a date)
 */
import java.util.*;
public class paise
{
    public static void main (String args []){
        Scanner sc= new Scanner (System.in);
        System.out.println("enter paise; ");
        double paise = sc.nextInt();
        double rupees = paise/100;
        System.out.println(rupees);

    }
}
```

Workshop-1

BlueJ: Terminal Window - Hello world

Options

```
enter paise;
450
4.5
```

---

parallelogram - Hello world

Class Edit Tools Options

meter × | potential × | perirect × | interest × | cylinder × | square × | tsasphere × | distance × | paise × | parallelogram ×

Compile | Undo | Cut | Copy | Paste | Find... | Close | Source Code

```
/**
 * Write a description of class parallelogram here.
 *
 * @author (anjina)
 * @version (a version number or a date)
 */
public class parallelogram
{
    public static void main(String args[]){
        int height = 6;
        int base = 4;
        int area = base*height;
        System.out.println(area);

    }

}
```

BlueJ: Terminal Window - Hello world

Options

```
24
```