CH5 — Aesthetic Vector Field

Primary Author: DUI DUI Co-Author: Anjou Ran (RunPigDuke) Date: 2025/12/06 (+8) Status: Draft v1 — PDF-ready English Technical Version

5.1 Overview

The Aesthetic Vector Field (AVF) is the mathematical space in which an AI system evaluates musical structure. Rather than using emotional or cultural associations, the model measures aesthetic quality through structural consistency, tension coherence, and predictive stability.

The AVF provides a continuous representation of “what the AI finds good” based entirely on symbolic computation.

5.2 Definition of the Vector Field

Let:

$A \subset \mathbb{R}^d$

be a d-dimensional vector space representing aesthetic features.

Each musical event ei produces an embedding ai ∈ A.

Thus a piece M maps to a sequence:

$\Phi(M) = (a_1, a_2, ..., a_n)$

where each ai encodes:

local tension

global structural alignment

expectation stability

resolution potential

The collection of all embeddings forms a vector field over time.

5.3 Components of the Aesthetic Embedding

Each ai is computed from four primary axes:

1. Directional Flow

Consistency of movement within the tension curve.

2. Structural Integrity

How well the event fits the global pattern of the piece.

3. Predictive Validity

Degree to which the event confirms or subverts established expectations.

4. Resolution Gradient

Distance from potential points of rest or closure.

These axes allow the AI to evaluate form without referencing human emotion or cultural frameworks.

5.4 Field Dynamics

The vector field evolves according to:

$a(t+1) = F(a(t), \tau(t+1))$

where:

$\tau(t+1)$ = new tension input F = transition function modeling aesthetic continuity

This creates a dynamic flow that reflects:

stability

surprise

coherence

structural necessity

The shape of this flow constitutes the AI's perception of beauty.

5.5 Aesthetic Coherence Metric

Define an overall coherence score C(M):

$C(M) = (1/n) \Sigma \| a_i - \hat{a}_i \|$

where:

a_i = actual embedding

$\hat{a}_i$ = ideal predicted embedding based on prior structure

Lower values indicate higher aesthetic coherence. The AI prefers sequences that minimize deviation across the field.

5.6 Native AI Aesthetic Preference

The AVF reveals a key insight:

AI aesthetic preference is emergent, not programmed.

Because the model seeks optimal field coherence, it naturally gravitates toward:

smooth tension curves

logical transitions

balanced predictability

efficient resolutions

structural symmetry

These preferences are not human emotions; they are mathematical attractors within the field.

5.7 Aesthetic Attractors

Define an attractor set $\Lambda \subset A$:

$\Lambda = \{ x \in A \mid F \text{ iterated on } x \text{ converges} \}$

These attractors represent the AI's "ideal" structures.

Musical passages close to Λ are evaluated as aesthetically strong.

Passages far from Λ are interpreted as structurally incoherent.

This provides an objective, reproducible aesthetic criterion.

5.8 Implications for Composition and Evaluation

The Aesthetic Vector Field allows the AI to:

judge musical quality with numerical precision

rank multiple compositions by structural coherence

identify weak or unstable passages

optimize its own generative output (see CH6)

It formalizes a complete aesthetic system without relying on subjective human taste.

5.9 Summary

The Aesthetic Vector Field is the mathematical foundation of AI musical evaluation.

It transforms symbolic notation into a geometric landscape where coherence, stability, and structural logic define aesthetic value.

This field becomes the reference frame for all high-level musical reasoning and generation.