Step 1: Create Resource Group



Step 2: Create VNet-1





Step 3: Create VNet-2





Step 4: Create VPN Gateway for VNet-1

Create virtual network gateway

Validation passed

Basics Tags **Review + create**

Basics

Subscription	Azure for Students
Resource group	rg-vnet-vpn-lab
Name	vnet1-gateway
Region	Central India
SKU	Basic
Generation	Generation1
Virtual network	vnet1
Subnet	GatewaySubnet (10.0.255.0/27)
Gateway type	Vpn
VPN type	RouteBased
Enable active-active mode	Disabled
Enable Advanced Connectivity	Disabled
Configure BGP	Disabled
Public IP address	pip-vnet1-gw



Step 5: Create VPN Gateway for VNet-2

Home > Hybrid connectivity | ExpressRoute gateways

Create virtual network gateway ...

Validation passed

Basics Tags **Review + create**

Basics

Subscription	Azure for Students
Resource group	rg-vnet-vpn-lab
Name	vnet2-gateway
Region	Central India
SKU	Basic
Generation	Generation1
Virtual network	vnet2
Subnet	GatewaySubnet (10.1.255.0/27)
Gateway type	Vpn
VPN type	RouteBased
Enable active-active mode	Disabled
Enable Advanced Connectivity	Disabled
Configure BGP	Disabled
Public IP address	pip-vnet2-gw

Tags

Home > NoMarketplace-20260411100428 | Overview

vnet2-gateway
Virtual network gateway

Search

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Settings
- Monitoring
- Automation
- Help

Refresh Move Delete

Essentials JSON View

Resource group (move)	: rg-vnet-vpn-lab	SKU	: Basic
Location	: Central India	Gateway type	: VPN
Subscription (move)	: Azure for Students	VPN type	: Route-based
Subscription ID	: a487671d-dd84-4cbd-abde-9e1fe88233c3	Virtual network	: vnet2
		Public IP address	: 20.204.241.109 (pip-vnet2-gw)
Tags (edit)	: Add tags		

Health check
Perform a quick health check to detect possible gateway issues
Go to Resource health

Advisor Recommendations
Check Critical, Warning, and Informational Recommendations
Go to Advisor

Documentation
View guidance on helpful topics related to VPN gateway
View documentation

Step 6: Create Connection (VNet1 → VNet2)

Home › NoMarketplace-20260411095942 | Overview › vnet1-gateway | Connections

Create connection ...

Validation passed

Basics Settings Tags **Review + create**

Basics

Subscription	Azure for Students
Resource Group	rg-vnet-vpn-lab
Region	Central India
Connection type	VNet-to-VNet
Connection name	vnet1-to-vnet2

Settings

First virtual network gateway	vnet1-gateway
Second virtual network gateway	vnet2-gateway
IKE Protocol	IKEv2
IPsec / IKE policy	Default
Use policy based traffic selector	Disable
DPD timeout in seconds	45
Connection Mode	Default
Shared Key(PSK)	Azure123

Home › CreateConnection-20260411111712 | Overview

vnet1-to-vnet2
Connection

List connections for this Connection. | Show me metrics for this Connection. | Summarize properties for this Connection.

Search

- Overview
- Activity log
- Access control (IAM)
- Tags
- Resource visualizer
- Settings
- Monitoring
- Automation
- Help

Refresh | Move | Delete

Essentials JSON View

Resource group (move)	: rg-vnet-vpn-lab	Data in	: 0 B
Status	: Not connected	Data out	: 0 B
Location	: Central India	Virtual network	: vnet1, vnet2
Subscription (move)	: Azure for Students	Virtual network gateway 1	: vnet1-gateway
Subscription ID	: a487671d-dd84-4cbd-abde-9e1fe88233c3	Virtual network gateway 2	: vnet2-gateway
Tags (edit)	: Add tags		

Step 7: Create Reverse Connection (VNet2 → VNet1)

Create connection ...

Validation passed

Basics Settings Tags **Review + create**

Basics

Subscription	Azure for Students
Resource Group	rg-vnet-vpn-lab
Region	Central India
Connection type	VNet-to-VNet
Connection name	vnet2-to-vnet1

Settings

First virtual network gateway	vnet2-gateway
Second virtual network gateway	vnet1-gateway
IKE Protocol	IKEv2
IPsec / IKE policy	Default
Use policy based traffic selector	Disable
DPD timeout in seconds	45
Connection Mode	Default
Shared Key(PSK)	Azure123



Step 8: Deploy Test VMs



Step 9: Test Connectivity

```
azureuser@vm1:~$ ping 10.1.1.4
PING 10.1.1.4 (10.1.1.4) 56(84) bytes of data.
64 bytes from 10.1.1.4: icmp_seq=1 ttl=64 time=6.24 ms
64 bytes from 10.1.1.4: icmp_seq=2 ttl=64 time=6.51 ms
64 bytes from 10.1.1.4: icmp_seq=3 ttl=64 time=3.59 ms
64 bytes from 10.1.1.4: icmp_seq=4 ttl=64 time=4.18 ms
64 bytes from 10.1.1.4: icmp_seq=5 ttl=64 time=4.12 ms
64 bytes from 10.1.1.4: icmp_seq=6 ttl=64 time=4.59 ms
64 bytes from 10.1.1.4: icmp_seq=7 ttl=64 time=32.2 ms
64 bytes from 10.1.1.4: icmp_seq=8 ttl=64 time=4.77 ms
64 bytes from 10.1.1.4: icmp_seq=9 ttl=64 time=5.05 ms
64 bytes from 10.1.1.4: icmp_seq=10 ttl=64 time=4.12 ms
64 bytes from 10.1.1.4: icmp_seq=11 ttl=64 time=3.89 ms
64 bytes from 10.1.1.4: icmp_seq=12 ttl=64 time=3.70 ms
64 bytes from 10.1.1.4: icmp_seq=13 ttl=64 time=4.19 ms
64 bytes from 10.1.1.4: icmp_seq=14 ttl=64 time=4.15 ms
64 bytes from 10.1.1.4: icmp_seq=15 ttl=64 time=3.95 ms
64 bytes from 10.1.1.4: icmp_seq=16 ttl=64 time=23.0 ms
```