

Python list

```
n_list=[2.9,3000,'Hello',"Welcome to python list",True]
print(n_list)
n_list=["Happy",[2,0,1,5]]
print(n_list[0][3])
print(n_list[1][2])
my_list=["mouse",[8,4,6],['a','b','c']]
print(my_list)
print(my_list[0])
print(my_list[1][1])
print(my_list[2][2])
```

output

```
[2.9, 3000, 'Hello', 'Welcome to python list', True]
p
1
['mouse', [8, 4, 6], ['a', 'b', 'c']]
mouse
4
```

C

Negative indexing

```
my_list=['p','r','o','b','e']
```

```
print(my_list[-1])
```

```
print(my_list[-5])
```

output

e

p

Append and Several items method

```
odd=[1,3,5]
```

```
odd.append(7)
```

```
print(odd)
```

```
odd.extend([9,11,13])
```

```
print(odd)
```

output

```
[1, 3, 5, 7]
```

```
[1, 3, 5, 7, 9, 11, 13]
```

Add and sub list

```
odd=[1,3,5]
```

```
print(odd+[9,7,5])
```

```
print(["re"]*3)
```

output

```
[1, 3, 5, 9, 7, 5]
```

```
['re', 're', 're']
```

List length and Remove

```
thislist=["apple","banana","cherry"]
```

```
print(len(thislist))
```

```
thislist=["apple","banana","cherry"]
```

```
thislist.remove("banana")
```

```
print(thislist)
```

output

3

```
['apple', 'cherry']
```

Python loop lists

```
thislist=["apple","banana","cherry"]
```

```
for x in thislist:
```

```
    print(x)
```

output

apple

banana

cherry

Python -sort lists

```
thislist=["orange","mango","pineapple","banana"]
```

```
thislist.sort()
```

```
print(thislist)
```

output

```
['banana', 'mango', 'orange', 'pineapple']
```

```
thislist=[100,50,65,82,23]
```

```
thislist.sort()
```

```
print(thislist)
```

output

```
[23, 50, 65, 82, 100]
```

Python-copy list

```
thislist=["apple","banana","cherry"]
```

```
mylist=thislist.copy()
```

```
print(mylist)
```

output

```
['apple', 'banana', 'cherry']
```

```
thislist=["apple","banana","cherry"]  
mylist=list(thislist)  
print(mylist)
```

output

```
['apple', 'banana', 'cherry']
```

Python –insert

```
fruits=['apple','banana','cherry']  
fruits.insert(1,"orange")  
print(fruits)
```

output

```
['apple', 'orange', 'banana', 'cherry']
```

Del keyword

```
thislist=["apple","banana","cherry"]  
del thislist[0]
```

```
print(thislist)
```

output

```
['banana', 'cherry']
```

Remove specified index

```
thislist=["apple","banana","cherry"]
```

```
thislist.pop(1)
```

```
print(thislist)
```

output

```
['apple', 'cherry']
```

```
thislist=["apple","banana","cherry"]
```

```
thislist.pop()
```

```
print(thislist)
```

output

```
['apple', 'banana']
```

Clear the list

```
thislist=["apple","banana","cherry"]
```

```
thislist.clear()
```

```
print(thislist)
```

output

```
[]
```

Python list count() method

```
fruits=["apple","banana","cherry","apple"]
```

```
x=fruits.count("apple")
```

```
print(x)
```

output

2

```
fruits=[1,4,2,9,7,8,3,1]
```

```
x=fruits.count(9)
```

```
print(x)
```

output

1

List copy() method

```
lst=[10,20,30,40]
```

```
new_lst=lst.copy()
```

```
print("Original List:",lst)
```

```
print("Copied List:",new_lst)
```

output

Original List: [10, 20, 30, 40]

Copied List: [10, 20, 30, 40]

List index() method

```
lst=[10,20,30,40,50]
value=30
position=lst.index(value)
print("List:",lst)
print("value:",value)
print("Index:",position)
```

output

```
List: [10, 20, 30, 40, 50]
value: 30
Index: 2
```