MYSQL ASSIGNMENT 2 – QUERYING DATA

```
USE employee;

SELECT * FROM Departments ORDER BY department_id;

SELECT * FROM Location ORDER BY location_id;

SELECT * FROM Employees;


INSERT INTO departments (department_id, department_name) VALUES

(1, 'Software Development'),

(2, 'Marketing'),

(3, 'Data Science'),

(4, 'Human Resources'),

(5, 'Product Management'),

(6, 'Content Creation'),

(7, 'Finance'),

(8, 'Design'),

(9, 'Research and Development'),

(10, 'Customer Support'),

(11, 'Business Development'),

(12, 'IT'),

(13, 'Operations');


INSERT INTO location (location) VALUES

('Chennai'),

('Bangalore'),

('Hyderabad'),

('Pune');
```

INSERT INTO employees (employee_id, employee_name, gender, age, hire_date, designation, department_id, location_id, salary) VALUES

(5001, 'Vihaan Singh', 'M', 27, '2015-01-20', 'Data Analyst', 3, 4, 60000),

(5002, 'Reyansh Singh', 'M', 31, '2015-03-10', 'Network Engineer', 12, 1, 80000),

(5003, 'Aaradhya Iyer', 'F', 26, '2015-05-20', 'Customer Support Executive', 10, 2, 45000),

(5004, 'Kiara Malhotra', 'F', 29, '2015-07-05', NULL, 8, 3, 70000),

(5005, 'Anvi Chaudhary', 'F', 25, '2015-09-11', 'Business Development Executive', 11, 1, 55000),

(5006, 'Dhruv Shetty', 'M', 28, '2015-11-20', 'UI Developer', 8, 2, 65000),

(5007, 'Anushka Singh', 'F', 32, '2016-01-15', 'Marketing Manager', 2, 3, 90000),

(5008, 'Diya Jha', 'F', 27, '2016-03-05', 'Graphic Designer', 8, 4, 70000),

(5009, 'Kiaan Desai', 'M', 30, '2016-05-20', 'Sales Executive', 11, 3, 55000),

(5010, 'Atharv Yadav', 'M', 29, '2016-07-10', 'Systems Administrator', 12, 4, 80000),

(5011, 'Saanvi Patel', 'F', 28, '2016-09-20', 'Marketing Analyst', 2, 1, 60000),

(5012, 'Myra Verma', 'F', 26, '2016-11-05', 'Operations Manager', 13, 2, 95000),

(5013, 'Arnav Rao', 'M', 33, '2017-01-20', 'Customer Success Manager', 10, 3, 75000),

(5014, 'Vihaan Mohan', 'M', 30, '2017-03-10', 'Supply Chain Analyst', 10, 2, 60000),

(5015, 'Ishaan Kumar', 'M', 27, '2017-05-20', 'Financial Analyst', 7, 1, 85000),

(5016, 'Zoya Khan', 'F', 31, '2017-07-05', 'Legal Counsel', 4, 4, 100000),

(5017, 'Kabir Nair', 'M', 28, '2017-09-11', 'IT Support Specialist', 12, 2, 80000),

(5018, 'Ishan Mishra', 'M', 25, '2017-11-20', 'Research Scientist', 9, 3, 75000),

(5019, 'Ishika Patel', 'F', 29, '2018-01-15', 'Talent Acquisition Specialist', 4, 4, 55000),

(5020, 'Aarav Nair', 'M', 32, '2018-03-05', 'Software Engineer', 1, 1, 90000),

(5021, 'Advik Kapoor', 'M', 26, '2018-05-20', 'Finance Analyst', 7, 3, 85000),

(5022, 'Aadhya Iyengar', 'F', 28, '2018-07-10', 'HR Specialist', 4, 4, 60000),

(5023, 'Anika Paul', 'F', 30, '2018-09-20', 'Public Relations Specialist', 2, 2, 70000),

(5024, 'Aryan Shetty', 'M', 27, '2018-11-05', 'Product Manager', 5, 1, 95000),

(5025, 'Avni Iyengar', 'F', 31, '2019-01-20', 'Data Scientist', 3, 4, 100000),

(5026, 'Vivaan Singh', 'M', 29, '2019-03-10', 'Business Analyst', 3, 2, 75000),

(5027, 'Ananya Paul', 'F', 32, '2019-05-20', 'Content Writer', 6, 3, 60000),

(5028, 'Anaya Kapoor', 'F', 26, '2019-07-05', 'Event Coordinator', 6, 1, 60000),

(5029, 'Arjun Kumar', 'M', 33, '2019-09-11', 'Quality Assurance Analyst', 12, 2, 80000),

```
(5030, 'Sara Iyer', 'F', 28, '2019-11-20', 'Project Manager', 5, 1, 90000);

SELECT DISTINCT salary FROM Employees;
SELECT age AS Employee_Age,salary AS Employee_Salary FROM Employees;
SELECT * FROM Employees WHERE salary > 50000 AND hire_date < '2016-01-01';
SELECT * FROM Employees WHERE designation IS NULL;
SET SQL_SAFE_UPDATES = 0;
UPDATE Employees
SET designation = 'Data Scientist'
WHERE designation IS NULL;
SET SQL_SAFE_UPDATES = 1;

SELECT * FROM Employees ORDER BY department_id ASC, salary DESC;
SELECT * FROM Employees WHERE hire_date >= '2018-01-01' AND hire_date < '2019-01-01'
 ORDER BY hire_date ASC LIMIT 5;

SELECT SUM(e.salary) AS total_salary
FROM Employees e
JOIN Departments d
    ON e.department_id = d.department_id
WHERE d.department_name = 'Finance';
SELECT MIN(age) AS Minimum_Age FROM Employees;

SELECT location_id, MAX(salary) AS Maximum_Salary FROM Employees GROUP BY location_id;
SELECT designation, AVG(salary) AS Average_Salary FROM Employees WHERE
 designation LIKE '%Analyst%' GROUP BY designation;
```

```
SELECT d.department_name, COUNT(e.employee_id) AS total_employees
FROM Departments d
LEFT JOIN Employees e
   ON d.department_id = e.department_id
GROUP BY d.department_id, d.department_name
HAVING COUNT(e.employee_id) < 3;

SELECT location_id, AVG(age) AS Average_Age FROM Employees WHERE gender = 'F'
GROUP BY location_id HAVING AVG(age) < 30;

SELECT
   e.employee_name AS Employee_Name,
   e.designation AS Designation,
   d.department_name AS Department_Name
FROM Employees e
INNER JOIN Departments d
   ON e.department_id = d.department_id;

    SELECT
   d.department_name AS Department_Name,
   COUNT(e.employee_id) AS Total_Employees
FROM Departments d
LEFT JOIN Employees e
   ON d.department_id = e.department_id
GROUP BY d.department_id, d.department_name;

SELECT
   l.location AS Location_Name,
   e.employee_name AS Employee_Name
FROM Employees e
RIGHT JOIN Location ON e.location_id = l.location_id;
```