

LABCYCLE:1

EXPERIMENT NO:01

DATE:

AIM: Write a program to print HelloWorld

MainActivity.java file


```
package com.example.app2;
import android.os.Bundle;
import androidx.appcompat.app.AppCompatActivity;
public class MainActivity extends AppCompatActivity {
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
    }
}
```

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">
    <TextView
        android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
    android:text="Hello World!"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintLeft_toLeftOf="parent"
    app:layout_constraintRight_toRightOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
</androidx.constraintlayout.
    widget.ConstraintLayout>
```

OUTPUT:



EXPERIMENT NO:02

DATE:

AIM: Design a Login Form with username and password using LinearLayout and toast valid credentials

Main Activity.java

```
package com.example.app2; // Replace with your actual package name

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;
import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    private EditText editTextUsername;
    private EditText editTextPassword;
    private Button buttonLogin;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        editTextUsername = findViewById(R.id.editTextUsername);
        editTextPassword = findViewById(R.id.editTextPassword);
        buttonLogin = findViewById(R.id.buttonLogin);
        buttonLogin.setOnClickListener(new View.OnClickListener() {
            @Override
```

```

    public void onClick(View v) {
        String username = editTextUsername.getText().toString();
        String password = editTextPassword.getText().toString();
        if (isValidCredentials(username, password)) {
            showToast("Login successful");
        } else {
            showToast("Invalid credentials");
        }
    }
});
}

private boolean isValidCredentials(String username, String password) {
    // Replace this with your actual authentication logic
    return username.equals("admin") && password.equals("admin");
}

private void showToast(String message) {
    Toast.makeText(getApplicationContext(),message,
    Toast.LENGTH_SHORT).show();
}
}

```

activity_main.xml

```

<?xml version="1.0" encoding="utf-8"?>
<LinearLayout

    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"

```

```
android:orientation="vertical"
android:padding="16dp"
tools:context=".MainActivity">
```

```
<EditText
```

```
    android:id="@+id/editTextUsername"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:hint="Username"
    android:inputType="text" />
```

```
<EditText
```


```
    android:id="@+id/editTextPassword"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:hint="Password"
    android:inputType="textPassword" />
```

```
<Button
```

```
    android:id="@+id/buttonLogin"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="Login" />
```

```
</LinearLayout>
```

OUTPUT:



EXPERIMENT NO:03

DATE:

AIM: Implement validations on various UI controls.

MainActivity.java

```
package com.example.app2;

import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

public class MainActivity extends AppCompatActivity {

    EditText editTextTextPersonName,editTextTextEmailAddress,
    editTextTextPassword2, editTextPhone;

    Button button;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        editTextTextPersonName = findViewById(R.id.editTextTextPersonName);
        editTextTextEmailAddress = findViewById(R.id.editTextTextEmailAddress);
        editTextTextPassword2 = findViewById(R.id.editTextTextPassword2);
        editTextPhone = findViewById(R.id.editTextPhone);
        button = findViewById(R.id.button);
        button.setOnClickListener(new View.OnClickListener() {
```

```

        @Override
        public void onClick(View v) {
            validateForm();
        }
    });
}

private void validateForm() {
    String userName = editTextTextPersonName.getText().toString().trim();
    String email = editTextTextEmailAddress.getText().toString().trim();
    String password = editTextTextPassword2.getText().toString().trim();
    String phone = editTextPhone.getText().toString().trim();
    if (userName.isEmpty() || email.isEmpty() || password.isEmpty() ||
        phone.isEmpty()) {
        Toast.makeText(this, "Please fill out all fields", Toast.LENGTH_SHORT).show();
    }
    else {
        // Perform further actions with the form data
        // For now, just display a success message
        Toast.makeText(this, "Form submitted successfully",
            Toast.LENGTH_SHORT).show();
    }
}
}
}

```

activity_main.xml

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout

```



```
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
android:orientation="vertical"
tools:context=".MainActivity">
<TextView
    android:id="@+id/textView"
    android:layout_width="0dp"
    android:layout_height="wrap_content"
    android:text="Form validation"
    android:textSize="30sp"
    app:layout_constraintBottom_toTopOf="@+id/editTextTextPersonName"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintEnd_toEndOf="parent" />
<EditText
    android:id="@+id/editTextTextPersonName"
    android:layout_width="0dp"
    android:layout_height="wrap_content"
    android:ems="10"
    android:inputType="textPersonName"
    android:hint="UserName"
    app:layout_constraintTop_toBottomOf="@+id/textView"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintEnd_toEndOf="parent" />
```

<EditText

android:id="@+id/editTextTextEmailAddress"

android:layout_width="0dp"

android:layout_height="wrap_content"

android:ems="10"

android:inputType="textEmailAddress"

android:hint="EmailId"

app:layout_constraintTop_toBottomOf="@+id/editTextTextPersonName"

app:layout_constraintStart_toStartOf="parent"

app:layout_constraintEnd_toEndOf="parent" />

<EditText

android:id="@+id/editTextTextPassword2"

android:layout_width="0dp"

android:layout_height="wrap_content"

android:ems="10"

android:inputType="textPassword"

app:layout_constraintTop_toBottomOf="@+id/editTextTextEmailAddress"

app:layout_constraintStart_toStartOf="parent"

app:layout_constraintEnd_toEndOf="parent" />

<EditText

android:id="@+id/editTextPhone"

android:layout_width="0dp"

android:layout_height="wrap_content"

android:ems="10"


android:inputType="phone"

android:hint="Ph.No"

app:layout_constraintTop_toBottomOf="@+id/editTextTextPassword2"

```
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintEnd_toEndOf="parent" />
<Button
    android:id="@+id/button"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Submit"
    app:layout_constraintTop_toBottomOf="@+id/editTextPhone"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintEnd_toEndOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

OUTPUT:



EXPERIMENT NO:04

DATE:

AIM: Implementing basic arithmetic operations of a simple calculator.

MainActivity.java

```
package com.example.app2;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;
import androidx.appcompat.app.AppCompatActivity;
public class MainActivity extends AppCompatActivity {
    EditText n1, n2;
    TextView res;
    Button add, sub, multi, div;
    double num1, num2, sum, subtract, product, quotient;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        n1 = findViewById(R.id.no1);
        n2 = findViewById(R.id.no2);
        res = findViewById(R.id.result);
        add = findViewById(R.id.add);
        sub = findViewById(R.id.sub);
```

```
multi = findViewById(R.id.mult);
div = findViewById(R.id.div);
add.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        performOperation('+');
    }
});
sub.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        performOperation('-');
    }
});
multi.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        performOperation('*');
    }
});

div.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        performOperation('/');
    }
});
```

```
}  
private void performOperation(char operation) {  
    num1 = Double.parseDouble(n1.getText().toString());  
    num2 = Double.parseDouble(n2.getText().toString());  
  
    switch (operation) {  
        case '+':  
            sum = num1 + num2;  
            res.setText(Double.toString(sum));  
            break;  
        case '-':  
            subtract = num1 - num2;  
            res.setText(Double.toString(subtract));  
            break;  
        case '*':  
            product = num1 * num2;  
            res.setText(Double.toString(product));  
            break;  
        case '/':  
            if (num2 != 0) {  
                quotient = num1 / num2;  
                res.setText(Double.toString(quotient));  
            } else {  
                res.setText("Cannot divide by zero");  
            }  
            break;  
    }  
}
```

```
}  
}
```

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>  
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"  
    xmlns:app="http://schemas.android.com/apk/res-auto"  
    xmlns:tools="http://schemas.android.com/tools"  
    android:layout_width="match_parent"  
    android:layout_height="match_parent"  
    tools:context=".MainActivity"  
    android:orientation="vertical">  
    <TextView  
        android:id="@+id/textView1"  
        android:layout_width="wrap_content"  
        android:layout_height="wrap_content"  
        android:text="Calculator"  
        tools:layout_editor_absoluteX="151dp"  
        tools:layout_editor_absoluteY="43dp" />  
    <TextView  
        android:id="@+id/textView2"  
        android:layout_width="wrap_content"  
        android:layout_height="wrap_content"  
        android:text="Enter no1"  
        tools:layout_editor_absoluteX="56dp"  
        tools:layout_editor_absoluteY="100dp" />
```

```
<EditText
    android:id="@+id/no1"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:ems="10"
    android:inputType="number"
    tools:layout_editor_absoluteX="154dp"
    tools:layout_editor_absoluteY="91dp" />
```

```
<TextView
    android:id="@+id/textView3"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Enter no2"
    tools:layout_editor_absoluteX="59dp"
    tools:layout_editor_absoluteY="165dp" />
```

```
<EditText
    android:id="@+id/no2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:ems="10"
    android:inputType="number"
    tools:layout_editor_absoluteX="154dp"
    tools:layout_editor_absoluteY="149dp" />
```

```
<TextView
    android:id="@+id/textView4"
    android:layout_width="99dp"
    android:layout_height="29dp"
```



```
    android:text="Result:"  
    tools:layout_editor_absoluteX="28dp"  
    tools:layout_editor_absoluteY="414dp" />
```

```
<TextView
```

```
    android:id="@+id/result"  
    android:layout_width="161dp"  
    android:layout_height="26dp"  
    android:text=""  
    tools:layout_editor_absoluteX="163dp"  
    tools:layout_editor_absoluteY="414dp" />
```

```
<Button
```

```
    android:id="@+id/add"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:text="+"  
    tools:layout_editor_absoluteX="116dp"  
    tools:layout_editor_absoluteY="244dp" />
```

```
<Button
```

```
    android:id="@+id/sub"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:text="-"  
    tools:layout_editor_absoluteX="261dp"  
    tools:layout_editor_absoluteY="244dp" />
```

```
<Button
```

```
    android:id="@+id/mult"
```


```
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:text="*"
tools:layout_editor_absoluteX="119dp"
tools:layout_editor_absoluteY="323dp" />
```

<Button

```
android:id="@+id/div"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:text="/"
tools:layout_editor_absoluteX="261dp"
tools:layout_editor_absoluteY="323dp" />
```

</LinearLayout>

OUTPUT:



EXPERIMENT NO:05

DATE:

AIM: Write a program that demonstrates Activity Lifecycle.

```
package com.example.app2;
import android.os.Bundle;
import android.util.Log;
import androidx.appcompat.app.AppCompatActivity;
public class MainActivity extends AppCompatActivity {
    private static final String TAG = "ActivityLifecycleDemo";
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        Log.d(TAG, "onCreate: Activity created");
    }
    @Override
    protected void onStart() {
        super.onStart();
        Log.d(TAG, "onStart: Activity started");
    }
    @Override
    protected void onResume() {
        super.onResume();
        Log.d(TAG, "onResume: Activity resumed");
    }
}
```

@Override

```
protected void onPause() {  
    super.onPause();  
    Log.d(TAG, "onPause: Activity paused"); }  

```

@Override

```
protected void onStop() {  
    super.onStop();  
    Log.d(TAG, "onStop: Activity stopped");  
}  

```

@Override

```
protected void onDestroy() {  
    super.onDestroy();  
    Log.d(TAG, "onDestroy: Activity destroyed");  
}  
}  

```

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>  
<androidx.constraintlayout.widget.ConstraintLayout  
    xmlns:android="http://schemas.android.com/apk/res/android"  
    xmlns:app="http://schemas.android.com/apk/res-auto"  
    xmlns:tools="http://schemas.android.com/tools"  
    android:layout_width="match_parent"  
    android:layout_height="match_parent"  
    tools:context=".MainActivity">  
    <LinearLayout  
        android:layout_width="395dp"
```

```
    android:layout_height="715dp"
    android:orientation="vertical"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintBottom_toBottomOf="parent"
    tools:layout_editor_absoluteX="8dp"
    tools:layout_editor_absoluteY="8dp">
    <TextView
        android:id="@+id/textView"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="Activity life cycle" />
    </LinearLayout>
</androidx.constraintlayout.widget.ConstraintLayout>
```

OUTPUT:

