EPIC Kitchens 100 Dataset

EPIC-Kitchens-100 is the largest dataset in first-person (egocentric) vision; itself an extension of the EPIC-Kitchens-55 dataset (formally known as EPIC-Kitchens-2018).

Authors

Dima Damen (1) Hazel Doughty (1) Giovanni Maria Farinella (2) Antonino Furnari (2) Evangelos Kazakos (1) Jian Ma (1) Davide Moltisanti (1) Jonathan Munro (1) Toby Perrett (1) Will Price (1) Michael Wray (1)

- (1 University of Bristol)
- (2 University of Catania)

Contact: uob-epic-kitchens2018@bristol.ac.uk

Citing

When using the dataset, kindly reference:

TBA

Dataset Details

The EPIC-Kitchens-100 dataset is an extension of the EPIC-Kitchens-55 dataset. Videos are distinguished as follows:

- PXX_YY.MP4 videos originate from EPIC-Kitchens-55.
- PXX_1YY.MP4 videos originate from the extension collected for EPIC-Kitchens-100 (thus represent new videos).

The dataset currently has 6 active benchmarks:

- Action Recognition
- Weakly Supervised Action Recognition
- Action Detection
- Action Anticipation
- Unsupervised Domain Adaptation
- Action Retrieval

We provide csv files for the train/val/test sets of each benchmark detailed below for ease of use.

Ground truth is provided for action segments as action/verb/noun labels along with the start and end times of the segment.

Quick Start

Here you can download the annotation files for all of the challenges. For more information on each challenge, please see the paper here. Download scripts are provided for the videos, RGB Frames and Flow frames here.

Action Recognition Challenge

Download the Action Recognition train/val/test files.

Weakly Supervised Action Recognition Challenge

This challenge uses the Action Recognition files, download the train/val/test files.

Action Detection Challenge

This challenge uses the Action Recognition files, download the train/val/test files.

Action Anticipation Challenge

This challenge uses the Action Recognition files, download the train/val/test files.

Unsupervised Domain Adaptation Challenge

Download the Unsupervised Domain Adaptation source train/target train/target test files.

Action Retrieval Challenge

Download the Action Retrieval train/test files.

Important Files

For ease of use, download scripts are provided to download the videos and RGB/Flow frames. (see file downloads for more details). We direct the reader to RDSF for the full release of videos and RGB/Flow frames. We provide html and pdf alternatives to this README which are auto-generated.

- README.md (this file)
- README.pdf
- README.html
- license.txt
- EPIC 100 train.csv (info) (Pickle)
- EPIC 100 validation.csv (info) (Pickle)
- EPIC 100 test timestamps.csv (info) (Pickle)
- EPIC 100 noun classes.csv (info)
- EPIC_100_verb_classes.csv (info)

Additional Files

- EPIC_100_UDA_source_train (info) (Pickle)
- EPIC_100_UDA_target_train_timestamps (info) (Pickle)
- ${\tt EPIC_100_UDA_target_test_timestamps}~(info)~(Pickle)$
- $EPIC_100_retrieval_train (info) (Pickle)$
- $EPIC_100_retrieval_test (info) (Pickle)$

File Structure

 $EPIC_100_train.csv$

This CSV file contains the action annotations for the training set and contains 15 columns:

Column Name	Type	Example	Description
uid	int	0	Unique ID for the segment as an int.
narration_id	string	P01_01_0	Unique ID for the segment as a string with participant ID and video ID.
participant_id	int	P01	ID of the participant (unique per participant).
video_id	string	P01_01	ID of the video where the segment originated from (unique per video).
narration_timestamp	string	00:00:01.089	Timestamp of when the original narration was recorded in HH:mm:ss.SSS.
start_timestamp	string	00:00:00.14	Start time in HH:mm:ss.SS of the action segment.
stop_timestamp	string	00:00:03.37	End time in HH:mm:ss.SS of the action segment.
start_frame	int	8	Start frame of the action.
stop_frame	int	202	End frame of the action.
narration	string	open door	Transcribed description of the English narration provided by the participant.
verb	string	open	Parsed verb from the narration.
verb_class	int	3	Numeric ID of the verb's class.
noun	string	door	First parsed noun from the narration.
noun_class	int	3	Numeric ID of the first noun's class.
all_nouns	list of string (1 or more)	[door]	List of all parsed nouns within the narration.
all_noun_classes	list of int (1 or more)	[3]	Numeric ID of all of the parsed noun's classes.

${\bf EPIC_100_validation.csv}$

This CSV file contains the action annotations for the validation set and contains 15 columns:

Column Name	Type	Example	Description
uid	int	4972	Unique ID for the segment as an int.
narration_id	string	P01_01_11	Unique ID for the segment as a string with participant ID and video ID.
participant_id	int	P01	ID of the participant (unique per participant).
video_id	string	P01_11	ID of the video where the segment originated from (unique per video).
narration_timestamp	string	00:00:00.560	Timestamp of when the original narration was recorded in HH:mm:ss.SSS.
start_timestamp	string	00:00:00.00	Start time in HH:mm:ss.SS of the action segment.
stop_timestamp	string	00:00:01.89	End time in HH:mm:ss.SS of the action segment.
start_frame	int	1	Start frame of the action.
stop_frame	int	113	End frame of the action.
narration	string	take plate	Transcribed description of the English narration provided by the participant.
verb	string	take	Parsed verb from the narration.
verb_class	int	0	Numeric ID of the verb's class.
noun	string	plate	First parsed noun from the narration.
noun_class	int	2	Numeric ID of the first noun's class.
all_nouns	list of string (1 or more)	[plate]	List of all parsed nouns within the narration.

Column Name	Type	Example	Description
all_noun_classes	list of int (1 or more)	[2]	Numeric ID of all of the parsed noun's classes.

EPIC_100_test_timestamps.csv

This CSV file contains the action annotations for the testing set and contains 9 columns:

Column Name	Type	Example	Description
uid	int	1924	Unique ID for the segment as an int.
narration_id	string	P01_101_0	Unique ID for the segment as a string with participant ID and video ID.
participant_id	int	P01	ID of the participant (unique per participant).
video_id	string	P01_101	ID of the video where the segment originated from (unique per video).
narration_timestam	np string	00:00:02.851	Timestamp of when the original narration was recorded in HH:mm:ss.SSS.
start_timestamp	string	00:00:02.86	Start time in HH:mm:ss.SSS of the action segment.
stop_timestamp	string	00:00:03.87	End time in HH:mm:ss.SSS of the action segment.
start_frame	int	143	Start frame of the action.
stop_frame	int	193	End frame of the action.

Back to Important Files

$EPIC_100_noun_classes.csv$

This CSV file contains information on the 300 noun classes and contains 4 columns.

Column			
Name	Type	Example	Description
id	int	222	Unique ID for the noun class.
key	string	label	Key used for the noun class (all keys are a member of their own class).
instances	list of string (1 or more)	"['label', 'sticker']"	All nouns within the class, including the key.
category	string	materials	Name of the higher-level noun category that this noun class belongs to.

Back to Important Files

$EPIC_100_verb_classes.csv$

This CSV file contains information on the 97 verb classes and contains 4 columns.

Column			
Name	Type	Example	Description
id	int	79	Unique ID for the verb class.
key	string	let-go	Key used for the verb class (all keys are a member of their own class).
instances	list of string (1 or more)	"['let', 'let-go']"	All verbs within the class, including the key.
category	string	leave	Name of the higher-level verb category that this verb class belongs to.

$EPIC_100_UDA_source_train.csv$

This CSV file contains the action annotations for the source training set used for Unsupervised Domain Adaptation and contains 15 columns:

Column Name	Type	Example	Description
uid	int	0	Unique ID for the segment as an int.
narration_id	string	P01_01_0	Unique ID for the segment as a string with participant ID and video ID.
participant_id	int	P01	ID of the participant (unique per participant).
video_id	string	P01_01	ID of the video where the segment originated from (unique per video).
narration_timestamp	string	00:00:01.089	Timestamp of when the original narration was recorded in HH:mm:ss.SSS.
start_timestamp	string	00:00:00.14	Start time in HH:mm:ss.SS of the action segment.
stop_timestamp	string	00:00:03.37	End time in HH:mm:ss.SS of the action segment.
start_frame	int	8	Start frame of the action.
stop_frame	int	202	End frame of the action.
narration	string	open door	Transcribed description of the English narration provided by the participant.
verb	string	open	Parsed verb from the narration.
verb_class	int	3	Numeric ID of the verb's class.
noun	string	door	First parsed noun from the narration.
noun_class	int	3	Numeric ID of the first noun's class.
all_nouns	list of string (1 or more)	[door]	List of all parsed nouns within the narration.
all_noun_classes	list of int (1 or more)	[3]	Numeric ID of all of the parsed noun's classes.

Note that this file contains only videos from EPIC-Kitchens-55 which is used as the source domain.

See here for more details on the unsupervised domain adaptation challenge.

Back to Important Files $\,$

$EPIC_100_UDA_target_train_timestamps.csv$

This CSV file contains the action annotations for the target training set used for Unsupervised Domain Adaptation and contains 9 columns:

Column Name	Type	Example	Description
uid	int	2571	Unique ID for the segment as an int.
narration_id	string	P01_102_0	Unique ID for the segment as a string with participant ID and video ID.
participant_id	int	P01	ID of the participant (unique per participant).
video_id	string	P01_102	ID of the video where the segment originated from (unique per video).
narration_timestar	mp string	00:00:01.100	Timestamp of when the original narration was recorded in HH:mm:ss.SSS.
start_timestamp	string	00:00:00.54	Start time in HH:mm:ss.SS of the action segment.
stop_timestamp	string	00:00:02.23	End time in HH:mm:ss.SS of the action segment.
start_frame	int	27	Start frame of the action.
stop_frame	int	111	End frame of the action.

Note that this file contains only videos from EPIC-Kitchens-100 which is used as the target domain.

See here for more details on the unsupervised domain adaptation challenge.

Back to Important Files

$EPIC_100_UDA_target_test_timestamps.csv$

This CSV file contains the action annotations for the target testing set used for Unsupervised Domain Adaptation and contains 9 columns:

Column Name	Type	Example	Description
uid	int	1924	Unique ID for the segment as an int.
narration_id	string	P01_101_0	Unique ID for the segment as a string with participant ID and video ID.
participant_id	int	P01	ID of the participant (unique per participant).
video_id	string	P01_101	ID of the video where the segment originated from (unique per video).
narration_timestar	mp string	00:00:02.851	Timestamp of when the original narration was recorded in HH:mm:ss.SSS.
start_timestamp	string	00:00:02.86	Start time in HH:mm:ss.SS of the action segment.
stop_timestamp	string	00:00:03.87	End time in HH:mm:ss.SS of the action segment.
start_frame	int	143	Start frame of the action.
stop_frame	int	193	End frame of the action.

Note that this file contains only videos from EPIC-Kitchens-100 which is used as the target domain.

See here for more details on the unsupervised domain adaptation challenge. $\,$

Back to Important Files

$EPIC_100_retrieval_train.csv$

This CSV file contains the action annotations for the action retrieval training set and contains 15 columns:

Column Name	Туре	Example	Description
Column Name	Type	Example	Description
uid	int	0	Unique ID for the segment as an int.
narration_id	string	P01_01_0	Unique ID for the segment as a string with participant ID and video ID.
participant_id	int	P01	ID of the participant (unique per participant).
video_id	string	P01_01	ID of the video where the segment originated from (unique per video).
narration_timestam	p string	00:00:01.089	Timestamp of when the original narration was recorded in HH:mm:ss.SSS.
start_timestamp	string	00:00:00.14	Start time in HH:mm:ss.SS of the action segment.
stop_timestamp	string	00:00:03.37	End time in HH:mm:ss.SS of the action segment.
start_frame	int	8	Start frame of the action.
stop_frame	int	202	End frame of the action.
narration	string	open door	Transcribed description of the English narration provided by the participant.
verb	string	open	Parsed verb from the narration.
verb_class	int	3	Numeric ID of the verb's class.
noun	string	door	First parsed noun from the narration.
noun_class	int	3	Numeric ID of the first noun's class.
all_nouns	list of string (1 or more)	[door]	List of all parsed nouns within the narration.
all_noun_classes	list of int (1 or more)	[3]	Numeric ID of all of the parsed noun's classes.

$EPIC_100_retrieval_test.csv$

This CSV file contains the action annotations for the action retrieval testing set and contains 15 columns:

Column Name	Type	Example	Description
uid	int	0	Unique ID for the segment as an int.
narration_id	string	P01_11_0	Unique ID for the segment as a string with participant ID and video ID.
participant_id	int	P01	ID of the participant (unique per participant).
video_id	string	P01_11	ID of the video where the segment originated from (unique per video).
narration_timestam	p string	00:00:00.560	Timestamp of when the original narration was recorded in HH:mm:ss.SSS.
start_timestamp	string	00:00:00.00	Start time in HH:mm:ss.SS of the action segment.
stop_timestamp	string	00:00:01.89	End time in HH:mm:ss.SS of the action segment.
start_frame	int	8	Start frame of the action.
stop_frame	int	113	End frame of the action.
narration	string	take plate	Transcribed description of the English narration provided by the participant.
verb	string	take	Parsed verb from the narration.
verb_class	int	0	Numeric ID of the verb's class.
noun	string	plate	First parsed noun from the narration.
noun_class	int	2	Numeric ID of the first noun's class.
all_nouns	list of string (1 or more)	[plate]	List of all parsed nouns within the narration.

Column Name	Type	Example	Description
all_noun_classes	list of int (1 or more)	[2]	Numeric ID of all of the parsed noun's classes.

Additional Information

File Downloads

Due to the size of the dataset we provide scripts for downloading parts of the dataset:

- videos (GB)
- frames (GB)
 - rgb-frames (GB)
 - flow-frames (GB)

Note: These scripts will work for Linux and Mac. For Windows users a bash installation should work.

These scripts replicate the folder structure of the dataset release on RDSF, found here.

If you wish to download part of the dataset, instructions can be found here.

Differences to EPIC-Kitchen-100

Whilst videos from EPIC-Kitchens-55 are used within EPIC-Kitchens-100 some of the annotations have been modified to improve the quality of the annotations. Additionally, with EPIC-Kitchens-100, the verb/noun classes have been updated to cover the annotations from the new videos. Because of this, the annotations from EPIC-Kitchens-55 cannot be used for EPIC-Kitchens-100.

Pickle Files

We also provide pickle files for all of the main train/val/test csvs for ease of use. These files require python 3.5+ and pandas 1.0.0+ to read. The pickle files are automatically tagged with the commit hash and version for version control purposes which can be found as follows in python:

```
>>> import pandas as pd
>>> train = pd.read_pickle('EPIC_100_train.pkl')
>>> train._metadata
{'commit_hash': 'ce7a0fb', 'version_number': '0.1'
```

showing that this version of the EPIC_100_train.pkl came from commit hash ce7a0fb and version number 0.1.

License

All files in this dataset are copyright by us and published under the Creative Commons Attribution-NonCommerial 4.0 International License, found here. This means that you must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use. You may not use the material for commercial purposes.

${\bf Change log}$

Please see the release history for the changelog.