

SQL Queries 1–20: Query + Answer + Output

Q1. Select all columns from Employee.

SQL: SELECT * FROM Employee;

emp_id	name	age	salary	dept_id	hire_date
1	John Doe	28	50000	1	2020-01-15
2	Jane Smith	34	60000	2	2019-07-23
3	Bob Brown	45	80000	1	2018-02-12
4	Alice Blue	25	45000	3	2021-03-22
5	Charlie P.	29	50000	2	2019-12-01

Q2. Select name and salary.

SQL: SELECT name,salary FROM Employee;

name	salary
John Doe	50000
Jane Smith	60000
Bob Brown	80000
Alice Blue	45000
Charlie P.	50000

Q3. Employees older than 30.

SQL: SELECT * FROM Employee WHERE age>30;

name	age
Jane Smith	34
Bob Brown	45

Q4. Department names.

SQL: SELECT name FROM Department;

Department
IT
HR
Finance
Marketing

Q5. Employees in IT.

SQL: SELECT * FROM Employee WHERE department_id=1;

name
John Doe
Bob Brown

Q6. Names start with J.

SQL: SELECT * FROM Employee WHERE name LIKE 'J%';

name
John Doe
Jane Smith

Q7. Names end with e.

SQL: SELECT * FROM Employee WHERE name LIKE '%e';

name
John Doe
Alice Blue

Q8. Names contain a.

SQL: SELECT * FROM Employee WHERE name LIKE '%a%';

name
Jane Smith
Alice Blue
Charlie P.

Q9. Names exactly 9 chars.

SQL: SELECT * FROM Employee WHERE CHAR_LENGTH(name)=9;

name
Bob Brown

Q10. Second character o.

SQL: SELECT * FROM Employee WHERE name LIKE '_o%';

name
John Doe
Bob Brown

Q11. Hired in 2020.

SQL: SELECT * FROM Employee WHERE YEAR(hire_date)=2020;

name
John Doe

Q12. Hired in January.

SQL: SELECT * FROM Employee WHERE MONTH(hire_date)=1;

name
John Doe

Q13. Hired before 2019.

SQL: SELECT * FROM Employee WHERE YEAR(hire_date)<2019;

name
Bob Brown

Q14. Hired on/after 2021-03-01.

SQL: SELECT * FROM Employee WHERE hire_date>='2021-03-01';

name
Alice Blue

Q15. Hired in last 2 years.

SQL: SELECT * FROM Employee WHERE hire_date>=DATE_SUB(CURDATE(),INTERVAL 2 YEAR);

Result
Depends on current date

Q16. Total salary.

SQL: SELECT SUM(salary) FROM Employee;

Total
285000

Q17. Average salary.

SQL: SELECT AVG(salary) FROM Employee;

Average
57000

Q18. Minimum salary.

SQL: SELECT MIN(salary) FROM Employee;

Minimum
45000

Q19. Employees in each department.

SQL: SELECT department_id,COUNT(*) FROM Employee GROUP BY department_id;

Department	Count
IT	2
HR	2
Finance	1

Q20. Average salary in each department.

SQL: SELECT department_id,AVG(salary) FROM Employee GROUP BY department_id;

Department	Average
IT	65000
HR	55000
Finance	45000