CADRE



Lesson 4
First Aid and Basic Life Support

CADRE
Community Action for Disaster Response

OBJECTIVES

Upon completing of this lesson, you will be able to :-

1. Define first aid.
2. List the steps in Initial Assessment.
3. Demonstrate CPR and BLS in Adults.
4. Demonstrate Heimlich maneuver in choking victims.
5. List and Demonstrate steps in controlling bleeding.

OBJECTIVES

Upon completion of this lesson, you will be able to :-

6. Demonstrate the application of splints in treating fractures, dislocation, sprains and strains.

7. Demonstrate a complete Physical Exam as defined in this lesson.

8. Demonstrate emergency and non-emergency moves.

DEFINITION

First Aid - is the provision of initial care for an ill or injured person and usually performed by a lay person (not limited to) until professional care arrives or definitive medical treatment can be accessed. It is generally consists of a series of simple and in some cases, potentially life-saving techniques that an individual can be trained to perform with minimal equipment.

NEW guidelines suggest

- **Compression -** Push hard and fast
- **Airway** – Open Airway and check for any obstructions.

- **Breathing** – give mouth to mouth rescue breath

C- A -B


Breast
bone
(sternum)
Chest compressions
are performed
between the nipples
© ADAM, Inc.

Give 30 compressions and 2 breaths for 5 cycles

Compression depth 1 ½ - 2 inches

100 compression per minute

Give one breath every 5 seconds. 24 cycles is equivalent to 2mins of Rescue Breathing. Re-assess after 24th cycle.

Note:

This is if you are trained to do so, otherwise deliver Compression only CPR


	Compression ventilation ratio	Artificial Respiration	Compression rate	Depth of Compression
Infant	30:2	1 breath every 3 sec. (40 breaths for 2 minutes)	100 compression per minute	½ to 1 inch
Child	30:2	1 breath every 3 sec. (40 breaths for 2 minutes)	100 compression per minute	At least 1 ½ inches
Adult	30:2	1 breath every 5 sec. (24 breaths for 2 minutes	80-100 compression per minute	At least 2 inches

SIGNS OF COMPLETE OBSTRUCTION

- Pale to Bluish discoloration of the face
- Unusual sounds; shrill
- Unable to cough
- May clutch neck with thumb and finger known as the universal sign of choking.

HEMLECHE MANEUVER




Arterial
Capillary
Venous

Procedure to Control Bleeding

- Direct Pressure
- Elévation
- Pressure Point.

Direct Pressure



Direct Pressure, Elevation and Pressure Point



CADRE
Community Action for Disaster Response

Pressure points most often used are:

- Brachial point in the arm.
- Femoral point in the leg.

Signs of Shock:

- Rapid and shallow breathing.
- Capillary refill of greater than 2 seconds.
- Failure to follow simple commands, such as, “Squeeze my hand.”
- Changes in skin color.

Treatment for Shock



Figure 2-45. Body temperature maintained.

Objectives of treatment for wounds is to:

- Control bleeding
- Prevent secondary infection

Difference a dressing and a bandage:

- A dressing is applied directly to the wound.
- A bandage holds the dressing in place.

Treatment for amputation

- Control bleeding
- Treat shock

Closed Fractures



Open Fracture



Sprains and Strains

- Tenderness at the site of the injury.
- Swelling and/or bruising.
- Restricted use, or loss of use.

Splinting

- Soft materials: Towels, blankets, or pillows, tied with bandaging materials of soft cloths.
- Rigid materials: a board, metal strip, folded magazine or newspaper, or another rigid item.

- D – deformity
- O – Open Wounds
- T – Tenderness; pain upon touching
- S – Swelling

Head to toe assessment should be:

- Conducted on all victims, even those who seem alright. Everyone gets a tag.
- Verbal (if the injured person is able to speak).
- Hands-on.

Victims has the right to refuse treatment.

Then:

- Pay careful attention.
- Look, listen, and feel for anything unusual.

Signs of a spinal injury

- Sudden change in consciousness.
- Inability to move one or more body parts.
- Severe pain or pressure in the head, neck, or back.
- Tingling or numbness in extremities.
- Difficulty breathing or seeing.

- Looking for materials that can be used as a backboard – **a door, iron board**, building materials – anything that might be available.

REVIEW

Now you will be able to :-

1. Define first aid.
2. List the steps in Initial Assessment.
3. Demonstrate CPR and BLS in Adults.
4. Demonstrate Heimlich maneuver in choking victims.
5. List and Demonstrate steps in controlling bleeding.

REVIEW

Now you will be able to :-

6. Demonstrate the application of splints in treating fractures, dislocation, sprains and strains.

7. Demonstrate a complete Physical Exam as defined in this lesson.

8. Demonstrate emergency and non-emergency moves.

THANK YOU


रक्षा-हेतु-प्रशिक्षण
TRAIN-TO-SAVE
NDRF Academy INDIA
आपदा सेवा सदैव सर्वत्र