NAME: ANKHI DUTTA
ROLL No: 2610997007


EXPERIMENT: 1

Write the basic HTML5 document structure and implement all six heading tags (<h1> to <h6>) with sample text.

INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>2610997007</title>
</head>
<body>
  <h1> Welcome to my website </h1>
  <h2> My name is Ankhi Dutta</h2>
  <h3> My name is Ankhi Dutta </h3>
  <h4> My name is Ankhi Dutta </h4>
  <h5> My name is Ankhi Dutta </h5>
  <h6> My name is Ankhi Dutta </h6>
</body>
</html>
```

OUTPUT:



Welcome to my website

My name is Ankhi Dutta

My name is Ankhi Dutta

My name is Ankhi Dutta

My name is Ankhi Dutta

My name is Ankhi Dutta

NAME: ANKHI DUTTA
ROLL No: 2610997007

EXPERIMENT: 2

Create a paragraph and apply text formatting tags (<b>, <i>, <u>, ,) to given content.

INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>2610997007</title>
</head>
<body>
  <p>
    <b> Fragile red roses bloom beautifully inside the peaceful garden during early autumn. </b>
    <br><br><br>
    <i> Fragile red roses bloom beautifully inside the peaceful garden during early autumn. </i>
    <br><br> <br>
    <u> Fragile red roses bloom beautifully inside the peaceful garden during early autumn. </u>
    <br><br> <br>
    <strong> Fragile red roses bloom beautifully inside the peaceful garden during early autumn. </strong>
```

```
    <br><br> <br>


    <em> Fragile red roses bloom beautifully inside the peaceful garden during early
autumn. </em>

  </p>

</body>

</html>
```

OUTPUT:



Fragile red roses bloom beautifully inside the peaceful garden during early autumn.

Fragile red roses bloom beautifully inside the peaceful garden during early autumn.

Fragile red roses bloom beautifully inside the peaceful garden during early autumn.

Fragile red roses bloom beautifully inside the peaceful garden during early autumn.

Fragile red roses bloom beautifully inside the peaceful garden during early autumn.

NAME: ANKHI DUTTA
ROLL No: 2610997007

EXPERIMENT: 3


Create an order list(<ol>) for a recipe's steps and on unordered list (<ul>) for its ingredients on the same page.

INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>2610997007</title>
</head>
<body>
    <h1><u>Pancake Recipe </u></h1>
  <h2>Ingredients</h2>
  <ul>
    <li>1 cup all-purpose flour</li>
    <li>1 tablespoon sugar</li>
    <li>1 teaspoon baking powder</li>
    <li>1 egg</li>
    <li>3/4 cup milk</li>
    <li>2 tablespoons melted butter</li>
    <li>A pinch of salt</li>
  </ul>
```

```
  <h2>Steps</h2>
  <ol>
    <li>Mix the flour, sugar, baking powder, and salt in a bowl. </li>
    <li>Add the egg, milk, and melted butter. </li>
    <li>Mix everything well to make a smooth batter. </li>
    <li>Heat a pan and lightly grease it with butter. </li>
    <li>Pour some batter into the pan. </li>
    <li>Cook until bubbles appear on the surface. </li>
    <li>Flip the pancake and cook the other side. </li>
    <li>Serve the pancakes with honey, syrup, or fruit. </li>
  </ol>
</body>
</html>
```

OUTPUT:



Pancake Recipe

Ingredients

- 1 cup all-purpose flour
- 1 tablespoon sugar
- 1 teaspoon baking powder
- 1 egg
- 3/4 cup milk
- 2 tablespoons melted butter
- A pinch of salt

Steps

1. Mix the flour, sugar, baking powder, and salt in a bowl.
2. Add the egg, milk, and melted butter.
3. Mix everything well to make a smooth batter.
4. Heat a pan and lightly grease it with butter.
5. Pour some batter into the pan.
6. Cook until bubbles appear on the surface.
7. Flip the pancake and cook the other side.
8. Serve the pancakes with honey, syrup, or fruit.

EXPERIMENT:4

Build a nested list showing a book hierarchy: Category⟶ Books⟶ Chapters using <ul> and <ol> together.


INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>2610997007</title>
</head>
<body>
    <h1><u>Book Hierarchy</u></h1>

  <ul>
    <li>Programming
      <ul>
        <li>HTML Basics
          <ol>
            <li>Introduction to HTML</li>
            <li>HTML Elements</li>
            <li>HTML Lists</li>
          </ol>
```

```
        </li>
        <li>Learn C Programming
          <ol>
            <li>Introduction to C</li>
            <li>Variables and Data Types</li>
            <li>Operators</li>
          </ol>
        </li>
      </ul>
    </li>
    <li>Computer Science
      <ul>
        <li>Computer Fundamentals
          <ol>
            <li>Introduction to Computers</li>
            <li>Computer Hardware</li>
            <li>Computer Software</li>
          </ol>
        </li>
      </ul>
    </li>
  </ul>
</body>
</html>
```

OUTPUT:



Book Hierarchy

- Programming
  - HTML Basics
    1. Introduction to HTML
    2. HTML Elements
    3. HTML Lists
  - Learn C Programming
    1. Introduction to C
    2. Variables and Data Types
    3. Operators
- Computer Science
  - Computer Fundamentals
    1. Introduction to Computers
    2. Computer Hardware
    3. Computer Software

NAME: ANKHI DUTTA
ROLL No: 2610997007


EXPERIMENT: 5

Insert an image using <img> and set src, alt, width, height, and title attributes with valid paths.

INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>2610997007</title>
</head>
<body>
    <h1>MONKEY D LUFFY</h1>
  <img src="C:\Users\ankhi\Downloads\monkey D_ luffy.jpg"
     alt="monkey D luffy "
     width="500"
     height="300"
     title="monkey D luffy">
</body>
</html>
```

OUTPUT:



MONKEY D LUFFY




EXPERIMENT: 6

Set a background image for the entire webpage within the <body> tag.

INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>2610997007</title>
</head>
<body background="C:\Users\ankhi\Downloads\ghibli.jpg">
</body>
</html>
```

OUTPUT:


2610997007
File
C:/Users/ankhi/OneDrive/Desktop/html/backgroundimg.html
29°C
ENG
18:58

EXPERIMENT: 7

Create internal anchor links that jump to sections on the same page and one external link to a university website.


INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>2610997007</title>
</head>
<body>
  <a href="#section1">Go to Section 1</a><br>
  <a href="#section2">Go to Section 2</a><br>
  <a href="https://www.chitkara.edu.in">Chitkara University</a>
  <br><br><br><br>
  <h2 id="section1">Section 1</h2>
  <p>This is Section 1 of the page</p>
  <br><br><br><br>
  <h2 id="section2">Section 2</h2>
  <p>This is Section 2 of the page</p>
```

```
</body>

</html>
```

OUTPUT:



Go to Section 1
Go to Section 2
Chitkara University

Section 1

This is Section 1 of the page

Section 2

This is Section 2 of the page


EXPERIMENT: 8


Design an image map with clickable regions.

INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>2610997007</title>
</head>
<body>
  <img src="C:\Users\ankhi\Downloads\map.webp" usemap="#ratpic" align="center">
  <map name="ratpic">
   <area shape="rect" coords="256,440,713,600"
  href=" https://en.wikipedia.org/wiki/Europe">
     <area shape="circle" coords="860,330,140"
  href="https://en.wikipedia.org/wiki/Asia">
     <area shape="poly" coords="195,760,796,851,15,1123,961,1132"
  href="https://en.wikipedia.org/wiki/Africa">
     <area shape="poly" coords="890,644,1025,721,828,828,1022,1083"
  href="https://en.wikipedia.org/wiki/Middle_East">
  </map>
</body>
</html>
```

OUTPUT:


2610997007
File
C:/Users/ankhi/OneDrive/Desktop/html/imgmapping.html
Arctic Ocean
Kara Sea
Greenland Sea
Barents Sea
Russia
Denmark Strait
N
ARCTIC CIRCLE
66°30'N
Norwegian Sea
Baltic
Asia
EUROPEAN RUSSIA
Atlantic Ocean
North Sea
EUROPE
English Channel
Kazakhstan
VATICAN
Bay of Biscay
Black Sea
Caspian Sea
Turkey
Strait of Gibraltor
Tunisia
Mediterranean Sea
Syria
Iran
Lebanon
Morocco
Israel
Iraq
Jordan
Asia
Algeria
Libya
800 mi
800 km
Egypt
MIDDLE EAST
23°5'N
TROPIC OF CANCER
Saudi Arabia
PRIME MERIDIAN
Africa
Red Sea
© WorldAtlas.com


Europe - Wikipedia
en.wikipedia.org/wiki/Europe
WIKIPEDIA
25 years of the free encyclopedia
Search Wikipedia
Search
Europe
311
Contents hide
(Top)
Etymology
Definition
History
Geography
Politics
List of states and territories
Economy
Demographics
Culture
See also
Notes
References
Sources
External links
Article
Talk
Read
View source
From Wikipedia, the free encyclopedia
This article is about the continent. For other uses, see Europe (disambiguation).
Europe is a continent[f] located entirely in the Northern Hemisphere and mostly in the Eastern Hemisphere. It is bordered by the Arctic Ocean to the north, the Atlantic Ocean to the west, the Mediterranean Sea to the south, and Asia to the east. Europe shares the landmass of Eurasia with Asia, and of Afro-Eurasia with both Africa and Asia.[9][10] Europe is commonly considered to be separated from Asia by the watershed of the Ural Mountains, the Ural River, the Caspian Sea, the Greater Caucasus, the Black Sea, and the Turkish straits.[11]
Europe covers approximately 10,186,000 square kilometres (3,933,000 sq mi), or 2% of Earth's surface (6.8% of Earth's land area), making it the second-smallest continent (using the seven-continent model). Politically, Europe is divided into about fifty sovereign states, of which Russia is the largest and most populous, spanning 39% of the continent and comprising 15% of its population. Europe had a total population of about 745 million (about 10% of the world population) in 2021; the third-largest after Asia and Africa.[1][2] The European climate is affected by warm Atlantic currents, such as the Gulf Stream, which produce a temperate climate, tempering winters and summers, on much of the continent. Further from the sea, seasonal differences are more noticeable producing more continental climates.
Europe
Show national border
Hide national border
Show both
Area
Population
Population density
32°C

EXPERIMENT: 9

Build a student mark sheet table.


INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>2610997007</title>
</head>
<body>
  <h2 align="center">STUDENT MARK SHEET</h2>
<table border="1" cellpadding="10" cellspacing="0" align="center">
  <tr>
    <th>Roll No.</th>
    <th>Name</th>
    <th>English</th>
    <th>Maths</th>
    <th>Science</th>
    <th>Computer</th>
    <th>Total</th>
    <th>Percentage</th>
  </tr>
  <tr>
```

```
    <td>11</td>
    <td>Asmit</td>
    <td>85</td>
    <td>90</td>
    <td>78</td>
    <td>88</td>
    <td>341</td>
    <td>85.25%</td>
  </tr>
  <tr>
    <td>12</td>
    <td>Ankhi</td>
    <td>92</td>
    <td>86</td>
    <td>90</td>
    <td>94</td>
    <td>362</td>
    <td>90.50%</td>
  </tr>
  <tr>
    <td>13</td>
    <td>Aakriti</td>
    <td>75</td>
    <td>82</td>
    <td>79</td>
```

```
      <td>85</td>
      <td>321</td>
      <td>80.25%</td>
    </tr>
    <tr>
      <td>14</td>
      <td>Harshit</td>
      <td>88</td>
      <td>95</td>
      <td>91</td>
      <td>89</td>
      <td>363</td>
      <td>90.75%</td>
    </tr>
</table>
</body>
</html>
```

OUTPUT:



STUDENT MARK SHEET

Roll No.	Name	English	Maths	Science	Computer	Total	Percentage
11	Asmit	85	90	78	88	341	85.25%
12	Ankhi	92	86	90	94	362	90.50%
13	Aakriti	75	82	79	85	321	80.25%
14	Harshit	88	95	91	89	363	90.75%

EXPERIMENT: 10

Create a nested timetable table.

INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>2610997007</title>
</head>
<body>
  <h2 align="center">CLASS TIME TABLE</h2>

<table border="1" cellpadding="10" cellspacing="0" align="center">

  <tr>
    <th>Day</th>
    <th>Time</th>
    <th>Subject</th>
  </tr>


  <tr>
    <td>Monday</td>
    <td>
```

```
    <table border="1" cellpadding="5" cellspacing="0">
      <tr>
        <td>9:00 - 10:00</td>
        <td>10:00 - 11:00</td>
      </tr>
      <tr>
        <td>English</td>
        <td>Maths</td>
      </tr>
    </table>
  </td>
  <td>
    <table border="1" cellpadding="5" cellspacing="0">
      <tr>
        <td>11:00 - 12:00</td>
        <td>12:00 - 1:00</td>
      </tr>
      <tr>
        <td>Science</td>
        <td>Computer</td>
      </tr>
    </table>
  </td>
</tr>
```

```
<tr>
  <td>Tuesday</td>
  <td>
    <table border="1" cellpadding="5" cellspacing="0">
      <tr>
        <td>9:00 - 10:00</td>
        <td>10:00 - 11:00</td>
      </tr>
      <tr>
        <td>Maths</td>
        <td>English</td>
      </tr>
    </table>
  </td>
  <td>
    <table border="1" cellpadding="5" cellspacing="0">
      <tr>
        <td>11:00 - 12:00</td>
        <td>12:00 - 1:00</td>
      </tr>
      <tr>
        <td>Computer</td>
        <td>Science</td>
      </tr>
    </table>
```

```
    </td>
  </tr>
</table>
</body>
</html>
```

OUTPUT:



EXPERIMENT: 11

Design a table using rowspan and colspan.

INPUT:


```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>2610997007</title>
</head>
<body>
  <h2 align="center">CLASS TIME TABLE</h2>
<table border="1" cellpadding="10" cellspacing="0" align="center">

  <tr>
    <th colspan="6">Weekly Time Table</th>
  </tr>
  <tr>
    <th rowspan="2">Day</th>
    <th colspan="2">Morning</th>
    <th colspan="2">Afternoon</th>
    <th rowspan="2">Activity</th>
  </tr>
  <tr>
```

```
    <th>9:00 - 10:00</th>
    <th>10:00 - 11:00</th>
    <th>11:30 - 12:30</th>
    <th>12:30 - 1:30</th>
  </tr>
  <tr>
    <td>Monday</td>
    <td>English</td>
    <td>Maths</td>
    <td>Science</td>
    <td>Computer</td>
    <td rowspan="2">Sports</td>
  </tr>
  <tr>
    <td>Tuesday</td>
    <td>Maths</td>
    <td>English</td>
    <td>Computer</td>
    <td>Science</td>
  </tr>
  <tr>
    <td>Wednesday</td>
    <td colspan="2" align="center">Computer Lab</td>
    <td>English</td>
    <td>Maths</td>
```

```
    <td>Library</td>
  </tr>
  <tr>
    <td>Thursday</td>
    <td>Science</td>
    <td>Maths</td>
    <td colspan="2" align="center">Project Work</td>
    <td>Games</td>
  </tr>
</table>
</body>
</html>
```

OUTPUT:



CLASS TIME TABLE

Weekly Time Table					
Day	**Morning**		**Afternoon**		**Activity**
	9:00 - 10:00	**10:00 - 11:00**	**11:30 - 12:30**	**12:30 - 1:30**	
Monday	English	Maths	Science	Computer	Sports
Tuesday	Maths	English	Computer	Science	
Wednesday	Computer Lab		English	Maths	Library
Thursday	Science	Maths	Project Work		Games

EXPERIMENT: 12

Build a registration form using GET method.


INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>2610997007</title>
</head>
<body bgcolor="pink">
  <fieldset>
    <legend align="center"> REGISTRATION FORM </legend>
    <form action="submit.html" method="GET">
    <table align="center">
      <tr>
        <td> FIRST NAME </td>
        <td> <input type="text" maxlength="30"> </td>
      </tr>
```

```
<tr>
  <td> EMAIL </td>
  <td> <input type="email" required></td>
</tr>
<tr>
  <td> PASSWORD </td>
  <td> <input type="password" required> </td>
</tr>
<tr>
  <td> MOBILE NUMBER </td>
  <td> <input type="digit" maxlength="10" ></td>
</tr>
<tr>
  <td> ADDRESS </td>
  <td> <textarea row="4" cols="50" required> </textarea></td>
</tr>
<tr>
  <td> GENDER </td>
  <td> male  <input type="radio" name="gen" >
   female <input type="radio" name="gen" >
   trans <input type="radio" name="gen"> </td>
</tr>
<tr>
  <td> ENTER COUNTRY </td>
  <td> <select name="country">
```

```
            <option value=""> select your country </option>
             <option value="INDIA"> INDIA </option>
              <option value="USA"> USA </option>
               <option value="UK"> UK </option> </select>
          </td>
        </tr>
        <tr>
          <td> WHAT DO YOU OWN </td>
          <td>
            <input type="checkbox"> car <br>
            <input type="checkbox"> bike <br>
            <input type="checkbox"> cycle <br>
          </td>
        </tr>
        <tr>
          <td><button type="submit"> SUBMIT </button> </td>
        </tr>
      </table>
      </form>
   </fieldset>
</body>
</html>
```

OUTPUT:


2610997007
File
C:/Users/ankhi/OneDrive/Desktop/html/form.html
REGISTRATION FORM
FIRST NAME
EMAIL
PASSWORD
MOBILE NUMBER
ADDRESS
GENDER
male
female
trans
ENTER COUNTRY
select your country
WHAT DO YOU OWN
car
bike
cycle
SUBMIT

EXPERIMENT: 13

Build a feedback form using POST method.

INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>2610997007</title>
</head>
<body bgcolor="pink">
    <fieldset>
     <legend align="center"> <b>HP AGENCY FEEDBACK FORM</b></legend>
     <form action="submit.html" method="POST">
        Name: <input type="text"> <br>
        Email: <input type="text"><br>
        Address: <textarea rows="4" cols="50"></textarea> <br>
        Post Code: <input type="text"> <br> <br><br>
        <table border="2">
          <tr>
            <td>Product</td>
            <td>Product Image</td>
```

```
            <td>Unit price</td>
            <td>Feedback</td>
            <td>Progress in %</td>
        </tr>
        <tr>
            <td>ABC</td>
            <td><img src="C:\Users\ankhi\Downloads\headphones.jpg" alt="" height="50"
width="50"></td>
            <td>12000</td>
            <td>***</td>
            <td><progress></progress></td>
        </tr>
        <tr>
            <td>XYZ</td>
            <td><img src="C:\Users\ankhi\Downloads\powerbank.webp" alt="" height="50"
width="50"></td>
            <td>24000</td>
            <td>**</td>
            <td><progress></progress></td>
        </tr>
        <tr>
            <td>JKL</td>
            <td><img src="C:\Users\ankhi\Downloads\kindle.jpg" alt="" height="50"
width="50"></td>
            <td>48000</td>
            <td>**</td>
```

```
            <td><progress></progress></td>
          </tr>
          <tr>
            <td>CDE</td>
            <td><img src="C:\Users\ankhi\Downloads\phone.webp" alt="" height="50"
width="50"></td>
            <td>50000</td>
            <td>****</td>
            <td><progress></progress></td>
          </tr>
        </table>
        <br>
        CREDIT CARD DETAILS <br> <br>
        Card types <br>
        <input type="radio" name="cc">Rewards Credit Cards  <br>
        <input type="radio" name="cc">Cashback Credit Cards  <br>
        <input type="radio" name="cc">Business/Commercial Credit Cards  <br>
        <input type="radio" name="cc">Co-branded Credit Cards  <br> <br><br>


        Comments: <textarea rows="6" cols="50"></textarea> <br><br><br>

        <button type="submit"> Submit Feedback
        </button>
        <button type="reset">Reset</button>
      </form>
    </fieldset>
```

```
</body>

</html>
```

OUTPUT:




EXPERIMENT: 14

Compare GET and POST methods.

GET Method	POST Method
Data is sent through the **URL.**	Data is sent in the **request body**.
Data is visible in the browser address bar.	Data is not displayed in the URL.
Suitable for **searches and non-sensitive data**.	Suitable for **form submissions and sensitive/private data**.
Has a practical URL-length limitation.	Can send much larger amounts of data
Can be bookmarked and shared with the submitted parameters.	The submitted data is not normally stored in the URL/bookmark.
Example: `method="get"`	Example: `method="post"`


GET:

```
<form action="submit.html" method="get">
```



POST:

```
<form action="submit.html" method="post">
```



EXPERIMENT: 15

Create a frameset with navigation and content frames.

INPUT:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>2610997007</title>
</head>
 <frameset rows="50%, 50%">
   <frameset cols="50%, 50%">
   <frame src="image.html">
   <frame src="backgroundimg.html">
   </frameset>
   <frameset cols="50%, 50%">
   <frame src="image2.html" >
   <frame src="image3.html">
```

```
  </frameset>
</frameset>
<body>
</body>
</html>
```

OUTPUT:

