

# Step-by-Step Guide: Apache Pig Installation


- Prepared by Ankit Garg (NIT Jalandhar)

Download Pig Latest Version From Here:

<https://dlcdn.apache.org/pig/latest/>



Apache Pig




## Index of /pig/latest

Name	Last modified	Size	Description
<a href="#">Parent Directory</a>	-	-	-
<a href="#">README.txt</a>	2017-06-16 18:10	1.4K	
<a href="#">RELEASE_NOTES.txt</a>	2017-06-16 18:10	1.9K	
<a href="#">pig-0.17.0-src.tar.gz</a>	2017-06-16 18:11	15M	
<a href="#">pig-0.17.0-src.tar.gz.asc</a>	2017-06-16 18:11	488	
<a href="#">pig-0.17.0-src.tar.gz.md5</a>	2017-06-16 18:11	56	
<a href="#">pig-0.17.0.tar.gz</a>	2017-06-16 18:10	220M	
<a href="#">pig-0.17.0.tar.gz.asc</a>	2017-06-16 18:11	488	
<a href="#">pig-0.17.0.tar.gz.md5</a>	2017-06-16 18:11	52	

Extract the **.tar.gz** file into C Drive of your device.


Copy the path of this folder and go to **environment variables**:

You may see a dialogue box like this:



Just If: you are unable to edit this (The **New**, **Edit** and **Delete** options are greyed) : No issues.


Try this: Search for **System Variables** in the search box present in taskbar.



Click On **Environment Variables**. Now You can edit them for Sure.

Now:

Click On **New** Under **System Variables**. And Add like this:




Now Go to **path** in this same list and click on edit:

Now click on New from right upper corner.

And add this text: **%PIG\_HOME%\bin**

Click On **OK**. You're done from here.



Now come to **bin** folder of your pig installation:


Locate **pig.cmd** file and open it using notepad or any text editor:

Find this line:

**set HADOOP\_BIN\_PATH=%HADOOP\_HOME%\bin**

And change it to:

**set HADOOP\_BIN\_PATH=%HADOOP\_HOME%\libexec**



```

::                                     Default is 1000.
::
::  PIG_OPTS                          Extra Java runtime options.
::
::  PIG_CONF_DIR                      Alternate conf dir. Default is ${PIG_HOME}/conf.
::
::  HBASE_CONF_DIR - Optionally, the HBase configuration to run against
::                      when using HBaseStorage
::

setlocal enabledelayedexpansion

set HADOOP_BIN_PATH=%HADOOP_HOME%\libexec

set hadoop-config-script=%HADOOP_BIN_PATH%\hadoop-config.cmd
call %hadoop-config-script%

:main
set PIGARGS=
:ProcessCmdLine
    if [%1]==[] goto :FinishArgs

    if %1==--config (
        set HADOOP_CONF_DIR=%2
        shift
        shift
        if exist %HADOOP_CONF_DIR%\hadoop-env.cmd (
            call %HADOOP_CONF_DIR%\hadoop-env.cmd
        )
    )

```