Chapter: File Handling in Python

Introduction to Files

1. In Python programs, why is the output normally available only during execution?
   A. Because Python deletes variables automatically
   B. Because variables exist only during program execution
   C. Because output is stored in ROM
   D. Because input cannot be reused

2. What is the lifetime of variables used in a Python program?
   A. Till the program is saved
   B. Till the system shuts down
   C. Till the program is under execution
   D. Till the file is closed

3. Why do organizations store data permanently?
   A. To increase execution speed
   B. To avoid repetitive data entry
   C. To reduce memory usage
   D. To improve graphics

4. Employee records, inventory, and sales data are usually stored on:
   A. Primary storage
   B. Cache memory
   C. Secondary storage
   D. Registers

5. Python programs written in script mode are stored with which extension?
   A. .txt
   B. .exe
   C. .py
   D. .bin

6. Each Python program stored on a secondary device is known as:
   A. A variable
   B. A directory
   C. A file
   D. A buffer

7. What is a file?
   A. A temporary storage area
   B. A named location on secondary storage where data is permanently stored
   C. A part of RAM
   D. A Python variable

Types of Files

8. Internally, computers store all files as:
   A. Characters
   B. Symbols
   C. 0s and 1s
   D. Integers

9. Every file is basically a series of:
   A. Characters
   B. Instructions
   C. Bytes
   D. Words

10. The two main types of data files are:
    A. Source and object files
    B. Input and output files
    C. Text and binary files
    D. System and user files

Text Files

11. A text file consists of:
    A. Machine-readable codes only
    B. Human readable characters
    C. Encrypted symbols
    D. Images and audio

12. Which of the following is a text file extension?
    A. .mp3
    B. .exe
    C. .txt
    D. .zip

13. Which of the following files is NOT a text file?
    A. .py
    B. .csv
    C. .txt
    D. .mp4

14. Text files can be opened using:
    A. Only Python
    B. Any text editor
    C. Only binary editors
    D. Compilers

15. Internally, text file contents are stored as:
    A. Characters
    B. Images
    C. Bytes of 0s and 1s
    D. Fonts

16. ASCII, UNICODE, and similar systems are examples of:
    A. Compilers
    B. Encoding schemes
    C. Storage devices
    D. File formats
17. ASCII value 65 represents which character?
    A. a
    B. B
    C. A
    D. 1
18. Each line of a text file ends with:
    A. Space
    B. Tab
    C. End of Line (EOL) character
    D. Comma
19. What is the default EOL character in Python?
    A. \t
    B. \r
    C. \n
    D. \0
20. When a text editor encounters the EOL character, it:
    A. Stops reading the file
    B. Deletes the line
    C. Displays contents from a new line
    D. Converts data to binary
21. Values in text files are commonly separated by:
    A. Only whitespace
    B. Only commas
    C. Whitespace, commas, or tabs
    D. Semicolons
22. Why is a .docx file usually larger than a .txt file?
    A. It stores binary data
    B. It stores additional formatting and metadata
    C. It uses ASCII only
    D. It compresses text
23. A .txt file contains:
    A. Only ASCII equivalents of content
    B. Formatting details
    C. Author information
    D. Page settings

Binary Files

24. Binary files store data as:
    A. ASCII characters
    B. Human readable text
    C. Non-human readable bytes
    D. Lines and paragraphs

25. Which of the following is typically stored as a binary file?
    A. Text document
    B. Python script
    C. Image
    D. CSV file

26. Opening a binary file in a text editor usually shows:
    A. Proper text
    B. Numbers only
    C. Garbage values
    D. Empty content

27. Binary files require which to access their contents?
    A. Text editor
    B. Compiler
    C. Specific software
    D. Operating system only

28. A single bit change in a binary file can:
    A. Improve quality
    B. Reduce file size
    C. Corrupt the file
    D. Convert it to text

29. Errors in binary files are difficult to remove because:
    A. They are compressed
    B. They are encrypted
    C. Contents are not human readable
    D. They are too large

30. Python can read and write:
    A. Only text files
    B. Only binary files
    C. Both text and binary files
    D. Only CSV files

Opening and Closing a File

31. Which module in Python is used for file handling?
    A. math
    B. sys
    C. io
    D. os

32. The function used to open a file in Python is:
    A. create()
    B. file()
    C. open()
    D. load()
33. The syntax to open a file is:
    A. open(file)
    B. open(file_name, access_mode)
    C. file_object(file_name)
    D. read(file_name)
34. The open() function returns:
    A. File name
    B. File size
    C. File object (file handle)
    D. File path
35. If a file does not exist and is opened in write mode:
    A. An error occurs
    B. File opens in read mode
    C. A new empty file is created
    D. File opens in append mode

File Object Attributes

36. Which attribute returns True if the file is closed?
    A. file.open
    B. file.close
    C. file.closed
    D. file.status
37. Which attribute returns the mode in which the file was opened?
    A. file.type
    B. file.access
    C. file.mode
    D. file.status
38. Which attribute returns the file name?
    A. file.id
    B. file.name
    C. file.path
    D. file.file

File Access Modes

39. Which mode opens a file in read-only mode?
    A. w
    B. a

C. r
D. +

40. Which mode opens a file in binary read-only mode?
A. rb
B. r+
C. wb
D. ab

41. Which mode allows both reading and writing from the beginning?
A. w
B. r+
C. a
D. b

42. Opening a file in write mode will:
A. Append data
B. Preserve old data
C. Overwrite existing data
D. Read only

43. In append mode, data is written:
A. At the beginning
B. At the middle
C. At the end
D. Randomly

44. Which mode opens a file in append and read mode?
A. r+
B. a+
C. w+
D. rb

45. Default file open mode is:
A. Write
B. Append
C. Read
D. Binary

46. By default, files are opened in:
A. Binary mode
B. Text mode
C. Append mode
D. Write mode

Closing a File

47. The method used to close a file is:
A. stop()
B. end()

C. close()
D. exit()

48. Closing a file frees:
A. Disk space
B. CPU only
C. Memory and system resources
D. Cache only

49. Before closing a file, Python ensures that:
A. Data is encrypted
B. Buffer is flushed to the file
C. File is deleted
D. File is compressed

50. If a file object is reassigned, the previous file:
A. Remains open
B. Is automatically closed
C. Is deleted
D. Raises an error

---

with Clause

51. Using which clause ensures automatic file closure?
A. try
B. if
C. with
D. for

52. The main advantage of using the with clause is:
A. Faster execution
B. Automatic file closure
C. Smaller file size
D. Better formatting

53. Files opened using with clause are closed:
A. Manually
B. When program ends
C. Automatically after block execution
D. Only on error

Writing to a Text File

54. To write data to a file, it must be opened in:
A. Read mode
B. Write or append mode
C. Binary mode only
D. Read-only mode

55. Which method writes a single string to a file?
    A. write()
    B. writelines()
    C. read()
    D. append()

56. write() method returns:
    A. File size
    B. File object
    C. Number of characters written
    D. None

57. To mark the end of a line while writing, we must add:
    A. \t
    B. \r
    C. \n
    D. ;

58. Numeric data must be converted to which type before writing to a text file?
    A. Integer
    B. Float
    C. Boolean
    D. String

59. Data written using write() is first stored in:
    A. Hard disk
    B. Cache
    C. Buffer
    D. RAM permanently

60. Which method writes multiple strings to a file?
    A. write()
    B. writelines()
    C. readlines()
    D. append()

61. writelines() requires:
    A. A string
    B. An integer
    C. An iterable of strings
    D. A dictionary

62. writelines() returns:
    A. Number of characters
    B. List of strings
    C. None
    D. Boolean

Reading from a Text File

63. A file must be opened in which mode to read?
    A. r
    B. r+
    C. w+
    D. All of these

64. Which method reads a specified number of bytes?
    A. read()
    B. readline()
    C. readlines()
    D. split()

65. read() without arguments reads:
    A. One line
    B. First character
    C. Entire file
    D. First word

66. Which method reads one complete line?
    A. read()
    B. readline()
    C. readlines()
    D. split()

67. readline() stops reading at:
    A. EOF only
    B. Space
    C. Newline character
    D. Tab

68. readlines() returns:
    A. A string
    B. A tuple
    C. A list of strings
    D. A dictionary

69. Each element returned by readlines() ends with:
    A. Space
    B. Comma
    C. Newline character
    D. Tab

70. EOF stands for:
    A. End of File
    B. Error of File
    C. Entry of File
    D. Exit of File

---

tell() and seek()

71. Which method returns the current file position?
    A. seek()
    B. tell()
    C. read()
    D. open()

72. tell() returns position in terms of:
    A. Characters
    B. Lines
    C. Bytes
    D. Words

73. Which method moves the file pointer?
    A. tell()
    B. seek()
    C. move()
    D. shift()

74. seek(offset, reference_point) reference point 0 means:
    A. End of file
    B. Current position
    C. Beginning of file
    D. Random position

75. Reference point 2 in seek() indicates:
    A. Beginning
    B. Current position
    C. End of file
    D. Buffer

Pickle Module

76. Pickle module is used for:
    A. Text file handling
    B. Image processing
    C. Serializing Python objects
    D. Encryption

77. Serialization means:
    A. Compressing data
    B. Converting object into byte stream
    C. Encrypting data
    D. Formatting data

78. De-serialization is also called:
    A. Pickling
    B. Dumping
    C. Unpickling
    D. Encoding

79. Pickle module works with:
    A. Text files
    B. Binary files
    C. CSV files
    D. XML files

80. To write objects in a binary file using pickle, the file must be opened in:
    A. r
    B. w
    C. wb
    D. rb

81. Which method is used to store objects in binary files?
    A. write()
    B. dump()
    C. load()
    D. store()

82. Which method retrieves objects from binary files?
    A. write()
    B. dump()
    C. load()
    D. read()

83. While reading multiple objects from a binary file, which exception is commonly handled?
    A. ValueError
    B. TypeError
    C. EOFError
    D. IndexError