COMPUTER

1. What is a computer?
A. A mechanical device that performs calculations
B. An electronic device that accepts input, processes it, and produces output
C. A device used only for storing data
D. A machine that works without instructions

Answer: B

---

2. A computer system consists of a computer along with:
A. Only hardware
B. Only software
C. Additional hardware and software
D. Only input and output devices

Answer: C

---

3. Which of the following is NOT a primary component of a computer system?
A. Central Processing Unit
B. Memory
C. Input/Output devices
D. Compiler

Answer: D

---

4. Which of the following best describes the CPU?
A. A storage device
B. The brain of the computer
C. An input device
D. An output device

Answer: B

---

5. Physically, the CPU is placed on:
A. Hard disks
B. Registers
C. Microchips called Integrated Circuits
D. Secondary memory

Answer: C

---

6. Which semiconductor-based component contains the CPU circuitry?
A. Vacuum tubes
B. Magnetic tape
C. Integrated Circuits (ICs)
D. Optical disks

Answer: C

---

7. Which part of the CPU performs arithmetic and logical operations?
A. Control Unit (CU)
B. Register
C. Arithmetic Logic Unit (ALU)
D. Memory Unit

Answer: C

---

8. Which component of the CPU controls instruction execution and data flow?
A. ALU
B. Control Unit (CU)
C. Register
D. Cache memory

Answer: B

---

9. Registers are:
A. External storage devices

B. Part of secondary memory
C. Local memory inside the CPU
D. Input devices

Answer: C

---

10. Which of the following is an input device?
A. Printer
B. Monitor
C. Speaker
D. Keyboard

Answer: D

---

11. Data entered through input devices is temporarily stored in:
A. Secondary memory
B. Hard disk
C. Main memory (RAM)
D. ROM

Answer: C

---

12. Which output device is specially useful for visually challenged users?
A. Inkjet printer
B. Braille display monitor
C. Laser printer
D. Speaker

Answer: B

---

13. Which printer is used to create physical replicas of digital 3D designs?
A. Dot matrix printer
B. Inkjet printer

C. Laser printer
D. 3D printer

Answer: D

---

14. Which device is considered the earliest computing tool mentioned in the text?
A. Pascaline
B. Analytical Engine
C. Abacus
D. Turing Machine

Answer: C

---

15. Who invented the Analytical Engine, considered the basis of modern computers?
A. Alan Turing
B. Charles Babbage
C. Blaise Pascal
D. John Von Neumann

Answer: B

---

16. The concept of stored-program computers was introduced by:
A. Charles Babbage
B. Alan Turing
C. John Von Neumann
D. Herman Hollerith

Answer: C

---

17. Which invention replaced vacuum tubes and reduced computer size?
A. Integrated Circuits
B. Abacus

C. Punch cards
D. Analytical Engine

Answer: A

Von Neumann architecture

18. The Von Neumann architecture consists of:
A. Only CPU and memory
B. CPU, memory, input/output devices, and communication channels
C. Only input and output devices
D. CPU and storage devices only
Answer: B

---

19. In Von Neumann architecture, memory is used to store:
A. Only data
B. Only programs
C. Both data and programs
D. Only instructions
Answer: C

---

20. Which computer is the first binary programmable computer based on Von Neumann architecture?
A. EDVAC
B. UNIVAC
C. ENIAC
D. IBM PC
Answer: C

---

21. During which decade was complete CPU integrated on a single chip?
A. 1960s
B. 1970s
C. 1980s

D. 1990s
Answer: B

---

22. A complete CPU integrated on a single chip is called:
A. Mainframe
B. Integrated Circuit
C. Microprocessor
D. Supercomputer
Answer: C

---

23. Which integration technology allowed millions of components on a chip in the 1980s?
A. SSI
B. LSI
C. VLSI
D. SLSI
Answer: C

---

24. Approximately how many components were integrated in VLSI chips?
A. 10^3
B. 10^4
C. 10^5
D. 3 million
Answer: D

---

25. Integration of approximately 10^6 components on a single IC is known as:
A. LSI
B. VLSI
C. SLSI
D. SSI
Answer: C

---

26. Moore's Law predicts that the number of transistors on a chip will:
A. Increase linearly
B. Double every year
C. Double every two years
D. Remain constant
Answer: C

---

27. Moore's Law also states that the cost of transistors will:
A. Increase
B. Remain same
C. Be halved
D. Become unpredictable
Answer: C

---

28. Moore's Law was introduced in 1965 by:
A. Alan Turing
B. Gordon Moore
C. John Von Neumann
D. Charles Babbage
Answer: B

Personal Computers & GUI

29. IBM introduced its first personal computer for home users in:
A. 1975
B. 1980
C. 1981
D. 1984
Answer: C

---

30. Apple introduced Macintosh computers in:
A. 1980
B. 1981
C. 1984

D. 1990
Answer: C

---

31. The popularity of personal computers increased mainly due to:
A. Faster processors
B. Larger storage
C. GUI-based operating systems
D. Cheaper hardware
Answer: C

---

32. UNIX and DOS are examples of:
A. GUI-based operating systems
B. Embedded systems
C. Command Line Interface based systems
D. Real-time systems
Answer: C

---

33. Growth of mass computer usage during the 1990s was accelerated by:
A. Artificial Intelligence
B. Internet of Things
C. World Wide Web (WWW)
D. Cloud computing
Answer: C

Modern & Future Computing Devices

34. Which device made personal computing highly portable?
A. Desktop
B. Server
C. Laptop
D. Mainframe
Answer: C

---

35. Smartphones and tablets benefited mainly from:
A. Larger CPUs
B. Vacuum tubes
C. Processor miniaturisation and fast memory
D. Mechanical switches
Answer: C

---

36. Smart watches, lenses and headbands are examples of:
A. Supercomputers
B. Wearable gadgets
C. Embedded systems
D. Servers
Answer: B

---

37. Smart appliances connected through Internet form:
A. WWW
B. LAN
C. IoT
D. VPN
Answer: C

---

38. Internet of Things (IoT) leverages the power of:
A. Blockchain
B. Quantum Computing
C. Artificial Intelligence
D. Optical fibers
Answer: C

Computer Memory

Basic Concepts

39. Memory in a computer system is required to store:
A. Only instructions
B. Only data

C. Data and instructions
D. Output only
Answer: C

---

39. The term “memory” usually refers to:
A. Cache memory
B. Secondary memory
C. Primary memory
D. Virtual memory
Answer: C

---

40. Secondary memory is mainly used for:
A. Temporary storage
B. Permanent storage
C. Fastest access
D. CPU execution
Answer: B

Units of Memory

41. The smallest unit of memory is called:
A. Byte
B. Nibble
C. Bit
D. Word
Answer: C

---

42. A nibble consists of:
A. 2 bits
B. 4 bits
C. 8 bits
D. 16 bits
Answer: B

---

43. A byte is equal to:
A. 2 bits
B. 4 bits
C. 6 bits
D. 8 bits
Answer: D

---

44. 1 KB is equal to:
A. 1000 bytes
B. 1024 bytes
C. 1024 bits
D. 1000 bits
Answer: B

---

45. Which unit is larger than Terabyte?
A. Gigabyte
B. Megabyte
C. Petabyte
D. Kilobyte
Answer: C

---

46. 1 YB is equal to:
A. 1024 ZB
B. 1024 EB
C. 1024 PB
D. 1024 TB
Answer: A

Types of Memory

Primary Memory

47. Primary memory is:
A. Optional component
B. Essential component

C. External device
D. Backup memory
Answer: B

---

48. CPU interacts directly with:
A. Secondary memory
B. Cache only
C. Primary memory
D. Input devices
Answer: C

---

49. Types of primary memory are:
A. Cache and HDD
B. RAM and ROM
C. SSD and HDD
D. CD and DVD
Answer: B

---

50. RAM is:
A. Non-volatile
B. Permanent
C. Volatile
D. Read-only
Answer: C

---

51. RAM loses its contents when:
A. Software crashes
B. Internet disconnects
C. Power supply is turned off
D. CPU overheats
Answer: C

---

52. RAM is mainly used to store:
A. Boot program
B. Temporary data and programs
C. Backup files
D. BIOS
Answer: B

---

53. ROM is:
A. Volatile
B. Temporary
C. Non-volatile
D. Slower than HDD
Answer: C

---

54. The startup program (boot loader) is stored in:
A. RAM
B. Cache
C. ROM
D. HDD
Answer: C

Cache Memory

55. Cache memory is placed between:
A. CPU and secondary memory
B. RAM and HDD
C. CPU and primary memory
D. Input and output devices
Answer: C

---

56. Cache memory helps to:
A. Increase storage capacity
B. Reduce access time
C. Replace RAM

D. Store backup
Answer: B

---

57. CPU checks which memory first for required data?
A. RAM
B. Cache
C. ROM
D. HDD
Answer: B

Secondary Memory

58. Secondary memory is:
A. Volatile
B. Smaller than RAM
C. Non-volatile
D. Faster than cache
Answer: C

---

59. CPU cannot directly access:
A. Cache
B. RAM
C. Secondary memory
D. Registers
Answer: C

---

60. Which of the following is a secondary storage device?
A. Register
B. Cache
C. RAM
D. HDD
Answer: D

---

61. SSDs are preferred today because they offer:
A. Cheaper price
B. Slower speed
C. Faster data transfer
D. Mechanical parts
Answer: C

Data Transfer Between Memory and CPU

62. Physical wires used for data transfer are called:
A. Ports
B. Channels
C. Bus
D. Registers
Answer: C

---

63. Total number of buses in a system bus is:
A. One
B. Two
C. Three
D. Four
Answer: C

---

64. Which bus transfers actual data?
A. Address bus
B. Control bus
C. Data bus
D. System bus
Answer: C

---

65. Which bus transfers memory addresses?
A. Data bus
B. Address bus
C. Control bus

D. Cache bus
Answer: B

---

66. Which bus transfers control signals like read/write?
A. Data bus
B. Address bus
C. Control bus
D. I/O bus
Answer: C

---

67. Data bus is:
A. Unidirectional
B. Bidirectional
C. Optional
D. Virtual
Answer: B

---

68. Address bus is:
A. Bidirectional
B. Unidirectional
C. Optional
D. Virtual
Answer: B

---

69. Control bus is:
A. Bidirectional
B. Unidirectional
C. Optical
D. Wireless
Answer: B

---

70. The CPU places memory address on:
A. Data bus

B. Control bus
C. Address bus
D. Cache
Answer: C

---

71. Hardware that manages data flow in and out of main memory is called:
A. ALU
B. CU
C. Register
D. Memory controller
Answer: D

Microprocessors

72. In earlier days, the CPU of a computer used to occupy:
A. A single chip
B. A small circuit board
C. A large room or multiple cabinets
D. A handheld device
Answer: C

---

73. Reduction in physical size of CPU became possible due to:
A. Mechanical switches
B. Advancement in technology
C. Magnetic tapes
D. Manual processing
Answer: B

---

74. A CPU implemented on a single microchip is called:
A. Controller
B. Microcomputer
C. Microprocessor
D. Minicomputer
Answer: C

---

75. Nowadays, the term CPU and microprocessor are used:
A. Differently
B. Interchangeably
C. Incorrectly
D. Only academically
Answer: B

---

76. A microprocessor is a:
A. Large mechanical unit
B. Small-sized electronic component
C. Storage device
D. Input device
Answer: B

---

77. A microprocessor mainly performs:
A. Data storage
B. Arithmetic and logical operations
C. Output display
D. Power management
Answer: B

---

78. Modern microprocessors are built on:
A. Vacuum tubes
B. Magnetic cores
C. Integrated circuits
D. Optical fibers
Answer: C

---

79. Components used inside an IC-based microprocessor include:
A. Motors and relays
B. Resistors, transistors and diodes
C. Fans and switches
D. Coils and magnets
Answer: B

Evolution of Microprocessors

80. Over time, microprocessors have evolved in terms of:
A. Increased size and cost
B. Reduced speed
C. Increased processing capability, reduced size and cost
D. Reduced functionality
Answer: C

---

81. Present-day microprocessors can process:
A. Thousands of instructions per second
B. Thousands of instructions per millisecond
C. Millions of instructions per millisecond
D. Billions of instructions per hour
Answer: C

Microprocessor Generations

82. The first generation of microprocessors appeared during:
A. 1960–65
B. 1971–73
C. 1979–80
D. 1981–95
Answer: B

---

83. First-generation microprocessors were based on:
A. VLSI
B. SLSI
C. LSI
D. SSI
Answer: C

---

84. Word size of first-generation microprocessors was:
A. 2 bit

B. 4/8 bit
C. 16 bit
D. 32 bit
Answer: B

---

85. Maximum memory size supported by first-generation microprocessors was:
A. 512 Bytes
B. 1 KB
C. 1 MB
D. 4 MB
Answer: B

---

86. Intel 8080 belongs to which generation?
A. Second
B. Third
C. First
D. Fourth
Answer: C

---

87. Second-generation microprocessors were introduced during:
A. 1971–73
B. 1974–78
C. 1979–80
D. 1981–95
Answer: B

---

88. Word size of second-generation microprocessors was:
A. 4 bit
B. 8 bit
C. 16 bit
D. 32 bit
Answer: B

---

89. Maximum memory supported by second-generation microprocessors was:
A. 1 KB
B. 4 MB
C. 16 MB
D. 1 MB
Answer: D

---

90. Intel 8085 belongs to which generation?
A. First
B. Second
C. Third
D. Fourth
Answer: B

---

91. Third-generation microprocessors were based on:
A. LSI
B. VLSI
C. SLSI
D. SSI
Answer: B

---

92. Word size of third-generation microprocessors was:
A. 8 bit
B. 16 bit
C. 32 bit
D. 64 bit
Answer: B

---

93. Intel 8086 is an example of:
A. Second generation
B. Third generation
C. Fourth generation

D. Fifth generation
Answer: B

---

94. Fourth-generation microprocessors supported a maximum memory size of:
A. 16 MB
B. 1 GB
C. 4 GB
D. 64 GB
Answer: C

---

95. Intel 80386 belongs to which generation?
A. Third
B. Fourth
C. Fifth
D. First
Answer: B

---

96. Fifth-generation microprocessors use which technology?
A. LSI
B. VLSI
C. SLSI
D. SSI
Answer: C

---

97. Word size of fifth-generation microprocessors is:
A. 32 bit
B. 48 bit
C. 64 bit
D. 128 bit
Answer: C

---

98. Fifth-generation microprocessors are:
A. Single-core
B. Dual-core only
C. Multicore
D. Microcontroller-based
Answer: C

---

99. Pentium, Celeron and Xeon processors belong to:
A. Fourth generation
B. Third generation
C. Fifth generation
D. Second generation
Answer: C

Microprocessor Specifications

Word Size

100. Word size refers to:
A. Storage capacity of RAM
B. Number of bits processed at a time
C. Clock speed
D. Number of registers
Answer: B

---

101. Present-day minimum word size is:
A. 8 bit
B. 12 bit
C. 16 bit
D. 32 bit
Answer: C

---

102. Maximum word size currently available is:
A. 32 bit
B. 48 bit

C. 64 bit
D. 128 bit
Answer: C

Memory Size

103. Increase in word size results in:
A. Decrease in RAM size
B. No effect on RAM
C. Increase in RAM size
D. Slower execution
Answer: C

---

104. Maximum RAM size feasible with 64-bit word size is:
A. 64 GB
B. 1 TB
C. 16 EB
D. 1 PB
Answer: C

Clock Speed

105. Clock speed indicates:
A. Memory size
B. Power consumption
C. Speed of instruction execution
D. Storage capacity
Answer: C

---

106. Clock generates:
A. Magnetic fields
B. Pulses at regular intervals
C. Data packets
D. Control signals only
Answer: B

---

107. Modern clock speed is measured in:
A. Hz
B. kHz
C. MHz
D. GHz
Answer: D

Cores

108. Core is defined as:
A. Memory unit
B. Storage unit
C. Basic computation unit of CPU
D. Input controller
Answer: C

---

109. Earlier processors could perform:
A. Multiple tasks simultaneously
B. Two tasks at a time
C. One task at a time
D. No tasks
Answer: C

---

110. A CPU with four cores is called:
A. Dual-core
B. Tri-core
C. Quad-core
D. Octa-core
Answer: C

Microcontrollers

111. A microcontroller contains:
A. Only CPU

B. CPU, RAM, ROM and peripherals on one chip
C. Only memory
D. Only I/O devices
Answer: B

---

112. Microprocessors differ from microcontrollers because microprocessors have:
A. CPU and memory
B. Only CPU on the chip
C. Fixed RAM
D. Built-in peripherals
Answer: B

---

113. Microcontrollers are mainly used for:
A. General-purpose computing
B. Gaming systems
C. Specific tasks
D. Supercomputing
Answer: C

---

114. Examples of devices using microcontrollers include:
A. Supercomputers
B. Servers
C. Washing machines and remote controllers
D. Mainframes
Answer: C

---

115. Microcontrollers are embedded into other systems due to their:
A. Large size
B. High cost
C. Small size
D. Complexity
Answer: C

---

116. In an automatic washing machine, microcontroller controls:
A. Only spinning
B. Only water filling
C. Complete washing cycle automatically
D. Power supply
Answer: C

Data and Information

117. A computer system primarily processes:
A. Information
B. Knowledge
C. Data
D. Wisdom
Answer: C

---

118. Raw and unorganised facts are called:
A. Information
B. Knowledge
C. Data
D. Intelligence
Answer: C

---

119. Data becomes meaningful after processing and is called:
A. Raw data
B. Information
C. Binary
D. Metadata
Answer: B

---

120. Internally, a computer stores data in:
A. Decimal form
B. Text form
C. Binary form

D. Hexadecimal form
Answer: C

Types of Data

Structured Data

121. Structured data follows:
A. Random format
B. Strict record structure
C. No format
D. Multimedia format
Answer: B

---

122. Structured data is usually stored in:
A. Image files
B. Video files
C. Tabular format
D. Audio files
Answer: C

---

123. Which of the following is structured data?
A. Social media post
B. Attendance table
C. Video clip
D. Photograph
Answer: B

Unstructured Data

124. Unstructured data does NOT have:
A. Text
B. Graphics
C. Pre-defined format
D. Content
Answer: C

---

125. Examples of unstructured data include:
A. CSV files
B. Databases
C. Audio and video files
D. Tables
Answer: C

Semi-structured Data

126. Semi-structured data contains:
A. Fixed rows and columns
B. No internal organisation
C. Tags or markers
D. Only numeric values
Answer: C

---

127. HTML pages and CSV files are examples of:
A. Structured data
B. Unstructured data
C. Semi-structured data
D. Binary data
Answer: C

Data Capturing, Storage & Retrieval (1.6.2)

128. Data capturing refers to:
A. Deleting data
B. Storing data
C. Gathering data in digital form
D. Encrypting data
Answer: C

---

129. Barcode readers are used for:
A. Data deletion

B. Data capturing
C. Data recovery
D. Data encryption
Answer: B

---

130. Data storage is challenging today mainly due to:
A. High cost of RAM
B. Low speed of CPUs
C. Rapid increase in data generation
D. Lack of devices
Answer: C

---

131. Large organisations use data servers because they:
A. Are cheaper
B. Are portable
C. Store and process huge data efficiently
D. Need no maintenance
Answer: C

---

132. Data retrieval means:
A. Saving data
B. Fetching data from storage
C. Encrypting data
D. Destroying data
Answer: B

Data Deletion and Recovery

133. Deleting data usually means:
A. Physically erasing bits
B. Overwriting data immediately
C. Marking memory space as free
D. Destroying storage device
Answer: C

134. Data recovery is possible only if:
A. Power is on
B. Data is encrypted
C. Memory space is not overwritten
D. File name is known
Answer: C

135. One major threat to digital data is:
A. Compression
B. Encryption
C. Accidental or intentional deletion
D. Backup
Answer: C

136. Data confidentiality can be threatened when:
A. Data is encrypted
B. Old storage devices are disposed improperly
C. Passwords are used
D. Access is restricted
Answer: B

137. Data shredding before disposal is important to prevent:
A. Data duplication
B. Unauthorised recovery
C. Data compression
D. Data transfer
Answer: B

138. Software refers to:

A. Physical components of a computer
B. Electronic circuits inside CPU
C. Instructions and data used by computer hardware
D. Input and output devices

Answer: C

---

139. Which of the following can be physically touched?

A. Software
B. Operating system
C. Application program
D. Hardware

Answer: D

---

140. Hardware and software together:

A. Compete with each other
B. Are independent of each other
C. Complete tasks collaboratively
D. Cannot function simultaneously

Answer: C

---

141. Which of the following is an example of system software?

A. VLC Player
B. Microsoft Word
C. Ubuntu
D. GIMP

Answer: C

---

142. LibreOffice Writer and Microsoft Word are examples of:

A. System software
B. Device drivers
C. Word processing software
D. Programming tools

Answer: C

---

143. A document stored on a hard disk is called:

A. Hard-copy
B. Soft-copy
C. Firmware
D. Cache

Answer: B

---

144. A printed document is referred to as:

A. Soft-copy
B. Source code
C. Hard-copy
D. Object code

Answer: C

Need of Software

---

145. The main purpose of software is to:

A. Replace hardware
B. Control electricity
C. Make hardware useful and operational
D. Store data permanently

Answer: C

---

146. Why can we not instruct computer hardware directly?

A. Hardware is too fast
B. Hardware understands only software instructions
C. Hardware is machine dependent
D. Hardware requires an interface

Answer: D

---

147. Software acts as an interface between:

A. CPU and RAM
B. User and computer hardware
C. Input and output devices
D. Storage and memory

Answer: B

---

148. Software is broadly classified into how many categories?

A. Two
B. Three
C. Four
D. Five

Answer: B

---

149. Which of the following is NOT a category of software?

A. System software
B. Programming tools
C. Application software
D. Firmware software

Answer: D

System Software

---

150. System software primarily:

A. Helps in gaming
B. Interacts directly with hardware
C. Edits images
D. Creates documents

Answer: B

---

151. Which of the following is system software?

A. Photoshop
B. Compiler
C. Device driver
D. Spreadsheet

Answer: C

---

152. Operating system is considered the most basic system software because:

A. It is free
B. It controls hardware manufacturing
C. Other software cannot work without it
D. It stores user files

Answer: C

---

153. Which of the following is NOT an operating system?

A. Linux
B. Fedora
C. Android
D. LibreOffice

Answer: D

System Utilities

---

154. Software used for system maintenance is called:

A. Application software
B. System utility
C. Device driver
D. Programming language

Answer: B

---

155. Disk defragmentation tool is an example of:

A. Application software
B. Programming tool
C. System utility
D. Device driver

Answer: C

---

156. Anti-virus software belongs to which category?

A. System utilities not shipped with OS
B. Application software
C. Device driver
D. Firmware

Answer: A

Device Drivers

---

157. A device driver ensures:

A. Faster internet
B. Proper functioning of a device
C. Data encryption
D. File storage

Answer: B

---

158. Why can’t an operating system alone manage all devices?

A. Devices consume more power
B. Devices have diverse characteristics
C. OS is outdated
D. OS lacks memory

Answer: B

---

159. Device driver acts as an interface between:

A. CPU and RAM
B. Hardware and user
C. Device and operating system
D. Software and software

Answer: C

---

160. Device drivers hide:

A. User data
B. Internet activity
C. Hardware-level operation details
D. System files

Answer: C

Programming Tools

---

161. Computer instructions are written using:

A. Natural language
B. Computer languages
C. Binary digits only
D. Electrical signals

Answer: B

---

162. Computers understand which language directly?

A. High-level language
B. Assembly language
C. Machine language
D. English

Answer: C

163. Conversion from high-level to machine language requires:

A. Editor
B. Debugger
C. Translator
D. Loader

Answer: C

Programming Languages

---

164. Programming languages are classified into:

A. Source and object
B. Compiler and interpreter
C. Low-level and high-level
D. Hardware and software

Answer: C

---

165. Which is a low-level language?

A. Python
B. Java
C. Assembly language
D. C++

Answer: C

---

166. Machine language consists of:

A. English words
B. Symbols
C. 1s and 0s
D. Mnemonics

Answer: C

---

167. One drawback of machine language is:

A. Slow execution
B. Difficult to write and debug
C. Not executed by computer
D. Requires translator

Answer: B

---

168. Assembly language was developed to:

A. Replace hardware
B. Simplify machine language coding
C. Eliminate translators
D. Increase execution speed

Answer: B

---

169. Assembly language is:

A. Machine independent
B. Platform independent
C. CPU specific
D. User friendly

Answer: C

---

170. High-level languages are:

A. Machine dependent
B. Written in binary
C. Machine independent
D. Hardware controlled

Answer: C

---

171. Examples of high-level languages include:

A. Machine, Assembly
B. Python, Java, C++
C. Binary, Hexadecimal
D. Firmware

Answer: B

Language Translators

---

172. Program written in high-level language is called:

A. Object code
B. Binary code
C. Source code
D. Executable code

Answer: C

---

173. Machine understandable code is known as:

A. Source code
B. Object code
C. Script
D. Editor code

Answer: B

---

174. Translator for assembly language is called:

A. Compiler
B. Interpreter
C. Assembler
D. Debugger

Answer: C

---

175. Compiler translates:

A. Line by line
B. Whole program at once
C. Machine code to source code
D. Hardware instructions

Answer: B

---

176. Once compiled, the compiler is:

A. Always required
B. Not needed again
C. Converted to interpreter
D. Stored in RAM

Answer: B

---

177. Interpreter translates:

A. Entire program at once
B. Only machine language
C. One line at a time
D. Hardware instructions

Answer: C

---

178. Interpreter is needed:

A. Only once
B. Never
C. Every time the program runs
D. Only during debugging

Answer: C

Program Development Tools

---

179. A text editor is used to:

A. Execute code
B. Debug hardware
C. Write source code
D. Convert machine language

Answer: C

---

180. IDE stands for:

A. Integrated Data Editor
B. Integrated Development Environment
C. Internal Debug Engine
D. Intelligent Design Editor

Answer: B

---

181. IDE consists of:

A. Only editor
B. Editor and compiler
C. Editor, build tools, debugger
D. OS and utilities

Answer: C

---

182. Debugger is used to:

A. Write code
B. Detect and correct errors
C. Translate code
D. Run OS

Answer: B

Application Software

---

183. Software that runs on top of system software is called:

A. Firmware
B. Application software
C. Utility software
D. Driver

Answer: B

---

184. Application software is classified into:

A. Two categories
B. Three categories
C. Four categories
D. Five categories

Answer: A

---

185. General purpose software is:

A. Made for one user
B. Tailor-made
C. Used by large audience
D. Hardware dependent

Answer: C

---

186. Which is a general purpose application software?

A. School management system
B. LibreOffice Calc
C. Custom website
D. Payroll system

Answer: B

---

187. Customised software is:

A. Ready-made
B. Free always

C. Developed for specific needs
D. OS dependent

Answer: C

---

188. Customised software is compared to:

A. Buying ready clothes
B. Writing code
C. Tailor-made garment
D. Online shopping

Answer: C

FOSS, Freeware & Proprietary

---

189. FOSS stands for:

A. Free Online Software System
B. Free and Open Source Software
C. Fast Operating System Software
D. Flexible Open System Software

Answer: B

---

190. Source code of FOSS is:

A. Hidden
B. Sold
C. Freely accessible
D. Encrypted

Answer: C

---

191. Which is an example of FOSS?

A. Windows
B. Tally

C. Python
D. Quickheal

Answer: C

---

192. Freeware means:

A. Free with source code
B. Paid software
C. Free to use but source code unavailable
D. Illegal software

Answer: C

---

193. Proprietary software is:

A. Free always
B. Purchased from vendor
C. Open source
D. Public domain

Answer: B

---

194. Which is proprietary software?

A. Ubuntu
B. LibreOffice
C. Microsoft Windows
D. Firefox

Answer: C

Operating System

---

195. Operating system is called resource manager because it manages:

A. Only CPU
B. Only memory
C. All hardware resources
D. Only files

Answer: C

---

196. Which is NOT a resource managed by OS?

A. CPU
B. RAM
C. Disk
D. Algorithm

Answer: D

---

197. One objective of OS is to:

A. Write programs
B. Provide services to run applications
C. Manufacture hardware
D. Edit files

Answer: B

---

198. OS decides execution order when:

A. Only one program runs
B. Multiple programs run
C. No program runs
D. Device driver runs

Answer: B

---

199. User interface allows users to:

A. Repair hardware
B. Interact with OS

C. Write machine code
D. Format disk

Answer: B

OS User Interfaces

---

200. Command-based interface requires user to:

A. Click icons
B. Touch screen
C. Remember commands
D. Speak

Answer: C

---

201. Primary input device for command-based interface is:

A. Mouse
B. Touchscreen
C. Keyboard
D. Microphone

Answer: C

---

202. Example of command-based OS:

A. Windows
B. Ubuntu
C. MS-DOS
D. Android

Answer: C

---

203. GUI uses:

A. Commands only
B. Icons and menus

C. Binary input
D. Voice commands

Answer: B

---

204. Input devices used in GUI are:

A. Keyboard only
B. Mouse only
C. Mouse and keyboard
D. Microphone

Answer: C

---

205. Touch-based interface is mainly used in:

A. Mainframes
B. Servers
C. Smartphones and tablets
D. Supercomputers

Answer: C

---

206. Voice-based interface helps:

A. Gamers
B. Programmers
C. Users with special needs
D. Hardware engineers

Answer: C

---

207. Gesture-based interface includes:

A. Typing
B. Clicking
C. Eye motion and waving
D. Voice input

Answer: C

Functions of Operating System

---

208. A task in execution is called:

A. Program
B. Process
C. Thread
D. File

Answer: B

---

209. Managing CPU allocation among processes is called:

A. File management
B. Device management
C. Process management
D. Memory management

Answer: C

---

210. Memory management deals with:

A. Secondary memory only
B. CPU speed
C. Allocation and deallocation of main memory
D. File security

Answer: C

---

211. File management is related to:

A. RAM
B. Cache
C. Secondary storage
D. CPU registers

Answer: C

---

212. Protection of files is necessary because:

A. Files are large
B. Multiple users access system
C. Files are temporary
D. Storage is costly

Answer: B

---

213. Device management involves:

A. Installing apps
B. Managing I/O devices
C. Writing programs
D. Editing files

Answer: B