```java
import java.util.Scanner;

public class TowerOfHanoi {

    public static void main(String[] args) {
        // Create a scanner for user input
        Scanner scanner = new Scanner(System.in);

        // Prompt the user for the number of disks
        System.out.println("Enter the number of disks:");
        int n = scanner.nextInt();

        // Prompt the user for the source rod
        System.out.println("Enter the source rod:");
        String source = scanner.next();

        // Prompt the user for the auxiliary rod
        System.out.println("Enter the auxiliary rod:");
        String auxiliary = scanner.next();

        // Prompt the user for the destination rod
        System.out.println("Enter the destination rod:");
        String destination = scanner.next();

        // Move the disks from the source rod to the destination rod
        moveDisks(n, source, auxiliary, destination);

        // Close the scanner
        scanner.close();
    }

    public static void moveDisks(int n, String source, String auxiliary, String destination) {
        // Base case: only one disk to move
        if (n == 1) {
            System.out.println("Move disk " + n + " from " + source + " to " + destination);
```

```java
            return;
        }

        // Move n-1 disks from source to auxiliary using destination as the temporary rod
        moveDisks(n - 1, source, destination, auxiliary);

        // Move the largest disk from source to destination
        System.out.println("Move disk " + n + " from " + source + " to " + destination);

        // Move n-1 disks from auxiliary to destination using source as the temporary rod
        moveDisks(n - 1, auxiliary, source, destination);
    }
}
```