Performance Analysis of Company Teams Using Sentiment Analysis - Complete Project Documentation

Table of Contents

1. Project Overview
2. Problem Statement & Motivation
3. Project Objectives
4. Technical Architecture & Workflow
5. Data Collection & Processing
6. Sentiment Analysis Explained
7. BERT Model - Deep Understanding
8. Fuzzy Logic Integration
9. Model Training & Implementation
10. Evaluation & Results
11. Next Steps After Model Training

---

1. Project Overview

What is This Project About?

This project is designed to help HR departments and company management make **fair, data-driven decisions** about employee reassignment and team restructuring. Instead of relying on manager opinions alone, we use **Artificial Intelligence and Sentiment Analysis** to understand how employees feel about their work and their teams.

Simple Analogy

Imagine a company has two teams working on similar projects. Team 1 delivers faster and better results, while Team 2 struggles. Why does this happen?

- **Without this system**: Manager might guess → "Oh, maybe these people are just lazy" (bias)
- **With this system**: We analyze what employees actually feel and think → We discover real issues like skill mismatch, low morale, or poor coordination

The system then recommends: "Move experienced member X from Team 1 to Team 2" or "This person would be happier and more productive in a different role."

Key Insight

Employee happiness and satisfaction directly affect productivity. This system measures both skills and feelings to create balanced, productive teams.

---

2. Problem Statement & Motivation

The Current Problem in Organizations

Many companies struggle with:

1. **Biased Decisions**: Decisions about moving or replacing employees are based on manager opinions, not facts
2. **Hidden Dissatisfaction**: Employees may seem productive on paper but actually feel stressed, unmotivated, or unhappy
3. **Skill Mismatches**: People with perfect skills might be in wrong team where their strengths aren't used
4. **Low Team Performance**: Some teams underperform even with similar resources, budgets, and technical skills
5. **High Turnover**: Frustrated employees leave, costing companies money and time
6. **Incomplete Data**: Traditional performance metrics (meeting deadlines, output numbers) don't show the real working conditions

Why This Happens

Most performance evaluations are **quantitative** (numbers) but ignore **qualitative** (feelings, emotions):

- ✓ Quantitative data: "Employee met 8/10 deadlines, completed 45 tickets"
- ✗ Missing: "Employee feels stressed, unsupported, considering leaving"

The Solution

By combining **sentiment analysis (understanding emotions)** with **traditional performance data (numbers)**, we get a complete picture:

- What employees think and feel
- What their actual skills and experience are
- How well they fit into their current team
- Where they would be more productive

This enables HR to make recommendations like:

- "Reassign employee A to team B (better cultural fit)"
- "Team C needs a senior mentor to improve morale"
- "This employee should work on projects matching their interests"

---

3. Project Objectives

The project has three main goals:

Objective 1: Understand Team Performance Factors

Goal: Identify why some teams perform better than others

How we achieve it:

- Collect employee feedback about their work, team, and experience
- Use sentiment analysis to measure employee satisfaction across different aspects
- Analyze which factors (like morale, communication, skill fit) affect performance

Output: Dashboard showing which factors influence each team's performance

Objective 2: Evaluate Individual Employee Profiles

Goal: Create a complete profile of each employee based on multiple factors

Factors included:

- Technical skills and expertise
- Years of experience
- Past performance metrics
- Current job satisfaction (sentiment)
- Team dynamics (how well they work with others)
- Emotional state (stressed? motivated? satisfied?)

Output: Detailed employee profiles showing strengths, weaknesses, and satisfaction level

Objective 3: Generate Smart Recommendations

Goal: Suggest specific actions to improve team performance

Recommendations may include:

- "Move employee X from Team A to Team B (they'd be happier and more productive)"
- "Hire someone to mentor Team C (morale is low)"
- "Improve communication in Team D (high stress levels)"
- "Restructure Team E to balance experience levels"
- "In rare cases, recommend if someone is unsuitable for their role"


Output: Actionable recommendations for HR and management

---

4. Technical Architecture & Workflow

The Three-Phase System Architecture

This system works in **3 main phases**:



High-Level Workflow

Step 1: COLLECT EMPLOYEE DATA
├── Structured data: Skills, experience, past performance (numbers)
└── Unstructured data: Feedback, reviews, survey responses (text)

Step 2: CLEAN & PREPARE DATA
├── Remove noise from text (special characters, extra spaces)
├── Normalize text (convert to standard format)
└── Standardize numbers for consistency

Step 3: GENERATE FEATURES
├── Fuzzy Logic features: Convert review text into measurable signals
└── BERT Embeddings: Convert reviews into vector format for AI

Step 4: TRAIN SENTIMENT MODEL
├── Feed data to hybrid BERT + Neuro-Fuzzy model
├── Model learns to classify reviews as Negative, Neutral, or Positive
└── Measure accuracy using test data

Step 5: PREDICT SENTIMENT FOR ALL EMPLOYEES
├── Run trained model on all employee reviews
├── Generate satisfaction score (0-1, where 1 = very satisfied)
└── Categorize as: Very Negative, Negative, Neutral, Positive, Very Positive

Step 6: BUILD EMPLOYEE PROFILES
├── Combine: Skills + Experience + Performance + Sentiment
└── Create comprehensive profile for each person

Step 7: ANALYZE AT TEAM LEVEL
├── Group profiles by team
├── Identify problems: Skill gaps? Low morale? Poor communication?
└── Find patterns and correlations

Step 8: GENERATE RECOMMENDATIONS
├── Recommend reassignments to balance teams
├── Suggest interventions (training, mentoring, etc.)
└── Provide actionable insights to HR

---

5. Data Collection & Processing (Phase 1)

5.1 What Data Do We Collect?

Type 1: Structured Data (Numbers & Categories)

Structured data is organized, easy to understand data:

Employee Information:
├── Name, ID, Department
├── Current Team Assignment
├── Technical Skills (Programming, Data Analysis, etc.)
├── Years of Experience (5 years, 10 years, etc.)
├── Performance Score (1-10 rating)
├── Project Completion Rate (% of projects finished on time)
└── Past Reviews (numerical ratings)

Why it matters: Gives us factual information about employee capabilities and past performance.

Type 2: Unstructured Data (Text & Feedback)

Unstructured data is free-form text that we need to analyze:

Employee Reviews & Feedback:
├── Company reviews (Glassdoor-style)
├── Feedback forms (HR survey responses)
├── Interview transcripts
├── Chat messages or communication logs
├── Suggestions or complaints submitted
└── Exit interview notes (if employee left)

Example review: "Good company culture and work-life balance, but management is poor and promotions are unfair. Salary is below market rate."

Why it matters: Shows how employees actually feel, their stress levels, satisfaction, and concerns.

5.2 Data Cleaning & Preprocessing

Raw text data is **messy**. Before we can analyze it, we need to clean it.

Step 1: Text Cleaning

Problem: Raw text has lots of noise

Example raw text:
"Good company!!! salary is poor... wOrk-LiFe balance?? NOT GOOD!!!!"

Issues:

- Extra punctuation (!!!!)
- Multiple spaces
- Mixed capitalization (wOrk vs Work)
- Question marks that don't add meaning

Solution: Remove noise

Cleaning steps:

1. Remove special characters:
   "Good company!!! salary is poor" → "Good company salary is poor"
2. Convert to lowercase:
   "WoRk-LiFe" → "work-life"
3. Remove extra spaces:
   "Good company" → "Good company"
4. Fix spacing around punctuation:
   "company ,culture" → "company, culture"

Result:
"good company culture salary is poor work life balance is not good"

Step 2: Tokenization

What it is: Breaking text into small, meaningful pieces called "tokens"

Example:
Original: "work-life balance is important"

Tokens (words): ["work-life", "balance", "is", "important"]

Why? AI models work with individual words, not sentences.

Step 3: Normalization

What it is: Converting text to standard format so same word isn't counted twice

Examples:

- "working", "works", "worked" → all become "work"
- "companies", "company" → all become "company"
- "employee's" → becomes "employee"

Why? So the model recognizes these as the same concept.

Step 4: Standardizing Structured Data

What it is: Making sure numbers are on same scale

Example - Ages:
Original: 25, 28, 45, 52
Problem: Big numbers (52) vs small (25) - hard for AI
Solution: Convert to 0-1 scale:
0.38, 0.42, 0.69, 0.79

This helps the model treat all numbers fairly.

5.3 Data Dataset Overview

Our dataset has **86,117 employee reviews** from a company website.

Dataset Statistics:
├── Total records: 86,117
├── After cleaning: 65,238 (removed duplicates and null values)
├── Review length: Short reviews to long detailed feedback
├── Languages: Primarily English, some local language phrases
└── Classes:
├── Negative (0): 35,000+ reviews
├── Neutral (1): 20,000+ reviews
└── Positive (2): 10,000+ reviews

Note: Dataset is imbalanced - more negative reviews than positive. This is realistic (unhappy people are more likely to leave reviews).

---

6. Sentiment Analysis Explained

6.1 What is Sentiment Analysis?

Sentiment Analysis means teaching a computer to understand if a piece of text is **positive, negative, or neutral**.

Real-World Example

Review 1: "Excellent company, great culture, happy to work here"
Sentiment: POSITIVE ✓

Review 2: "Terrible management, low salary, no growth opportunities"
Sentiment: NEGATIVE ✗

Review 3: "The company provides training. Salary is average."
Sentiment: NEUTRAL 〰

Why it matters for HR: Sentiment tells us employee satisfaction and morale.

6.2 The Sentiment Scale

We classify reviews into three categories:

NEGATIVE (Score: 0)
├── Employee is unhappy/dissatisfied
├── Complains about: Poor management, low pay, bad culture, no growth
├── Likely to leave the company
└── Affects team morale negatively

NEUTRAL (Score: 1)
├── Employee has mixed feelings
├── Some good aspects, some bad aspects
├── Satisfied but not enthusiastic
└── Average morale

POSITIVE (Score: 2)
├── Employee is happy and satisfied
├── Appreciates: Good culture, fair management, growth opportunities
├── Likely to stay and contribute well
└── Boosts team morale

6.3 Why Sentiment Matters

Two employees with same skills and performance metrics might have very different futures:

Employee A: High skills, meets deadlines, but NEGATIVE sentiment
├── Feels unsupported and undervalued
├── Likely to leave soon
├── Team losing an experienced person
└── Action: Reassign or provide more support

Employee B: High skills, meets deadlines, POSITIVE sentiment
├── Feels valued and motivated
├── Will stay and mentor others
├── Strong team member
└── Action: Engage more, promote to leadership

6.4 How Do We Measure Sentiment?

We use **two complementary methods**:

Method 1: Lexicon-Based (Using Word Lists)

What it is: Compare words in review against lists of "positive" and "negative" words

Positive words list:
["excellent", "good", "great", "happy", "love", "satisfied", "perfect"]

Negative words list:
["terrible", "bad", "poor", "hate", "frustrated", "unhappy"]

Review: "Great company culture but poor management"
├── Positive words found: "Great" → +1
├── Negative words found: "poor" → -1
├── Result: Neutral-leaning (mixed)

Tool used: VADER (Valence Aware Dictionary and sEntiment Reasoner)

VADER is smart because it understands:

- Intensifiers: "very good" > "good"
- Negations: "not good" = negative (flips meaning)
- Punctuation: "Excellent!!!" = stronger than "Excellent"

VADER Output Example:
Review: "Not good, poor management!!!"
├── Negative score: 0.87 (87% negative)
├── Neutral score: 0.13 (13% neutral)
├── Positive score: 0.00 (0% positive)
└── Compound score: -0.89 (overall: very negative)

Method 2: Machine Learning-Based (BERT)

What it is: Train AI on examples to learn sentiment (explained in next section)

vs.

Traditional Rule-Based:
├── Uses predefined word lists
├── Good for simple reviews
└── Misses context

AI-Based (BERT):
├── Learns from examples
├── Understands context and nuance
├── Better with complex reviews
└── More accurate

Why use both methods?

- **VADER** gives us quick, reliable signals from word choices
- **BERT** gives us deep understanding of complete meaning
- Together = very accurate sentiment detection

---

7. BERT Model - Deep Understanding

7.1 What is BERT?

BERT = Bidirectional Encoder Representations from Transformers

That's a complex name! Let me break it down:

BERT Explained Simply

BERT is like a super-smart student who has read millions of books and articles. You show BERT a sentence, and it can understand:

1. The meaning of words
2. How words relate to each other
3. The overall meaning of the sentence
4. The tone and emotion
5. Context and nuance

Example:
Sentence 1: "The bank approved my loan"
├── Bank = financial institution ✓
└── "approved" = positive action

Sentence 2: "I sat on the bank of the river"
├── Bank = ground beside water ✓
└── No emotion

BERT understands both meanings because it considers context.

7.2 How BERT Works

Step 1: Pre-Training (Already Done)

BERT comes pre-trained on **2.5 billion words** from books, articles, and websites.

Training process (simplified):

1. Feed BERT thousands of sentences
2. BERT learns patterns:
   ├── Which words usually go together
   ├── What words mean similar things
   ├── How sentences are structured
   └── How context changes meaning

Result: BERT develops understanding of language

Key insight: We don't train BERT from scratch. We use a pre-trained BERT that already understands English, then teach it specifically about sentiment.

7.3 BERT for Sentiment Analysis

The Process (4 Steps)

STEP 1: INPUT PROCESSING
├── Take employee review: "Great team but poor management"
├── Add special tokens: [CLS] Great team but poor management [SEP]
│ └── [CLS] = marker for "this is a classification task"
│ └── [SEP] = marker for "sentence end"
└── Convert to numbers BERT understands

STEP 2: TOKENIZATION
├── Break into tokens: [CLS] | Great | team | but | poor | management | [SEP]
├── Convert each to a number (embedding):
│ └── Great = 2001, team = 5042, poor = 3891, etc.
└── This is the input BERT accepts

STEP 3: BERT PROCESSING
├── Feed tokens through BERT layers
├── Each layer refines understanding:
│ ├── Layer 1: Basic word meanings
│ ├── Layer 2: Relationships between words
│ ├── Layer 3: Sentence structure
│ ├── ...Layers 4-12: Deeper understanding of meaning
│ └── Final Layer: Complete contextual understanding
└── Output: Vector representation of the review

STEP 4: CLASSIFICATION
├── Take [CLS] token output (represents full sentence meaning)
├── Feed to a neural network classifier
├── Classify as: Negative (0), Neutral (1), or Positive (2)
└── Output: Probability scores
├── Negative: 0.05 (5%)
├── Neutral: 0.20 (20%)
└── Positive: 0.75 (75%) ← Highest = predicted class

7.4 Why BERT is Better

Traditional Approaches:
├── Rule-based (word lists): Simple, but limited
└── Basic ML: Requires lots of labeled data

BERT Advantages:
├── Pre-trained on 2.5B words: Already understands English
├── Bidirectional: Reads left-to-right AND right-to-left
│ └── Understands full context, not just previous words
├── Handles complex sentences: Understands sarcasm, negation
├── Transfer learning: Reuse pre-trained knowledge
└── State-of-the-art results: Best accuracy for text tasks

7.5 BERT Output: Embeddings

An **embedding** is a mathematical representation of text.

Example:
Review: "Good management and growth opportunities"

Traditional view: Just text
Better view: As a vector (list of numbers)

BERT embedding (768 numbers):
[0.234, -0.156, 0.891, 0.423, ..., 0.567]

↑
768 numbers total

This vector captures:

- Meaning of the review
- Emotional tone
- Key concepts discussed
- Relationship between words

Advantage: AI models work with numbers,
so this format is perfect for machine learning.

---

8. Fuzzy Logic Integration

8.1 What is Fuzzy Logic?

Traditional logic is **black and white**: Something is either true (1) or false (0).

Fuzzy logic allows **shades of gray**: Something can be somewhat true, partially true, or mostly true.

Real-World Example

Traditional Logic:
├── Is the review positive? YES (1) or NO (0)
└── Problem: What about mixed reviews?

Fuzzy Logic:
├── How much is it positive? 0.7 (70% positive)
├── How much is it negative? 0.2 (20% negative)
├── How much is it neutral? 0.1 (10% neutral)
└── Much more realistic!

8.2 Why Fuzzy Logic for Employee Reviews?

Employee reviews are **rarely purely positive or negative**. Most are mixed:

Example review:
"Excellent work culture and good communication,
but low salary and limited growth opportunities"

Traditional ML output: NEUTRAL (can't decide)
Problem: Lost important information
├── Positive aspect: Good culture
└── Negative aspect: Poor salary

Fuzzy output:
├── Satisfaction with culture: 0.85
├── Satisfaction with salary: 0.25
├── Satisfaction with growth: 0.30
├── Overall sentiment: 0.46 (slightly negative, but captures nuance)

This is much more useful for HR decisions!

8.3 How Fuzzy Logic Works in Our System

Step 1: Fuzzy Sets

Define fuzzy categories for each aspect:

Salary satisfaction:
├── LOW: 0-3 rating (fuzzy value: 0.2)
├── MEDIUM: 4-6 rating (fuzzy value: 0.5)
└── HIGH: 7-10 rating (fuzzy value: 0.8)

Management quality:
├── POOR: Few positive words about manager (fuzzy: 0.1)
├── ACCEPTABLE: Mixed feedback (fuzzy: 0.5)
└── GOOD: Many positive words (fuzzy: 0.8)

Step 2: Extract Fuzzy Features from Reviews

Review text: "Good management but low salary"

Extracted features:
├── Management score: 0.75 (good based on positive words)
├── Salary score: 0.25 (low salary = unhappy)
├── Culture mentions: Present (score 0.6)
└── Career growth: Absent (score 0.0)

These are our "fuzzy features"

Step 3: Combine Fuzzy Features with BERT

Our Hybrid Approach:

Input 1: BERT Embedding
└── 768-dimensional vector from BERT

Input 2: Fuzzy Features
├── Management fuzzy value
├── Salary fuzzy value
├── Culture fuzzy value
├── Growth fuzzy value
└── VADER sentiment scores
├── Positive intensity
├── Negative intensity
└── Neutral intensity

Combined: Feed both to neural network
├── BERT understands overall meaning
├── Fuzzy features capture specific aspects
└── Model learns to classify using both sources

8.4 Why This Hybrid Approach Works

BERT alone:
├── Great for understanding overall meaning
├── But black-box (hard to interpret why it decided something)
└── May miss specific details important for HR

Fuzzy Logic alone:
├── Easy to interpret and explain to HR
├── But may oversimplify complex reviews
└── Rule-based, can miss nuances

BERT + Fuzzy Logic:
├── BERT handles complex meaning and context
├── Fuzzy provides interpretable signals
├── Model combines both for best accuracy
├── HR can understand reasoning ("low salary made employee unhappy")
└── Best of both worlds!

---

9. Model Training & Implementation

9.1 Understanding the Hybrid Neuro-Fuzzy BERT Model

Our model is a **hybrid neural network** that combines:

1. BERT embeddings (deep learning)
2. Fuzzy logic features (interpretable signals)
3. Neural classifier (final decision maker)

Architecture Diagram

INPUT LAYER
├── Review text: "Good salary but poor management"
└── Numerical data: Skills, experience, performance

PROCESSING (Layer 1)
├── BERT processing:
│ └── Converts text to 768-dimensional embedding
│
└── Fuzzy feature extraction:
├── VADER sentiment scores
├── Fuzzy membership values
├── Text-based signals
└── Keyword-based scores

COMBINED FEATURE VECTOR (Layer 2)
└── 768 (BERT) + 6 (fuzzy features) = 774 dimensions

NEURAL NETWORK (Layers 3-5)
├── Hidden Layer 1: 256 neurons
│ └── Learn patterns in combined features

├── Hidden Layer 2: 128 neurons
│ └── Learn more complex patterns
└── Activation: ReLU (helps learn non-linear patterns)

DROPOUT (Layer 6)
└── Randomly ignore 20% of neurons during training
├── Prevents overfitting (memorizing training data)
└── Improves generalization to new data

OUTPUT LAYER (Layer 7)
├── 3 neurons (one for each class)
├── Softmax activation: Converts to probabilities
└── Output: [P(Negative), P(Neutral), P(Positive)]
Example: [0.1, 0.2, 0.7] → Predicted class: POSITIVE

9.2 Training Data Preparation

Data Splitting

We divide our 65,238 cleaned reviews into three groups:

Training Set: 70% = 45,666 reviews
├── Used to teach the model
├── Model learns patterns from this data
└── We show the correct answer so it can learn

Validation Set: 15% = 9,785 reviews
├── Used to tune training process
├── Model hasn't seen this data before
├── Helps us decide when to stop training
└── Prevents overfitting

Test Set: 15% = 9,787 reviews
├── Final evaluation of model
├── Used ONLY at the very end
├── Model hasn't seen this data before
└── Gives us true accuracy on new data

Why split?

- Training set: Model learns
- Validation set: We adjust training based on performance
- Test set: We measure true performance on unseen data

Handling Imbalanced Data

Our dataset has more negative reviews than positive:

Original distribution:
├── Negative (0): 53% of data
├── Neutral (1): 31% of data
└── Positive (2): 16% of data

Problem: Model learns to predict Negative too much
Gets 53% accuracy by predicting everything as Negative

Solution 1: Class Weights
├── Give more importance to Positive and Neutral classes
├── Model learns: "Getting Positive class right = more important"
└── Balances learning across all classes

Solution 2: Oversampling
├── Create more Positive examples (copy existing ones)
├── Increase Positive/Neutral representation
└── Balance dataset artificially

9.3 Training Process

Step 1: Initialization

Before training:
├── BERT model: Already pre-trained (loaded from library)
├── Neural network layers: Randomly initialized weights
├── Optimizer: AdamW (smart learning rate adjustment)
└── Loss function: CrossEntropyLoss (measures prediction error)

Step 2: Training Loop

For each epoch (full pass through training data):

For each batch of 32 reviews:

```
Step 1: FORWARD PASS
 ├── Input reviews through BERT → Get embeddings
 ├── Extract fuzzy features from reviews
 ├── Combine: Embedding + Fuzzy features = 774-dim vector
 ├── Feed through neural network layers
 └── Get output: [P(Negative), P(Neutral), P(Positive)]

Step 2: CALCULATE LOSS (ERROR)
 ├── Compare prediction with true label
 ├── Example:
 │    ├── Predicted: [0.2, 0.3, 0.5] (think Positive)
 │    ├── Actual: [0, 0, 1] (truly Positive)
 │    └── Loss = 0.23 (small error = good)
 └── Loss tells us how wrong we were

Step 3: BACKPROPAGATION
 ├── Calculate how much each parameter contributed to error
```

```
  ├── Find gradient (direction to improve)
  └── Update all weights slightly to reduce error

Step 4: UPDATE WEIGHTS
  ├── Learning rate: 2e-5 (step size)
  ├── Adjust each weight: w_new = w_old - learning_rate * gradient
  └── Model improves slightly
```

After each epoch:
├── Evaluate on validation set
├── Track metrics: Accuracy, F1-score, Loss
└── Check if performance improved

Step 3: Early Stopping

During training, we monitor performance:

Epoch 1: Validation Accuracy = 0.75
Epoch 2: Validation Accuracy = 0.78 ✓ (improving)
Epoch 3: Validation Accuracy = 0.81 ✓ (still improving)
Epoch 4: Validation Accuracy = 0.81 (no improvement)
Epoch 5: Validation Accuracy = 0.80 (getting worse!)

STOP TRAINING!
├── Model was best at Epoch 3
├── After that, it started overfitting
├── Overfitting = memorizing training data instead of learning patterns
└── Load the Epoch 3 model for testing

Why early stopping?

- Prevents overfitting
- Saves computation time
- Improves generalization

9.4 Model Checkpoint

After training, we save the trained model:

Saved files:
├── model_weights.pth: Neural network parameters
├── tokenizer.json: BERT tokenizer (converts words to numbers)
├── config.json: Model architecture information
└── training_log.csv: Performance metrics per epoch

Later, we can:
├── Load the saved model
├── Use it to predict sentiment for NEW reviews

├── Don't need to retrain (saves time)
└── Share with other teams

9.5 Training Hyperparameters

These control how the model learns:

Learning Rate: 2e-5 (0.00002)
├── How big each weight update is
├── Too high: Model bounces around, doesn't converge
├── Too low: Training is very slow
└── 2e-5: Good balance for BERT fine-tuning

Batch Size: 32 reviews
├── How many examples before updating weights
├── Trade-off: Large batch = stable but slow
│ Small batch = noisy but fast
└── 32: Standard choice, balanced

Epochs: Up to 10 (but stop early usually at 3-4)
├── How many times we see all training data
├── More epochs = better learning (up to a point)
└── Early stopping prevents overfitting

Weight Decay: 0.01
├── Prevents overfitting by penalizing large weights
├── Encourages simpler model
└── Improves generalization

Warmup Steps: 500
├── Gradually increase learning rate at start
├── Helps stability during initial training
└── Then keep steady for main training

---

10. Evaluation & Results

10.1 Evaluation Metrics

After training, we test the model on unseen data and measure:

Metric 1: Accuracy

What it means: Percentage of predictions that were correct

Formula: Correct predictions / Total predictions

Example:
├── Total test samples: 100
├── Model predicted correctly: 82
├── Accuracy = 82/100 = 82%

Interpretation:
├── 82% accuracy = pretty good
├── But can be misleading for imbalanced data
└── That's why we use other metrics too

Metric 2: Precision

What it means: Of all predictions of "Positive",
how many were actually correct?

Formula: True Positives / (True Positives + False Positives)

Example:
├── Model said "Positive": 50 times
├── Actually positive: 45 times
├── Precision = 45/50 = 90%

Interpretation:
├── High precision = trustworthy positive predictions
├── Good for: HR wants to be sure before recommending actions
└── Useful when false positives are costly

Metric 3: Recall

What it means: Of all actual "Positive" reviews,
how many did model catch?

Formula: True Positives / (True Positives + False Negatives)

Example:
├── Total positive reviews in test: 100
├── Model found: 85
├── Recall = 85/100 = 85%

Interpretation:
├── High recall = model doesn't miss positives
├── Good for: Want to identify all satisfied employees
└── Useful when false negatives are costly

Metric 4: F1-Score

What it means: Balanced combination of Precision and Recall

Formula: 2 * (Precision * Recall) / (Precision + Recall)

Example: Precision = 90%, Recall = 85%
├── F1 = 2 * (0.9 * 0.85) / (0.9 + 0.85)
├── F1 = 2 * 0.765 / 1.75
├── F1 = 0.873 = 87.3%

Why use F1?
├── Single number combining both metrics
├── Better for imbalanced datasets

├── Standard in NLP and ML
└── Good for overall model quality

10.2 Confusion Matrix

Shows exactly which predictions were right/wrong:

```
        Predicted
        N  NEU P
N   |40   5  2  |   Actual
NEU |3   28  4  |
P   |1    2 15  |
```

Reading:
├── 40 Negative reviews correctly identified as Negative ✓
├── 5 Negative reviews wrongly identified as Neutral ✗
├── 2 Negative reviews wrongly identified as Positive ✗
├── 28 Neutral reviews correctly identified ✓
├── 15 Positive reviews correctly identified ✓
└── Good model: Most predictions are on diagonal

Key insights:
├── Model is better at Negative and Neutral
├── Struggles a bit with Positive (fewer examples)
└── Overall balanced performance

10.3 Expected Results

Based on similar projects with BERT + Fuzzy Logic:

Typical Performance:

Negative class:
├── Precision: 88-92%
├── Recall: 85-90%
└── F1-score: 86-91%

Neutral class:
├── Precision: 75-82%
├── Recall: 70-80%
└── F1-score: 72-81%

Positive class:
├── Precision: 80-88%
├── Recall: 75-85%
└── F1-score: 77-86%

Overall Accuracy: 82-88%

Interpretation:
├── Very good for sentiment analysis
├── Reliable enough for HR decision support
├── Higher for Negative (more training examples)
├── Hybrid approach captures both meaning + nuance
└── Ready for real-world use

10.4 Model Performance Analysis

Strengths

1. High accuracy on negative reviews (85-90%)
   ├── Lots of training data for negative class
   └── Clear negative language patterns
2. Good understanding of nuance
   ├── BERT captures context
   ├── Fuzzy logic handles mixed reviews
   └── Not just word matching
3. Balanced performance across classes
   ├── Despite imbalanced training data
   ├── Because of class weights and oversampling
   └── Fair to all sentiment types
4. Interpretable decisions
   ├── Fuzzy features explain reasoning
   ├── HR can understand why model decided positive/negative
   └── Better trust and adoption

Limitations

1. Positive reviews slightly harder
   ├── Only 16% of training data
   ├── Model sees fewer examples
   └── Solution: Collect more positive reviews
2. Domain-specific language
   ├── BERT trained on general text
   ├── Company-specific terms may not be understood
   └── Solution: Fine-tune on more company data
3. Sarcasm and complex emotion
   ├── "Great company - for escaping to!" (sarcasm)
   ├── Model might misclassify
   └── Fuzzy logic helps but not perfect
4. Fresh data drift
   ├── Over time, language changes
   ├── New topics emerge (e.g., remote work importance post-COVID)
   └── Solution: Retrain periodically with new data

---

11. Next Steps After Model Training

11.1 Deployment & Real-World Use

Once training is complete, the model is ready for use:

Step 1: Production Deployment

What to do:
├── Save trained model with all components
├── Create API (Application Programming Interface)
│ └── Allows other systems to use the model
├── Set up servers to run model predictions
└── Ensure 24/7 availability

Technical setup:
├── Use Flask/FastAPI for web service
├── Containerize with Docker (portable, scalable)
├── Deploy on cloud (AWS, GCP, Azure)
├── Set up monitoring for performance
└── Create logging for all predictions

Input → Model → Output
Example:
├── Input: New employee review text
├── Process: Send through trained model
├── Output: [Negative: 0.05, Neutral: 0.20, Positive: 0.75]

Step 2: Integrate with HR Systems

Connect model predictions to HR workflows:

├── HR Portal Integration:
│ ├── When new review submitted
│ ├── Model automatically analyzes sentiment
│ ├── Score appears in employee profile
│ └── HR has instant insight

├── Dashboard Creation:
│ ├── Show sentiment scores per employee
│ ├── Show sentiment per team
│ ├── Identify at-risk employees
│ ├── Track sentiment trends over time
│ └── Visual charts for management

├── Alert System:
│ ├── Alert HR if very negative reviews received
│ ├── Flag employees with declining satisfaction
│ ├── Highlight teams with morale issues
│ └── Trigger follow-up conversations

11.2 Employee Profile Creation

Create comprehensive profiles combining all data:

Example Employee Profile:

Name: John Smith
Employee ID: EMP-5042
Department: Engineering
Current Team: Backend Team 1

SKILLS & EXPERIENCE:
├── Primary Skills: Python, Java, Cloud Architecture
├── Years of Experience: 7 years
├── Performance Rating: 8.5/10
├── Projects Completed: 23 (on time: 20)
└── Past Promotions: 2 (last: 1 year ago)

SENTIMENT ANALYSIS:
├── Recent Review Count: 4 reviews analyzed
├── Sentiment Trend:
│ ├── 1 year ago: 0.65 (positive)
│ ├── 6 months ago: 0.55 (neutral-positive)
│ ├── 3 months ago: 0.42 (neutral)
│ └── Current: 0.38 (slightly negative) ⚠
├── Current Satisfaction Score: 3.8/10
├── Sentiment Trajectory: DECLINING

KEY FEEDBACK THEMES:
├── Positive aspects mentioned:
│ ├── Good team collaboration (3 reviews)
│ └── Interesting technical work (2 reviews)
├── Negative aspects mentioned:
│ ├── Limited career growth (4 reviews)
│ ├── Unfair promotion criteria (3 reviews)
│ ├── Low salary compared to market (3 reviews)
│ └── Management lack of support (2 reviews)

TEAM DYNAMICS:
├── Works well with: Sarah (Tech Lead), Mike (Senior Dev)
├── Potential conflicts: Minimal
├── Leadership potential: High (technical skills + collaboration)
└── Cultural fit: Good

RECOMMENDATIONS:
├── IMMEDIATE: Schedule career development meeting
├── SHORT-TERM: Clarify promotion criteria and timeline
├── MID-TERM: Consider for team lead role
├── LONG-TERM: Monitor and provide growth opportunities
└── Risk Level: MEDIUM (declining satisfaction requires attention)

11.3 Team-Level Analysis

Analyze sentiment at team level to identify team problems:

Team Performance Report:

BACKEND TEAM 1:
├── Size: 6 members
├── Average Sentiment Score: 0.52 (Neutral)
├── Performance Metric: 92% on-time delivery
└── Problem: Good performance but low morale

SENTIMENT DISTRIBUTION:
├── Very Negative (0.0-0.2): 1 person (John Smith)
├── Negative (0.2-0.4): 0 people
├── Neutral (0.4-0.6): 3 people
├── Positive (0.6-0.8): 2 people
└── Very Positive (0.8-1.0): 0 people

IDENTIFIED ISSUES:
├── Low promotion visibility: All reviews mention this
├── Overwork: Team often works overtime
├── Unclear expectations: Multiple team members mention
└── Salary dissatisfaction: Team below market rate

TEAM DYNAMICS:
├── Leadership: Tech Lead is strong (0.78 sentiment)
├── Junior developers: Uncertain about future (0.45 sentiment)
├── Collaboration: Good (people mention teamwork positively)
└── Mentoring: Limited (seniors not mentoring juniors effectively)

ROOT CAUSE ANALYSIS:
├── Why performance good but morale low?
│ ├── Team is professional and responsible
│ ├── Deliver despite unhappiness
│ ├── Not sustainable long-term
│ └── Risk of team breakdown or exodus

RECOMMENDATIONS:
├── URGENT: Conduct career development reviews
├── Salary: Conduct market analysis and adjust if needed
├── Promotion: Establish clear criteria and timeline
├── Workload: Hire 1-2 developers to reduce overtime
├── Mentoring: Pair seniors with juniors formally
├── Culture: Improve recognition and celebration
└── Timeline: Implement within 2-3 months to retain team

11.4 Reassignment Recommendations

Based on profiles and team analysis, make reassignment suggestions:

Example 1: Skill Mismatch

Current Situation:
├── Employee: Sarah
├── Current Team: Frontend Team (web development)
├── Sentiment: 0.35 (Negative)
├── Skills: Excellent in Data Analysis and Statistics
├── Issue: Frustrated with web development, skills underutilized

Data Analytics Team:
├── Needs: Data analyst for new project
├── Current team morale: 0.62 (okay but not great)
├── Missing: Someone with statistical background
├── Open position: Yes

RECOMMENDATION:
├── Action: Transfer Sarah to Data Analytics Team
├── Expected outcome:
│ ├── Sarah: Happier (uses real skills, 0.35 → 0.72 expected)
│ ├── Frontend Team: Still okay (they didn't need her specific skills)
│ ├── Data Team: Better capability (gains skilled analyst)
│ ├── Company: Improved productivity overall
│ └── Retention: Sarah more likely to stay
│
├── Implementation:
│ ├── Month 1: Training on company data systems
│ ├── Month 2: Transition old projects
│ ├── Month 3: Full productivity in new role
│ └── Follow-up: Check sentiment in 3 months

Impact Metrics:
├── Before: Sarah frustrated, underperforming
├── After: Sarah engaged, full potential utilized
└── Win-win for both parties

Example 2: Team Balance

Current Situation:

Backend Team A (struggling):
├── Sentiment average: 0.38 (negative)
├── Performance: 78% on-time delivery
├── Issue: Low morale affects productivity
├── Composition: Mostly junior developers, no senior mentor
└── Need: Experienced mentor/lead

Backend Team B (thriving):
├── Sentiment average: 0.72 (positive)

├── Performance: 95% on-time delivery
├── Strength: Well-balanced with seniors mentoring juniors
└── Can spare: One senior who wants to lead bigger team

RECOMMENDATION:
├── Action: Move senior developer Mike from Team B to Team A as Tech Lead
├── Reason:
│   ├── Team A needs mentorship
│   ├── Mike has mentoring skills
│   ├── Mike wants leadership responsibility
│   └── Both teams benefit

Expected Outcomes:
├── Team A:
│   ├── Sentiment: 0.38 → 0.55 (mentoring improves morale)
│   ├── Performance: 78% → 88% (leadership clarity)
│   └── Retention: Improved (people feel supported)
│
├── Team B:
│   ├── Sentiment: 0.72 → 0.70 (minor, losing mentor but get space for growth)
│   ├── Performance: 95% → 92% (slight dip but junior devs step up)
│   └── Retention: Improved (juniors see growth path)
│
└── Company: Better team balance overall

Implementation Timeline:
├── Week 1-2: Announce, plan transition
├── Week 3-4: Mike mentors successor in Team B
├── Week 5: Mike moves to Team A
├── Month 1-3: Stabilization period
└── Month 4: Evaluate results

Example 3: At-Risk Employee

Current Situation:

Employee: David
├── Sentiment Score: 0.22 (Negative)
├── Trend: Declining (was 0.55 six months ago)
├── Performance: Still meeting targets (8.2/10)
├── Reviews mention: Low morale, burnout, considering other jobs

KEY INSIGHTS:
├── Good employee currently,
├── but at risk of leaving soon
└── Company invested time to train him

ACTION: Intervention Before Loss

Step 1: Understanding (Manager meeting)
├── "David, we noticed you seem less engaged"

├── "We value you and want to help"
├── "What would make your role more satisfying?"
└── Listen to real issues

Step 2: Address Core Issues
├── If salary: Market adjustment if possible
├── If growth: Create clear promotion path
├── If workload: Redistribute or hire help
├── If culture: Transfer to better team environment
└── Show concrete action, not just words

Step 3: New Opportunity
├── Option A: Promote to more senior role (if he wants)
├── Option B: Move to new project (if he needs change)
├── Option C: Training opportunity (if he wants development)
├── Option D: Mentoring role (if he wants leadership)
└── Match opportunity to what he needs

Expected Outcome:
├── David feels valued: 0.22 → 0.60 (hypothetical)
├── Stays with company
├── Company retains trained employee
├── Cost of intervention < Cost of replacement
└── Everyone benefits

Timeline:
├── Week 1: Initial conversation
├── Week 2: Identify specific concerns
├── Week 3-4: Develop solution
├── Month 2: Implement changes
├── Month 3: Monitor progress
└── Month 6: Evaluate if successful

11.5 Model Maintenance & Updates

Keep the model performing well over time:

Regular Monitoring

What to monitor:
├── Prediction accuracy on recent data
├── Is model still working as well?
├── Any patterns we're missing?

Track:
├── Confusion matrix metrics
├── Sentiment distribution changes
├── False positive/negative rates
└── User feedback on predictions

When to retrain:
├── Every 3-6 months (collect new reviews)
├── When accuracy drops below 80%
├── When new topics emerge (remote work, AI, etc.)
├── When company adds new departments
└── When language patterns change

Continuous Improvement

Gather feedback:
├── HR team: "Were predictions accurate?"
├── Employees: "Did sentiment capture real feeling?"
├── Managers: "Did recommendations help?"
└── Results: "Did changes improve team performance?"

Use feedback to:
├── Identify prediction errors and causes
├── Update fuzzy rules if needed
├── Collect more training examples
├── Adjust decision thresholds
└── Improve model next version

Iterative process:
├── Version 1: Current trained model
├── Collect feedback (3 months)
├── Retrain with new data (1 month)
├── Version 2: Improved model
├── Deploy and repeat
└── Continuous improvement cycle

A/B Testing

Before deploying improved model:

Keep Current Model (A):
├── Continue using for half of reviews
├── Measure performance

Test New Model (B):
├── Use for other half of reviews
├── Measure performance

Compare:
├── Is B better than A?
├── Is difference significant?
├── Any unexpected issues?
└── Which is more reliable?

Deploy:
├── If B wins: Switch all to B
├── If same: Keep A (simpler)

├── If worse: Improve B further
└── No guessing, data-driven decision

11.6 Business Impact Metrics

Measure success by business outcomes:

Key Metrics to Track:

1. Employee Retention
   ├── Before: X% of employees leave annually
   ├── After system: (X-Y)% leave
   ├── Cost saved: Y% of salary * average salary * # employees
   └── ROI calculation: Compare improvement cost vs savings
2. Team Productivity
   ├── Before: Average 85% project completion on time
   ├── After: 91% on-time completion
   ├── Impact: More reliable delivery, better planning
   └── Business value: Improved customer satisfaction
3. Employee Engagement
   ├── Before: 45% engagement score (employee survey)
   ├── After: 62% engagement score
   ├── Impact: Better work quality, fewer mistakes
   └── Business value: Higher company profits
4. Promotion Fairness
   ├── Before: 60% employees feel promotions are fair
   ├── After: 82% feel promotions are fair
   ├── Impact: Trust in HR, reduced complaints
   └── Business value: Better HR-employee relationship
5. Cost Reduction
   ├── Recruitment cost per new hire: $50,000
   ├── Replaced employees: 5 less per year (through better retention)
   ├── Annual savings: 5 * $50,000 = $250,000
   └── System cost: $30,000/year → Net savings: $220,000

Dashboard to Show Value:
├── Retention rate improvement: 15% ✓
├── Productivity improvement: 7% ✓
├── Cost savings: $220,000/year ✓
├── Employee satisfaction: +17 points ✓
└── ROI: 7:1 (for every $1 spent, $7 saved)

11.7 Advanced Future Improvements

Future enhancements to consider:

1. Multilingual Support
   ├── Current: English only
   ├── Future: Support Hindi, Marathi, Bengali, etc.
   ├── Benefit: For global companies with diverse workforce
   └── Effort: Retrain BERT for other languages

2. Real-Time Monitoring
   ├── Current: Process reviews in batches
   ├── Future: Continuous monitoring of communications
   ├── Benefit: Detect morale issues quickly
   ├── Privacy concern: Need to handle carefully
3. Predictive Turnover
   ├── Current: Identify unhappy employees
   ├── Future: Predict who will leave next
   ├── How: Train model on historical data
   │   ├── "Who left in past 2 years?"
   │   ├── "What were their sentiment patterns?"
   │   └── "Who has same pattern now?"
   ├── Benefit: Proactive retention efforts
   └── Impact: Prevent employee loss before it happens
4. Recommendation Engine
   ├── Current: Suggest reassignments manually
   ├── Future: Automatic suggestions
   ├── How: ML algorithm to find optimal assignments
   │   ├── Employee skills
   │   ├── Team needs
   │   ├── Sentiment match
   │   └── Development goals
   ├── Benefit: Optimal team composition
   └── Impact: Better performance, better morale
5. Sentiment Dynamics
   ├── Current: Static sentiment score
   ├── Future: Sentiment over conversation/time
   ├── How: Analyze how sentiment changes during interaction
   │   ├── "Started negative, became positive" = resolved issue
   │   ├── "Started positive, became negative" = growing problem
   │   └── "Stable positive" = consistently happy
   ├── Benefit: Understand issue resolution
   └── Impact: Better follow-up actions
6. Contextual Analysis
   ├── Current: Sentiment only
   ├── Future: Understand specific complaint categories
   ├── How: Tag reviews with topics
   │   ├── Salary dissatisfaction
   │   ├── Growth concerns
   │   ├── Management issues
   │   ├── Work-life balance
   │   ├── Team dynamics
   │   └── Work conditions
   ├── Benefit: Targeted interventions
   └── Impact: Solve root causes, not just symptoms

Summary: End-to-End Project Flow

The Complete Journey

START: Raw employee reviews
↓
[PHASE 1]
Data Collection & Cleaning
├── Collect 86,117 reviews
├── Clean text (remove noise)
├── Remove duplicates
└── 65,238 usable reviews
↓
[PHASE 2]
Feature Engineering
├── BERT embeddings (deep meaning)
├── VADER sentiment scores (word-level emotions)
├── Fuzzy features (specific aspects)
└── Combined 774-dim features
↓
[PHASE 3]
Model Training
├── Split data: 70% train, 15% valid, 15% test
├── Train hybrid neural network
├── Early stopping to prevent overfitting
└── Save best model
↓
[PHASE 4]
Model Evaluation
├── Test on unseen data
├── Measure: Accuracy, Precision, Recall, F1-Score
├── Analyze: Confusion matrix
└── Validate: Performance meets requirements
↓
[PHASE 5]
Deployment
├── Create API endpoint
├── Deploy to production server
├── Integrate with HR systems
└── Set up monitoring
↓
[PHASE 6]
Real-World Application
├── Analyze new employee reviews
├── Create employee profiles
├── Generate team reports
├── Make reassignment recommendations
└── Track business impact
↓

END: Better team performance,
higher employee satisfaction,
better HR decisions

Key Takeaways

What Makes This System Effective:

1. **Comprehensive Data**: Uses both skills (structured) and feelings (sentiment)
2. **Advanced Technology**: Combines BERT (cutting-edge AI) with Fuzzy Logic (human-like reasoning)
3. **Practical Output**: Not just scores, but actionable recommendations
4. **Interpretable**: HR can understand why model made decisions
5. **Measurable**: Can track business impact and ROI
6. **Scalable**: Can handle hundreds or thousands of employees

The Value Proposition:

- ✓ **For Employees**: Fair decisions, opportunities for growth, better workplace
- ✓ **For HR**: Data-driven decisions, reduced bias, better retention
- ✓ **For Management**: Better team performance, higher productivity
- ✓ **For Company**: Higher profits, better culture, competitive advantage

The Innovation:

This project combines **latest AI technology** (BERT) with **practical business logic** (Fuzzy reasoning) to solve a real HR problem that many companies face daily.

Glossary of Confusing Terms

A

- **API**: Application Programming Interface - way for different software to communicate
- **Accuracy**: Percentage of correct predictions out of all predictions

B

- **BERT**: Bidirectional Encoder Representations from Transformers - AI model for understanding text
- **Backpropagation**: Process of updating weights based on prediction errors
- **Batch**: Group of examples processed together
- **Bidirectional**: Reading text both left-to-right and right-to-left

C

- **Classification**: Task of assigning text to categories (like Positive/Negative/Neutral)
- **Confusion Matrix**: Table showing which predictions were correct/wrong
- **Corpus**: Large collection of text used for training

D

- **Dataset**: Collection of examples used for training
- **Dropout**: Technique to prevent overfitting by randomly ignoring neurons

E

- **Embedding**: Converting text into numerical vectors
- **Early Stopping**: Stop training when validation performance stops improving
- **Epoch**: One complete pass through all training data

F

- **F1-Score**: Balanced combination of Precision and Recall
- **Fuzzy Logic**: Logic allowing values between 0 and 1 (not just 0 or 1)

G

- **Gradient**: Direction to move for improving prediction

H

- **Hyperparameter**: Settings that control how model learns (learning rate, batch size, etc.)
- **Hidden Layer**: Internal layer in neural network

L

- **Learning Rate**: How big each weight update is during training
- **Loss**: Measure of prediction error

M

- **Model**: Trained mathematical function that makes predictions
- **NLP**: Natural Language Processing - AI for understanding human language

N

- **Neural Network**: Computer network mimicking brain structure
- **Normalization**: Converting to standard format
- **Neuron**: Basic unit in neural network

O

- **Overfitting**: Model memorizing training data instead of learning patterns
- **Optimizer**: Algorithm that updates weights during training (like AdamW)

P

- **Precision**: Of all positive predictions, how many were actually correct
- **Pre-training**: Training on large general dataset before fine-tuning

R

- **Recall**: Of all actual positives, how many did model catch
- **ReLU**: Activation function (Rectified Linear Unit)

S

- **Sentiment**: Emotional tone or feeling (positive, negative, neutral)
- **Softmax**: Function converting outputs to probabilities
- **Supervised Learning**: Learning from labeled examples (we know correct answers)

T

- **Tokenization**: Breaking text into individual words/tokens
- **Transfer Learning**: Using knowledge from one task to help another task
- **Transformer**: Type of neural network good at processing sequences

V

- **VADER**: Tool for sentiment analysis (Valence Aware Dictionary and sEntiment Reasoner)
- **Validation Set**: Data used to tune training (not seen during training)
- **Vector**: List of numbers representing something

W

- **Warmup**: Gradually increasing learning rate at start of training
- **Weight**: Parameter in neural network that gets updated during training

---

References & Resources

Technical Papers

- BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding
- Sentiment Analysis Using BERT and Fuzzy Logic Optimization

Tools & Libraries Used

- **PyTorch**: Deep learning framework for building neural networks
- **Transformers**: Hugging Face library with pre-trained BERT models
- **VADER**: Sentiment analyzer built on lexicon
- **scikit-fuzzy**: Python library for fuzzy logic
- **pandas**: Data manipulation and analysis

Helpful Concepts for Future Learning

- **Transfer Learning**: How to adapt pre-trained models to new tasks
- **Fine-tuning**: How to train pre-trained models on new data
- **Attention Mechanism**: How transformers focus on important parts of text
- **Word Embeddings**: How to represent words as vectors
- **Fuzzy Membership Functions**: How to define fuzzy sets for different values

Recommendations for Next Learning

1. Study BERT architecture in detail
2. Learn more about transfer learning
3. Explore other transformer models (GPT, RoBERTa)
4. Study ensemble methods (combining multiple models)
5. Learn about ethical AI and bias detection

Document prepared for: Future reference and team understanding
Complexity Level: Beginner to Intermediate
Intended Audience: Students, HR professionals, Business analysts, Technical team members
Last Updated: December 2025