

Cpp MCQ Test

Total points **31/37**

Rules :

- a. Total Questions = 20
- b. Total Marks = 37
- c. The number of marks with each question may vary.
- d. There is no negative marking for incorrect & unanswered questions.
- e. Please don't cheat & solve on your own as this quiz is for your practice only.

All the best :)

The respondent's email (**ankit485803@gmail.com**) was recorded on submission of this form.

✓ (1 Mark)

*

1/1

Find the output of the following code.

```
if(1+1+1+1+1 == 5) {  
    cout << "True\n";  
} else {  
    cout << "False\n";  
}
```

☒ True



☐ False

☐ Compiler Error

☐ None



✓ (4 Marks)

*

4/4

What will be the output of the following program?

```
int count = 1;
while(count <= 15) {
    cout << (count % 2 == 1 ? "***" : "++++");
    ++count;
}
cout << endl;
```

- ☐ 15 times ***
- ☐ 15 times +++++
- ☒ 8 times *** and 7 times +++++ ✓
- ☐ Both will print only once

✓ (2 Marks)

2/2

Find the output of the following code.

```
int x = 5;
x *= (3 + 7);
cout << x << endl;
```

- ☒ 50 ✓
- ☐ Option 2
- ☐ 10
- ☐ None of the above



✓ (1Mark)

*

1/1

What is the purpose of the 'const' keyword in C++?

- ☒ It declares a constant variable that cannot be modified after initialization. ✓
- ☐ It is used as a return type of function when constant values are to be returned.
- ☐ It denotes a class that cannot be inherited.
- ☐ It creates a copy of a variable for use in a function.

✓ (1 Mark)

*

1/1

C++ is a _____ language. Fill in the blank.

- ☐ Case Sensitive
- ☐ Object Oriented
- ☐ Statically Typed
- ☒ All of the above ✓

✓ (2 Marks)

*

2/2

What is the decimal form of 1101001.

- ☐ 102
- ☐ 103
- ☐ 104
- ☒ 105 ✓



✓ (2 Marks)

*

2/2

What is the binary form of 45.

☐ 110010☒ 101101 ✓☐ 110100☐ 101010

✓ (1Mark)

*

1/1

Identify the correct range of signed char.

☐ -256 to 255☒ -128 to 127 ✓☐ 0 to 255☐ 0 to 127

✓ (1 Mark)

*

1/1

Out of these statements, which ones are incorrect?

☐ The Brackets () have the highest precedence☐ The equal to = operator has the lowest precedence☐ The addition operator + and the subtraction operator – have an equal precedence☒ The division operator / has comparatively higher precedence as compared to a multiplication operator ✓

✓ (3 Marks)

*

3/3

What is the value of tip after executing the following code?

```
int meal = 5;  
int tip = 2;  
int total = meal + (meal > 6 ? ++tip : --tip);
```

☒ 1☐ 2☐ 3☐ 6

✓ (2 Marks)

*

2/2

Find the output of the following code.

```
int ++a = 10;  
cout << a << " \n ";
```

☐ 101☒ Compiler error as ++a is not a valid identifier☐ 100☐ none of the above

✓ (2 Marks)

*

2/2

How many times will "Apna College" be printed.

```
int count = 0;
do {
    cout << "Apna College\n";
    count++;
} while(count < 10);
```

- ☐ 8
- ☐ 9
- ☒ 10
- ☐ 11



✓ (2 Marks)

*

2/2

Find the output of the following code.

```
int i;
for(i = 1; i < 6; i++) {
    if(i > 3) continue;
}

cout << i << endl;
```

- ☐ 3
- ☐ 4
- ☐ 5
- ☒ 6



✓ (1 Mark)

*1/1

Automatic(Implicit) type conversion is possible in which of the possible cases?

- ☐ int to char
- ☒ int to long
- ☐ long to char
- ☐ double to int



✓ (1 Mark)

*

1/1

Identify the return type of a method that does not return any value.

- ☐ int
- ☒ void
- ☐ double
- ☐ none



✗ (1 Mark)

*

0/1

Identify the infinite loop.

- ☐ for(;;)
- ☐ for(int i=0; i<1; i--)
- ☒ for(int i=0;; i++)
- ☐ all of the above

✗

Correct answer

- ☒ all of the above

✓ (1Mark)

*

1/1

Choose the correct default return value of function in C++.

- ☒ int
- ☐ void
- ☐ char
- ☐ float

✓



✓ (1 Mark)

* 1/1

Which type of loop is guaranteed to have the body execute at least once?

- ☒ do-while loop ✓
- ☐ for (traditional)
- ☐ for-each
- ☐ while

✓ (3 Marks)

*

3/3

Evaluate the following C++ expression, if x=3, y=5, and z=10 :

`++z + y - y + z + x++`

- ☐ 24
- ☐ 23
- ☐ 20
- ☒ 25 ✓



✖ (5 Marks)

*0/5

Which of the following code segments will produce the displayed output (one or more may be correct)?

11111

2222

333

44

5



```
// I
for(int i=1; i<=5; i++) {
    for(int j=1; j<=i; j++) {
        cout << i << " ";
    }
    cout << "\n";
}

// II
for(int i=1; i<=5; i++) {
    for(int j=5; j>=1; j--) {
        cout << i << " ";
    }
    cout << "\n";
}

// III
for(int i=1; i<=5; i++) {
    for(int j=5; j>=i; j--) {
        cout << i << " ";
    }
    cout << "\n";
}

// IV
for(int i=1; i<=5; i++) {
    for(int j=1; j<=5; j++) {
        cout << i << "\n";
    }
}

// V
for(int i=1; i<=5; i++) {
    for(int j=i; j<=5; j++) {
        cout << i << " ";
    }
    cout << "\n";
}
```



☐ Option I☐ Option II☐ Option III☐ Option IV☒ Option V

Correct answer

☒ Option III☒ Option V

This form was created inside Aman Dhattarwal. - [Contact form owner](#)

Does this form look suspicious? [Report](#)

Google Forms



