```
CREATE SCHEMA rsv;
SET SEARCH PATH to rsv:
CREATE TABLE users (
   USER ID INT,
   NAME VARCHAR(20) NOT NULL,
   EMAIL VARCHAR(20) NOT NULL,
   CITY VARCHAR(20),
   STATE VARCHAR(20),
   PINCODE INT.
   GENDER CHAR(1),
   PRIMARY KEY(USER_ID)
);
CREATE TABLE station (
   SID SMALLINT,
   SNAME VARCHAR(20),
   PRIMARY KEY(SID)
);
CREATE TABLE train (
   TRAIN_NO INT PRIMARY KEY,
   TNAME VARCHAR(20),
   SOURCE_ID SMALLINT,
   DEST ID SMALLINT,
   ARR_TIME TIME,
   DEP_TIME TIME,
FOREIGN KEY (DEST_ID) REFERENCES station(SID)
   ON DELETE CASCADE ON UPDATE CASCADE,
FOREIGN KEY (SOURCE ID) REFERENCES station(SID)
   ON DELETE CASCADE ON UPDATE CASCADE );
```

```
CREATE TABLE tstatus(
   TRAIN NO INT.
   DATE date.
   CLASS CHAR(2),
   TOTAL SEAT INT.
   FARE DECIMAL(6,2),
PRIMARY KEY(TRAIN_NO,DATE,Class),
FOREIGN KEY(TRAIN_NO) REFERENCES train(TRAIN_NO)
    ON DELETE CASCADE ON UPDATE CASCADE
);
CREATE TABLE passenger (
   PID INT PRIMARY KEY,
   PNAME VARCHAR(20),
   GENDER CHAR(1),
   AGE SMALLINT
);
CREATE TABLE ticket (
   PNR INT,
   DOJ date,
   CLASS CHAR(2),
   STATUS VARCHAR(7),
   Book_Date date,
PID INT REFERENCES passenger(PID)
       ON DELETE CASCADE ON UPDATE CASCADE,
TRAIN_NO INT REFERENCES train(TRAIN_NO)
       ON DELETE CASCADE ON UPDATE CASCADE,
USER ID INT REFERENCES users(USER ID)
        ON DELETE CASCADE ON UPDATE CASCADE );
```

**INSERT INTO users** 

VALUES(123, 'Alok', 'alk@gmail.com', 'Praygraj', 'UP', 831206, 'M');

**INSERT INTO users** 

VALUES(124,'Ankit', 'ank@gmail.com', 'Chhapra', 'BIHAR', 841205, 'M');

**INSERT INTO users** 

VALUES(125,'Nikhil','nik@gmail.com','Jaipur','RAJSTHAN', 932156,'M');

**INSERT INTO users** 

VALUES(126,'Kshitiz','ksz@gmail.com','Kanpur','UP',831207,'M');

INSERT INTO station VALUES(1,'Allahabad');

INSERT INTO station VALUES(2,'Chhapra');

INSERT INTO station VALUES(3,'Jaiselmer');

INSERT INTO station VALUES(4,'Lucknow');

INSERT INTO station VALUES(5,'Patna');

**INSERT INTO train** 

VALUES(12405, 'Allahabad\_Express', 1, 5, '09:25:00', '09:35:00');

INSERT INTO train VALUES(12406,'Chhapra Express',2,4,'23:25:00','023:40:00');

INSERT INTO train VALUES(12407,'Ajmer\_Express',3,1,'11:40:00','11:42:00');

INSERT INTO train VALUES(13507,'Lucknow\_Express',4,2,'15:10:00','15:20:00');

INSERT INTO train VALUES(12948,'Azimabad\_Express',5,3,'21:40:00','21:50:00');

INSERT INTO tstatus VALUES(12405,'12/05/2019','SL',10,485.00);

INSERT INTO tstatus VALUES(12405,'12/05/2019','AC',5,1485.00);

INSERT INTO tstatus VALUES(12406,'12/06/2019','SL',10,865.00);

INSERT INTO tstatus VALUES(12406,'12/06/2019','AC',5,1895.00);

INSERT INTO tstatus VALUES(12407,'08/08/2019','SL',10,725.00);

INSERT INTO tstatus VALUES(12407,'08/08/2019','AC',5,1735.00);

INSERT INTO tstatus VALUES(13507,'08/06/2019','SL',10,665.00);

INSERT INTO tstatus VALUES(12948,'05/06/2019','AC',5,2795.00);

INSERT INTO passenger VALUES(8,'Alok','M',28);

INSERT INTO passenger VALUES(10,'Ankit','M',19);

INSERT INTO passenger VALUES(24,'Bhatia','M',18);

INSERT INTO passenger VALUES(21, 'Kshitiz', 'M', 17);

INSERT INTO passenger VALUES(02,'Abhimaynu','M',18);

INSERT INTO ticket VALUES (12345,'02/05/2019','SL','CNF','05/04/2019',08,12405,123);

INSERT INTO ticket VALUES (12346, '8/06/2019', 'AC', 'CNF', '02/05/2019', 10,12406, 124);

INSERT INTO ticket VALUES (32145, '8/07/2019', 'AC', 'WT', '20/06/2019', 24, 12407, 125);

INSERT INTO ticket VALUES (98745, '27/04/2019', 'AC', 'CNL', '7/03/2019', 21, 13507, 126);

INSERT INTO ticket VALUES (15489, 10/05/2019', AC', 'CNF', 102/05/2019', 08, 12948, 123);