1) 
$$H_0$$
:  $\sigma_H^2 = \sigma_M^2$ 
 $H_1$ :  $\sigma_H^2 \neq \sigma_M^2$ 

$$F_{n-1,n-2} = \frac{S_{m}}{S_{2}}$$
1. For  $s = \frac{S_{m}}{S_{H^{2}}}$ 

$$S_{M}^{2} = \frac{1}{8} \left[ \frac{1}{2} \times \frac{2}{M} - 9 \times 350 \cdot 2 \right]$$

$$=\frac{1}{8}\left[650t.64\right] = 812.71$$

$$S_{H^{2}} = \frac{1}{10} \left[ S_{X_{H}}^{2} - x11x192.8^{2} \right]$$

$$= \frac{1}{10} \left[ 18362.76 \right] = 1836.28$$

$$\frac{1.7}{1836.28}$$

$$= 0.4426$$

$$= 0.4426$$

$$= 0.4426$$

I f statistic is less than critical value, une accept null hypothesis, thence we conclude that there is no variance in both Offices.

Estatistic if momen in numerator of = 35/45 702/502

$$\Rightarrow P\left(\frac{1}{F_{11,6}} > \frac{1}{3.881}\right) = 2.54.$$

Cumulative probability of Fstatistic is greater than 10%.

5) Ho! Um = Msur = Roper = Mpich Me alsure population means are equal toir, and highway gas mileage is Equal across the three types of core H! At least one mean mileage is not statistically equal Test statistic ANOVA = MSTR ( Between variation Grand mean X 2 Sx 2 31×25.8 +31×22.68 + 21.29×11 7 May 7 23,697 ISTR! Treatment som of squares le Janples Eric XIX.  $= \int 31 \times (25.8 - 23.7) + \left[ 31 \times (22.68 - 23.7) \right]$ + [ MX(21.29-23.7)] = 136.71 + 32.25 + 81.3 = 250.27Error sum of squares & FEE = 2 S (rij-Xi) 2 Variation in the data = 2 S (rij-Xi) 300 (5 (n-7)) = [5x(n-1)] = (31-1)x2,56]+ (81-1) x (3.67)2]+(14-1)x2,762 699,7

Mean Ignare Treatment (MSTR) = SSTR = 250,27 = 125.14 NSE = SSE = 699.7 = 9.585 N-C (31+31+14-3) Faut MSE 7e, F2,73 = 125,14 = 13.00 f<sub>2,73</sub> critical value 2 4.91 (from Calculators) As Fsteristic value (12.08) > Finitical value, use reject the null hypotheris at 1%. Use conclude that anythileage CI. we conclude that anythileage is not statistically equal for the vehicles

any in the second

2) Ho! 
$$H_1 = H_2 = H_3$$
 $N = 8 \times 3 = 18$ , column = 3,  $N - col = 15$ 
arond near  $\overline{\chi} = 177.5$ 

SOLKO						
	linel	line 2	line3	(21-21)2	(22-22)	(x3-x3)2
	210	180	145	201.64	25	277.8
	215	160	170	367.4	225	69.4
	205	195	165	84.03	400	023 11:11
	180	190	160	20,7	225	4 2,78
	175	170	155	434,03	25	1990 44,4
	190	155	175	14.03	480	5830 177.8
70 J	J1175	1050	930	1370,83	1300	583.3
The	195	175	161.7			

 $F_{2,15} = \frac{216.94}{1772.34} = 0.122$ F<sub>15,2</sub> = 1 = 8:197 ferincal value at 51. CJ = 19.43 As 8.197 < 19,43, we accept need hypotheric and conclude that the 3 means are Francis if wienen in menne there of