

My Project

Generated by Doxygen 1.8.11

This is some text you will see if redo works.
This is some text.







Contents

1 Hierarchical Index **1**

1.1 Class Hierarchy . . . 1

2 Class Index **3**

2.1 Class List . . . 3

3 Class Documentation **5**

3.1 air.AbstractDocumentCommandWrapper.AbstractDocumentCommand Class Reference . . . 5

3.1.1 Member Function Documentation . . . 7

3.1.1.1 execute() . . . 7

3.1.1.2 getName() . . . 7

3.2 air.AbstractDocumentCommandWrapper Class Reference . . . 8

3.2.1 Detailed Description . . . 10

3.3 air.DocumentCommandWrapper.AddBoxAnnotationDocumentCommand Class Reference . . . 10

3.3.1 Member Function Documentation . . . 11

3.3.1.1 execute() . . . 11

3.3.1.2 getName() . . . 11

3.4 air.DocumentCommandWrapper.AddCircleAnnotationDocumentCommand Class Reference . . . 12

3.4.1 Member Function Documentation . . . 13

3.4.1.1 execute() . . . 13

3.4.1.2 getNa . . . 13

3.5 air.DocumentCommandWrap . . . 14



3.5.1 Member Function Documentation . . . 15
3.5.1.1 execute() . . . 15
3.5.1.2 getName() . . . 15
3.6 air.AIRMain Class Reference . . . 16
3.6.1 Detailed Description . . . 16
3.6.2 Member Function Documentation . . . 16
3.6.2.1 test(String[] args) . . . 16
3.7 air.DocumentCommandWrapper.DeleteAnnotationDocumentCommand Class Reference . . . 17
3.7.1 Member Function Documentation . . . 18
3.7.1.1 execute() . . . 18
3.7.1.2 getName() . . . 18
3.8 air.DocumentCommandWrapper Class Reference . . . 19
3.8.1 Detailed Description . . . 21
3.8.2 Member Function Documentation . . . 21
3.8.2.1 loadDosumentAtPath(String aPath) . . . 21
3.8.2.2 save(String aPath) . . . 21
3.9 air.AbstractDocumentCommandWrapper.makeCommand Interface Reference . . . 22
3.10 air.DocumentCommandWrapper.MoveAnnotationDocumentCommand Class Reference . . . 23
3.10.1 Member Function Documentation . . . 24
3.10.1.1 execute() . . . 24
3.10.1.2 getName() . . . 24
3.11 air.AbstractDocumentCommandWrapper.RedoAnnotationDocumentCommand Class Reference . . . 25
3.11.1 Member Function Documentation . . . 26
3.11.1.1 execute() . . . 26
3.11.1.2 getName() . . . 27
3.12 air.DocumentCommandWrapper.ReplaceAnnotationDocumentCommand Class Reference . . . 27
3.12.1 Member Function Documentation . . . 28
3.12.1.1 execute() . . . 28

3.12.1.2 getName() 29

3.13 air.DocumentCommandWrapper.SaveDocumentCommand Class Reference 29

3.13.1 Member Function Documentation 30

3.13.1.1 execute() 30

3.13.1.2 getName() 31

3.14 air.DocumentCommandWrapper.SaveTextDocumentCommand Class Reference 31

3.14.1 Member Function Documentation 32

3.14.1.1 execute() 32

3.14.1.2 getName() 33

3.15 air.AbstractDocumentCommandWrapper.UndoAnnotationDocumentCommand Class Reference 33

3.15.1 Member Function Documentation 34

3.15.1.1 execute() 34

3.15.1.2 getName() 35

Index **37**

Chapter 1

Hierarchical Index

1.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

air.AbstractDocumentCommandWrapper.AbstractDocumentCommand 5
air.AbstractDocumentCommandWrapper.RedoAnnotationDocumentCommand 25
air.AbstractDocumentCommandWrapper.UndoAnnotationDocumentCommand 33
air.DocumentCommandWrapper.SaveDocumentCommand 29
air.DocumentCommandWrapper.SaveTextDocumentCommand 31
AbstractDocumentCommand
air.DocumentCommandWrapper.AddBoxAnnotationDocumentCommand 10
air.DocumentCommandWrapper.AddCircleAnnotationDocumentCommand 12
air.DocumentCommandWrapper.AddTextAnnotationDocumentCommand 14
air.DocumentCommandWrapper.DeleteAnnotationDocumentCommand 17
air.DocumentCommandWrapper.MoveAnnotationDocumentCommand 23
air.DocumentCommandWrapper.ReplaceAnnotationDocumentCommand 27
air.AbstractDocumentCommandWrapper 8
air.DocumentCommandWrapper 19
air.AIRMain 16
air.AbstractDocumentCommandWrapper.makeCommand 22

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

air.AbstractDocumentCommandWrapper.AbstractDocumentCommand 5
air.AbstractDocumentCommandWrapper 8
air.DocumentCommandWrapper.AddBoxAnnotationDocumentCommand 10
air.DocumentCommandWrapper.AddCircleAnnotationDocumentCommand 12
air.DocumentCommandWrapper.AddTextAnnotationDocumentCommand 14
air.AIRMain 16
air.DocumentCommandWrapper.DeleteAnnotationDocumentCommand 17
air.DocumentCommandWrapper 19
air.AbstractDocumentCommandWrapper.makeCommand 22
air.DocumentCommandWrapper.MoveAnnotationDocumentCommand 23
air.AbstractDocumentCommandWrapper.RedoAnnotationDocumentCommand 25
air.DocumentCommandWrapper.ReplaceAnnotationDocumentCommand 27
air.DocumentCommandWrapper.SaveDocumentCommand 29
air.DocumentCommandWrapper.SaveTextDocumentCommand 31
air.AbstractDocumentCommandWrapper.UndoAnnotationDocumentCommand 33

Chapter 3

Class Documentation

3.1 air.AbstractDocumentCommandWrapper.AbstractDocumentCommand Class Reference

Inheritance diagram for air.AbstractDocumentCommandWrapper.AbstractDocumentCommand:



Collaboration diagram for air.AbstractDocumentCommandWrapper.AbstractDocumentCommand:



Public Member Functions

- abstract AbstractDocumentCommand execute ()
- abstract String getName ()

Protected Member Functions

- **AbstractDocumentCommand** (AbstractDocumentCommandWrapper anOwner, ArrayList< String > args)
- **AbstractDocumentCommand** (AbstractDocumentCommandWrapper anOwner, List< PDAnnotation > some↩ Annotations)
- **AbstractDocumentCommand** (AbstractDocumentCommandWrapper anOwner, List< PDAnnotation > some↩ Annotations, ArrayList< String > args)

Protected Attributes

- final AbstractDocumentCommandWrapper **owner**
- final ArrayList< String > **arguments**
- List< PDAnnotation > **annotations**

3.1.1 Member Function Documentation

3.1.1.1 abstract AbstractDocumentCommand air.AbstractDocumentCommandWrapper.AbstractDocumentCommand.execute ( ) [abstract]

Returns

If execute() succeeds, a Command that is the reciprocal of the receiver is returned. Otherwise, null is returned.

3.1.1.2 abstract String air.AbstractDocumentCommandWrapper.AbstractDocumentCommand.getName ( ) [abstract]

Returns

The name of the command as it will appear in a user interface for undo and redo operations e.g. "Undo Delete Annotation" where the string after "Undo " is returned from getName().

The documentation for this class was generated from the following file:

- src/air/AbstractDocumentCommandWrapper.java

3.2 air.AbstractDocumentCommandWrapper Class Reference

Inheritance diagram for air.AbstractDocumentCommandWrapper:



Collaboration diagram for air.AbstractDocumentCommandWrapper:



Classes

- class AbstractDocumentCommand
- interface makeCommand
- class RedoAnnotationDocumentCommand
- class UndoAnnotationDocumentCommand

Public Member Functions

- boolean **executeDocumentCommandWithNameAndArgs** (String aName, ArrayList< String > args)
- boolean **executeDocumentCommandWithNameAndArgs** (String aName, String[ ] args)
- boolean **undo** ()
- boolean **redo** ()

Protected Member Functions

- **AbstractDocumentCommandWrapper** (PDDocument aDocument)
- void **registerCommandClassWithName** (makeCommand command, String aName)
- PDAnnotation **getLastAnnotationAtPoint** (List< PDAnnotation > annotations, float x, float y)

Protected Attributes

- final PDDocument **wrappedDocument**
- final Stack< AbstractDocumentCommand > **undoStack**
- final Stack< AbstractDocumentCommand > **redoStack**
- final HashMap< String, makeCommand > **nameToFactoryMap**

3.2.1 Detailed Description

Author

erik

The documentation for this class was generated from the following file:

- src/air/AbstractDocumentCommandWrapper.java

3.3 air.DocumentCommandWrapper.AddBoxAnnotationDocumentCommand Class Reference

Inheritance diagram for air.DocumentCommandWrapper.AddBoxAnnotationDocumentCommand:



Collaboration diagram for air.DocumentCommandWrapper.AddBoxAnnotationDocumentCommand:



Public Member Functions

- **AddBoxAnnotationDocumentCommand** (AbstractDocumentCommandWrapper anOwner, ArrayList< String > args)
- AbstractDocumentCommand execute ()
- String getName ()

3.3.1 Member Function Documentation

3.3.1.1 AbstractDocumentCommand air.DocumentCommandWrapper.AddBoxAnnotationDocumentCommand.execute ( )

Returns

If execute() succeeds, a Command that is the reciprocal of the receiver is returned. Otherwise, null is returned.

3.3.1.2 String air.DocumentCommandWrapper.AddBoxAnnotationDocumentCommand.getName ( )

Returns

The name of the command as it will appear in a user interface for undo and redo operations e.g. "Undo Delete Annotation" where the string after "Undo " is returned from getName().

The documentation for this class was generated from the following file:

- src/air/DocumentCommandWrapper.java

3.4 air.DocumentCommandWrapper.AddCircleAnnotationDocumentCommand Class Reference

Inheritance diagram for air.DocumentCommandWrapper.AddCircleAnnotationDocumentCommand:



Collaboration diagram for air.DocumentCommandWrapper.AddCircleAnnotationDocumentCommand:



Public Member Functions

- **AddCircleAnnotationDocumentCommand** (AbstractDocumentCommandWrapper anOwner, ArrayList< String > args)
- AbstractDocumentCommand execute ()
- String getName ()

3.4.1 Member Function Documentation

3.4.1.1 AbstractDocumentCommand air.DocumentCommandWrapper.AddCircleAnnotationDocumentCommand.execute ( )

Returns

If execute() succeeds, a Command that is the reciprocal of the receiver is returned. Otherwise, null is returned.

3.4.1.2 String air.DocumentCommandWrapper.AddCircleAnnotationDocumentCommand.getName ( )

Returns

The name of the command as it will appear in a user interface for undo and redo operations e.g. "Undo Delete Annotation" where the string after "Undo " is returned from getName().

The documentation for this class was generated from the following file:

- src/air/DocumentCommandWrapper.java

3.5 air.DocumentCommandWrapper.AddTextAnnotationDocumentCommand Class Reference

Inheritance diagram for air.DocumentCommandWrapper.AddTextAnnotationDocumentCommand:



Collaboration diagram for air.DocumentCommandWrapper.AddTextAnnotationDocumentCommand:



Public Member Functions

- **AddTextAnnotationDocumentCommand** (AbstractDocumentCommandWrapper anOwner, ArrayList< String > args)
- AbstractDocumentCommand execute ()
- String getName ()

3.5.1 Member Function Documentation

3.5.1.1 AbstractDocumentCommand air.DocumentCommandWrapper.AddTextAnnotationDocumentCommand.execute ( )

Returns

If execute() succeeds, a Command that is the reciprocal of the receiver is returned. Otherwise, null is returned.

3.5.1.2 String air.DocumentCommandWrapper.AddTextAnnotationDocumentCommand.getName ( )

Returns

The name of the command as it will appear in a user interface for undo and redo operations e.g. "Undo Delete Annotation" where the string after "Undo " is returned from getName().

The documentation for this class was generated from the following file:

- src/air/DocumentCommandWrapper.java

3.6 air.AIRMain Class Reference

Collaboration diagram for air.AIRMain:



Static Public Member Functions

- static void test (String[ ] args) throws IOException
- static void **main** (String[ ] args) throws IOException

3.6.1 Detailed Description

Author

erik

3.6.2 Member Function Documentation

3.6.2.1 static void air.AIRMain.test (String[ ] *args*) throws IOException [static]

Parameters

args	the command line arguments

Exceptions

java.io.IOException	

The documentation for this class was generated from the following file:

- src/air/AIRMain.java

3.7 air.DocumentCommandWrapper.DeleteAnnotationDocumentCommand Class Reference

Inheritance diagram for air.DocumentCommandWrapper.DeleteAnnotationDocumentCommand:



Collaboration diagram for air.DocumentCommandWrapper.DeleteAnnotationDocumentCommand:



Public Member Functions

- **DeleteAnnotationDocumentCommand** (AbstractDocumentCommandWrapper anOwner, ArrayList< String > args)
- AbstractDocumentCommand execute ()
- String getName ()

3.7.1 Member Function Documentation

3.7.1.1 AbstractDocumentCommand air.DocumentCommandWrapper.DeleteAnnotationDocumentCommand.execute ( )

Returns

If execute() succeeds, a Command that is the reciprocal of the receiver is returned. Otherwise, null is returned.

3.7.1.2 String air.DocumentCommandWrapper.DeleteAnnotationDocumentCommand.getName ( )

Returns

The name of the command as it will appear in a user interface for undo and redo operations e.g. "Undo Delete Annotation" where the string after "Undo " is returned from getName().

The documentation for this class was generated from the following file:

- src/air/DocumentCommandWrapper.java

3.8 air.DocumentCommandWrapper Class Reference

Inheritance diagram for air.DocumentCommandWrapper:



Collaboration diagram for air.DocumentCommandWrapper:



Classes

- class AddBoxAnnotationDocumentCommand
- class AddCircleAnnotationDocumentCommand
- class AddTextAnnotationDocumentCommand
- class DeleteAnnotationDocumentCommand
- class MoveAnnotationDocumentCommand
- class ReplaceAnnotationDocumentCommand
- class SaveDocumentCommand
- class SaveTextDocumentCommand

Public Member Functions

- **DocumentCommandWrapper** (PDDocument aDocument, String aPath)
- void save (String aPath) throws IOException

  Save the PDF information encapsulated by the receiver to a file at the specified path.

Static Public Member Functions

- static DocumentCommandWrapper loadDosumentAtPath (String aPath) throws IOException

  Reads information from the valid PDF file if any at aPath and returns a DocumentCommandWrapper instance ready to add or delete annotations to the loaded information.

Additional Inherited Members

3.8.1 Detailed Description

Author

erik

3.8.2 Member Function Documentation

3.8.2.1 static DocumentCommandWrapper air.DocumentCommandWrapper.loadDosumentAtPath (String *aPath*) throws IOException [static]

Reads information from the valid PDF file if any at aPath and returns a DocumentCommandWrapper instance ready to add or delete annotations to the loaded information.

Trace: REQ-041000, REQ-041060

Parameters

aPath	A valid file system path to a valid PDF document.

Returns

An instance of DocumentCommandWrapper configured to apply Commands to the document at aPath.

Exceptions

IOException	

3.8.2.2 void air.DocumentCommandWrapper.save (String *aPath*) throws IOException

Save the PDF information encapsulated by the receiver to a file at the specified path.

The saved information contains the same annotation and non-annotation information as the file (if any) from which information was loaded to initialize the receiver with the following exceptions: - Annotations added via the receiver since information was loaded are saved in the specified file. - Annotations deleted via the receiver since information was loaded are not saved in the specified file. - Annotations whose attributes have been changed via the receiver since information was loaded are save with changed attributes in the specified file. Trace: REQ-041000, REQ-041050

Parameters

aPath	A valid complete file system path including the name of the document to save. The path must be writable in a file system with sufficient available storage capacity to store the information encapsulated by the receiver.

Exceptions

java.io.IOException	

The documentation for this class was generated from the following file:

- src/air/DocumentCommandWrapper.java

3.9 air.AbstractDocumentCommandWrapper.makeCommand Interface Reference

Collaboration diagram for air.AbstractDocumentCommandWrapper.makeCommand:



Public Member Functions

- AbstractDocumentCommand **make** (AbstractDocumentCommandWrapper anOwner, ArrayList< String > args)

The documentation for this interface was generated from the following file:

- src/air/AbstractDocumentCommandWrapper.java

3.10 air.DocumentCommandWrapper.MoveAnnotationDocumentCommand Class Reference

Inheritance diagram for air.DocumentCommandWrapper.MoveAnnotationDocumentCommand:



Collaboration diagram for air.DocumentCommandWrapper.MoveAnnotationDocumentCommand:



Public Member Functions

- **MoveAnnotationDocumentCommand** (AbstractDocumentCommandWrapper anOwner, ArrayList< String > args)
- **MoveAnnotationDocumentCommand** (AbstractDocumentCommandWrapper anOwner, List< PDAnnotation > annotations, ArrayList< String > args)
- AbstractDocumentCommand execute ()
- String getName ()

3.10.1 Member Function Documentation

3.10.1.1 AbstractDocumentCommand air.DocumentCommandWrapper.MoveAnnotationDocumentCommand.execute ( )

Returns

If execute() succeeds, a Command that is the reciprocal of the receiver is returned. Otherwise, null is returned.

3.10.1.2 String air.DocumentCommandWrapper.MoveAnnotationDocumentCommand.getName ( )

Returns

The name of the command as it will appear in a user interface for undo and redo operations e.g. "Undo Delete Annotation" where the string after "Undo " is returned from getName().

The documentation for this class was generated from the following file:

- src/air/DocumentCommandWrapper.java

3.11 air.AbstractDocumentCommandWrapper.RedoAnnotationDocumentCommand Class Reference

Inheritance diagram for air.AbstractDocumentCommandWrapper.RedoAnnotationDocumentCommand:



Collaboration diagram for air.AbstractDocumentCommandWrapper.RedoAnnotationDocumentCommand:



Public Member Functions

- **RedoAnnotationDocumentCommand** (AbstractDocumentCommandWrapper anOwner, ArrayList< String > args)
- AbstractDocumentCommand execute ()
- String getName ()

Additional Inherited Members

3.11.1 Member Function Documentation

3.11.1.1 AbstractDocumentCommand air.AbstractDocumentCommandWrapper.RedoAnnotationDocumentCommand.execute ( )

Returns

If execute() succeeds, a Command that is the reciprocal of the receiver is returned. Otherwise, null is returned.

3.11.1.2 String air.AbstractDocumentCommandWrapper.RedoAnnotationDocumentCommand.getName ( )

Returns

The name of the command as it will appear in a user interface for undo and redo operations e.g. "Undo Delete Annotation" where the string after "Undo " is returned from getName().

The documentation for this class was generated from the following file:

- src/air/AbstractDocumentCommandWrapper.java

3.12 air.DocumentCommandWrapper.ReplaceAnnotationDocumentCommand Class Reference

Inheritance diagram for air.DocumentCommandWrapper.ReplaceAnnotationDocumentCommand:



Collaboration diagram for air.DocumentCommandWrapper.ReplaceAnnotationDocumentCommand:



Public Member Functions

- AbstractDocumentCommand execute ()
- String getName ()

Protected Member Functions

- **ReplaceAnnotationDocumentCommand** (AbstractDocumentCommandWrapper anOwner, List< PDAnnotation > someAnnotations, ArrayList< String > args)

3.12.1 Member Function Documentation

3.12.1.1 AbstractDocumentCommand air.DocumentCommandWrapper.ReplaceAnnotationDocumentCommand.execute ( )

Returns

If execute() succeeds, a Command that is the reciprocal of the receiver is returned. Otherwise, null is returned.

3.12.1.2 String air.DocumentCommandWrapper.ReplaceAnnotationDocumentCommand.getName ( )

Returns

The name of the command as it will appear in a user interface for undo and redo operations e.g. "Undo Delete Annotation" where the string after "Undo " is returned from getName().

The documentation for this class was generated from the following file:

- src/air/DocumentCommandWrapper.java

3.13 air.DocumentCommandWrapper.SaveDocumentCommand Class Reference

Inheritance diagram for air.DocumentCommandWrapper.SaveDocumentCommand:



Collaboration diagram for air.DocumentCommandWrapper.SaveDocumentCommand:



Public Member Functions

- AbstractDocumentCommand execute ()
- String getName ()

Protected Member Functions

- **SaveDocumentCommand** (AbstractDocumentCommandWrapper anOwner, ArrayList< String > args)

Additional Inherited Members

3.13.1 Member Function Documentation

3.13.1.1 AbstractDocumentCommand air.DocumentCommandWrapper.SaveDocumentCommand.execute ( )

Returns

If execute() succeeds, a Command that is the reciprocal of the receiver is returned. Otherwise, null is returned.

3.13.1.2 String air.DocumentCommandWrapper.SaveDocumentCommand.getName ( )

Returns

The name of the command as it will appear in a user interface for undo and redo operations e.g. "Undo Delete Annotation" where the string after "Undo " is returned from getName().

The documentation for this class was generated from the following file:

- src/air/DocumentCommandWrapper.java

3.14 air.DocumentCommandWrapper.SaveTextDocumentCommand Class Reference

Inheritance diagram for air.DocumentCommandWrapper.SaveTextDocumentCommand:



Collaboration diagram for air.DocumentCommandWrapper.SaveTextDocumentCommand:



Public Member Functions

- AbstractDocumentCommand execute ()
- String getName ()

Protected Member Functions

- **SaveTextDocumentCommand** (AbstractDocumentCommandWrapper anOwner, ArrayList< String > args)

Additional Inherited Members

3.14.1 Member Function Documentation

3.14.1.1 AbstractDocumentCommand air.DocumentCommandWrapper.SaveTextDocumentCommand.execute ( )

Returns

If execute() succeeds, a Command that is the reciprocal of the receiver is returned. Otherwise, null is returned.

3.14.1.2 String air.DocumentCommandWrapper.SaveTextDocumentCommand.getName ( )

Returns

The name of the command as it will appear in a user interface for undo and redo operations e.g. "Undo Delete Annotation" where the string after "Undo " is returned from getName().

The documentation for this class was generated from the following file:

- src/air/DocumentCommandWrapper.java

3.15 air.AbstractDocumentCommandWrapper.UndoAnnotationDocumentCommand Class Reference

Inheritance diagram for air.AbstractDocumentCommandWrapper.UndoAnnotationDocumentCommand:



Collaboration diagram for air.AbstractDocumentCommandWrapper.UndoAnnotationDocumentCommand:



Public Member Functions

- **UndoAnnotationDocumentCommand** (AbstractDocumentCommandWrapper anOwner, ArrayList< String > args)
- AbstractDocumentCommand execute ()
- String getName ()

Additional Inherited Members

3.15.1 Member Function Documentation

3.15.1.1 AbstractDocumentCommand air.AbstractDocumentCommandWrapper.UndoAnnotationDocumentCommand.execute ( )

Returns

If execute() succeeds, a Command that is the reciprocal of the receiver is returned. Otherwise, null is returned.

3.15.1.2 String air.AbstractDocumentCommandWrapper.UndoAnnotationDocumentCommand.getName ( )

Returns

The name of the command as it will appear in a user interface for undo and redo operations e.g. "Undo Delete Annotation" where the string after "Undo " is returned from getName().

The documentation for this class was generated from the following file:

- src/air/AbstractDocumentCommandWrapper.java

Index

air.AIRMain, 16
air.AbstractDocumentCommandWrapper, 8
air.AbstractDocumentCommandWrapper.Abstract↩
DocumentCommand, 5
air.AbstractDocumentCommandWrapper.makeCommand, 22
air.AbstractDocumentCommandWrapper.RedoAnnotation↩
DocumentCommand, 25
air.AbstractDocumentCommandWrapper.UndoAnnotation↩
DocumentCommand, 33
air.DocumentCommandWrapper, 19
air.DocumentCommandWrapper.AddBoxAnnotation↩
DocumentCommand, 10
air.DocumentCommandWrapper.AddCircleAnnotation↩
DocumentCommand, 12
air.DocumentCommandWrapper.AddTextAnnotation↩
DocumentCommand, 14
air.DocumentCommandWrapper.DeleteAnnotation↩
DocumentCommand, 17
air.DocumentCommandWrapper.MoveAnnotation↩
DocumentCommand, 23
air.DocumentCommandWrapper.ReplaceAnnotation↩
DocumentCommand, 27
air.DocumentCommandWrapper.SaveDocumentCommand, 29
air.DocumentCommandWrapper.SaveTextDocument↩
Command, 31
air::AIRMain
test, 16
air::AbstractDocumentCommandWrapper::Abstract↩
DocumentCommand
execute, 7
getName, 7
air::AbstractDocumentCommandWrapper::RedoAnnotation↩
DocumentCommand
execute, 26
getName, 26
air::AbstractDocumentCommandWrapper::UndoAnnotation↩
DocumentCommand
execute, 34
getName, 34
air::DocumentCommandWrapper
loadDosumentAtPath, 21
save, 21
air::DocumentCommandWrapper::AddBoxAnnotation↩
DocumentCommand
execute, 11
getName, 11
air::DocumentCommandWrapper::AddCircleAnnotation↩
DocumentCommand
execute, 13
getName, 13
air::DocumentCommandWrapper::AddTextAnnotation↩
DocumentCommand
execute, 15
getName, 15
air::DocumentCommandWrapper::DeleteAnnotation↩
DocumentCommand
execute, 18
getName, 18
air::DocumentCommandWrapper::MoveAnnotation↩
DocumentCommand
execute, 24
getName, 24
air::DocumentCommandWrapper::ReplaceAnnotation↩
DocumentCommand
execute, 28
getName, 28
air::DocumentCommandWrapper::SaveDocument↩
Command
execute, 30
getName, 30
air::DocumentCommandWrapper::SaveTextDocument↩
Command
execute, 32
getName, 32

execute
air::AbstractDocumentCommandWrapper::Abstract↩
DocumentCommand, 7
air::AbstractDocumentCommandWrapper::Redo↩
AnnotationDocumentCommand, 26
air::AbstractDocumentCommandWrapper::Undo↩
AnnotationDocumentCommand, 34
air::DocumentCommandWrapper::AddBoxAnnotation↩
DocumentCommand, 11
air::DocumentCommandWrapper::AddCircle↩
AnnotationDocumentCommand, 13
air::DocumentCommandWrapper::AddTextAnnotation↩
DocumentCommand, 15

air::DocumentCommandWrapper::DeleteAnnotation↩
DocumentCommand, 18
air::DocumentCommandWrapper::MoveAnnotation↩
DocumentCommand, 24
air::DocumentCommandWrapper::ReplaceAnnotation↩
DocumentCommand, 28
air::DocumentCommandWrapper::SaveDocument↩
Command, 30
air::DocumentCommandWrapper::SaveText↩
DocumentCommand, 32

getName
air::AbstractDocumentCommandWrapper::Abstract↩
DocumentCommand, 7
air::AbstractDocumentCommandWrapper::Redo↩
AnnotationDocumentCommand, 26
air::AbstractDocumentCommandWrapper::Undo↩
AnnotationDocumentCommand, 34
air::DocumentCommandWrapper::AddBoxAnnotation↩
DocumentCommand, 11
air::DocumentCommandWrapper::AddCircle↩
AnnotationDocumentCommand, 13
air::DocumentCommandWrapper::AddTextAnnotation↩
DocumentCommand, 15
air::DocumentCommandWrapper::DeleteAnnotation↩
DocumentCommand, 18
air::DocumentCommandWrapper::MoveAnnotation↩
DocumentCommand, 24
air::DocumentCommandWrapper::ReplaceAnnotation↩
DocumentCommand, 28
air::DocumentCommandWrapper::SaveDocument↩
Command, 30
air::DocumentCommandWrapper::SaveText↩
DocumentCommand, 32

loadDosumentAtPath
air::DocumentCommandWrapper, 21

save
air::DocumentCommandWrapper, 21

test
air::AIRMain, 16