

These Questions Prepared by: SONU (HEETSON)

HTML MCQ

1. In html _____ tag defines paragraph.

- a) <p> b) <para> c) <table> d) <section>

Ans. a

2. What is Default extension for a HTML document?

- (a) .htm (b) .html (c) both a & b (d) none of them

Ans. c

3. HTML tag begins with _____ symbol.

- (a) < (b) > (c) <! (d) !>

Ans. a

4. HTML tag ends with _____ symbol.

- (a) < (b) > (c) <! (d) !>

Ans. b

5. HTML comment begins with _____ symbol.

- (a) < (b) > (c) <! (d) !>

Ans. c

6. HTML comment ends with _____ symbol.

- (a) < (b) > (c) <! -- (d) -->

Ans. d

7. SGML stands for .

- (a) Standard Grand Markup Language
(b) Synchronized Generalized Markup Language
(c) Standard Generalized Markup Language
(d) Simple Generalized Markup Language

Ans. c

8. DTD stands in markup language for _____.

- (a) Document Type Definition
(b) Data Type Definition
(c) Digital Type Definition
(d) Design Type Definition

Ans. a

9. DDL stands for _____

- (a) Data Description Library
(b) Data Description Language
(c) Data Description Liberty
(d) Data Description License

Ans. a

10. Most of the HTML tags have a corresponding closing tag, which begins with _____ symbol.

- (a) <! - -
(b) < /
(c) < :
(d) <

Ans. b

These Questions Prepared by: SONU (HEETSON)

11. If a HTML tag does not have explicit closing tag, the tag may be closed with _____symbol instead of a simple >symbol.

- (a) > (b) : > (c) /> (d) @ >

Ans. c

12. The title to be displayed at the top of the browser window or browser tab is enclosed in_____ .

- (a) < HTML > ::: < =HTML > (b) < HEAD > ::: < =HEAD >
(c) < TITLE > ::: < /T ITLE > (d) < BODY > ::: < =BODY >

Ans. c

13. Paragraph is contained inside _____HTML tags.

- (a) < p > ::: < /p >
(b) < center > ::: < =center >or < div align =\center" > ::: < =div >
(c) < div align = \left" > ::: < =div >
(d) < div align = \right" > ::: < =div >

Ans. a

14. Elements to be centre aligned in browser display are enclosed inside _____HTML tags.

- (a) < p > ::: < =p >
(b) <center> ::: < =center >or < div align = "center" > ::: < /div >
(c) < div align = \left" > ::: < =div >
(d) < div align = \right" > ::: < =div >

Ans. b

15. Elements to be left aligned in browser display are enclosed inside _____HTML tags.

- (a) < div align = \justified" > ::: < =div >
(b) < center > ::: < =center >or < div align =\center" > ::: < =div >
(c) < div align = "left" > ::: < /div >
(d) < div align = \right" > ::: < =div >

Ans. c

16. Elements to be right aligned in browserdisplay are enclosed inside_____ HTML tags.

- (a) < div align = \justified" > ::: < =div >
(b) < center > ::: < =center >or < div align =\center" > ::: < =div >
(c) < div align = \left" > ::: < =div >
(d) < div align = "right" > ::: < /div >

Ans. d

17. Elements to be justified (aligned usewith left and right edges) in browser display are enclosed inside_____ tags inHTML.

- (a) < div align = "justified" > ::: < /div >
(b) < center > ::: < =center >or < div align =\center" > ::: < =div >
(c) < div align = \left" > ::: < =div >
(d) < div align = \right" > ::: < =div >

Ans. a

18. _____ HTML tag displays animage in HTML page.

- (a) <imgsrc= "file name.jpg" >
(b) <tableborder= 1 > ::: < =table >
(c) <tableborder= 0 > ::: < =table >
(d) <ahref= \target:htm" > ::: < =a >

Ans. a

These Questions Prepared by: SONU (HEETSON)

19. _____HTML tag displays a table without border.

- (a) <imgsrc= \file.jpg" >
- (b) <tableborder= 1 > ::: <=table >
- (c) <tableborder= 0 > ::: < /table >
- (d) <ahref= \target:htm" > ::: <=a >

Ans. c

20. _____HTML tag creates a clickable hyper link for navigation inside the same page or between different pages.

- (a) <imgsrc= \file.jpg" >
- (b) <tableborder= 1 > ::: <=table >
- (c) <tableborder= 0 > ::: <=table >
- (d) <ahref= "target.htm" > ::: < /a >

Ans. d

21. _____HTML tag displays a table with border thickness of 1 pixel.

- (a) <imgsrc= \file.jpg" >
- (b) < table border = 1 > ::: < /table >
- (c) < table border = 0 > ::: <=table >
- (d) < a href= \target:htm" > ::: <=a >

Ans. b

22. _____HTML tag can control fontface, size and colour.

- (a) < font face = "Arial" size = "1" color = "red" > ::: < /font >
- (b) < H1 > ::: <=H1 >
- (c) < H2 > ::: <=H2 >
- (d) < H3 > ::: <=H3 >

Ans. a

23. _____HTML tag displays headings of the largest size.

- (a) < font face = \Arial" size = \+1"color =\red" > ::: <=font >
- (b) < H1 > ::: < /H1 >
- (c) < H2 > ::: <=H2 >
- (d) < H3 > ::: <=H3 >

Ans. b

24. _____HTML tag displays headings of the second largest size.

- (a) < H4 > ::: <=H4 >
- (b) < H1 > ::: <=H1 >
- (c) < H2 > ::: < /H2 >
- (d) < H3 > ::: <=H3 >

Ans. c

25. _____HTML tag displays headings of the third largest size.

- (a) < H4 > ::: <=H4 >
- (b) < H1 > ::: <=H1 >
- (c) < H2 > ::: <=H2 >
- (d) < H3 > ::: < /H3 >

Ans. d

26. _____HTML tag displays headings of the smallest size.

- (a) < H6> ::: < /H6>
- (b) < H1 > ::: <=H1 >
- (c) < H2 > ::: <=H2 >
- (d) < H3 > ::: <=H3 >

Ans. a

These Questions Prepared by: SONU (HEETSON)

27. In HTML, text size _____ represents the normal size of text.

- (a) -4 (b) 0 (c) +4 (d) +8

Ans. b

28. In HTML5, font tag has been _____

- (a) appreciated (b) reinstated (c) deprecated (d) beautified

Ans. c

29. Colour can be specified using colour name (like red, gray, blue, cyan, magenta, etc.) or numeric value in _____ colour order.

- (a) Red-Green-Blue (b) Blue-Green-Red
(c) Green-Red-Blue (d) Blue-Green-Blue

Ans. a

30. Colour code of #FF0000 stands for _____ colour.

- (a) blue (b) green (c) red (d) black

Ans. c

31. Colour code of #00FF00 stands for _____ colour.

- (a) blue (b) green (c) red (d) black

Ans. b

32. Colour code of #0000FF stands for _____ colour.

- (a) blue (b) green (c) red (d) black

Ans. a

33. Colour code of #000000 stands for _____ colour.

- (a) blue (b) green (c) red (d) black

Ans. d

34. Colour code of #FFFFFF stands for _____ colour.

- (a) white (b) green (c) red (d) black

Ans. a

35. In HTML, the two digit color code value ranges from 00 to _____ in hexadecimal.

- (a) AA (b) 11 (c) FF (d) CC

Ans. c

36. _____ tag is used to display different HTML pages in a single window (not recommended for mobile viewing).

- (a) font (b) frameset (c) table (d) img

Ans. b

37. Width of elements like image, table, etc. can be controlled using _____ attribute.

- (a) width (b) height (c) length (d) breadth

Ans. a

39. Height of elements like image, table, etc. can be controlled using _____ attribute.

- (a) width
(b) height
(c) length
(d) breadth

Ans. b

These Questions Prepared by: SONU (HEETSON)

40. Width and height value can be specified in _____ or in pixels.

- (a) metre (b) kilometer (c) percentage (d) inches

Ans. c

41. _____ HTML tag creates a break.

- (a) <center> ::: <=center >
(b) <table> ::: <=table >
(c)
(d)

Ans. d

42. _____ HTML tag displays an image named globe.jpg at 80% of the total width available in the browser.

- (a) <center> ::: <=center >
(b) <table> ::: <=table >
(c)
(d) <br= >

Ans. c

43. Scrolling text may be created using _____ tag in HTML.

- (a) <marquee> ::: < /marquee > (b) < span > ::: <=span >
(c) < p > ::: <=p > (d) < font > ::: <=font >

Ans. a

44. Text scrolling to left may be created using _____ tag in HTML.

- (a) < marquee direction = "left" > ::: </marquee >
(b) < marquee direction = \right" > ::: <=marquee >
(c) < marquee direction = \up" > ::: <=marquee >
(d) < marquee direction = \down" > ::: <=marquee >

Ans. a

45. Text scrolling to right may be created using _____ tag in HTML.

- (a) < marquee direction = \left" > ::: <=marquee >
(b) < marquee direction = "right" > ::: </marquee >
(c) < marquee direction = \up" > ::: <=marquee >
(d) < marquee direction = "down" > ::: </marquee >

Ans. b

46. Text scrolling upwards may be created using _____ tag in HTML.

- (a) < marquee direction = \left" > ::: <=marquee >
(b) < marquee direction = \right" > ::: <=marquee >
(c) < marquee direction = "up" > ::: </marquee >
(d) < marquee direction = \down" > ::: <=marquee >

Ans. c

47. Text scrolling downwards may be created using _____ tag in HTML.

- (a) < marquee direction = \left" > ::: <=marquee >
(b) < marquee direction = \right" > ::: <=marquee >
(c) < marquee direction = \up" > ::: <=marquee >
(d) < marquee direction = "down" > ::: </marquee >

Ans. d

These Questions Prepared by: SONU (HEETSON)

48. _____ tag in HTML creates a clickable hyperlink.

- (a) < p > ::: < =p >
- (b) <imgsrc= \globe.png" >
- (c) < table border = 1 > ::: < =table >
- (d) < a href= "page.html" > ::: < /a >

Ans. d

49. _____ HTML tag displays a table without border.

- (a) <tr> ::: < =tr>
- (b) <th> ::: < =th>
- (c) < table border = 1 > ::: < =table >
- (d) < table border = 0 > ::: < /table >

Ans. d

50. _____ HTML tag displays a table with border thickness of 1 pixel.

- (a) <tr> ::: < =tr>
- (b) <th> ::: < =th>
- (c) < table border = 1 > ::: < /table >
- (d) < table border = 0 > ::: < =table >

Ans. c

51. _____ HTML tag is used to mark header column for a table.

- (a) <tr> ::: < =tr>
- (b) <th> ::: < /th>
- (c) < table border = 1 > ::: < =table >
- (d) < table border = 0 > ::: < =table >

Ans. b

52. _____ HTML tag is used to mark a row for a table.

- (a) <tr> ::: < /tr>
- (b) <th> ::: < =th>
- (c) < table border = 1 > ::: < =table >
- (d) < table border = 0 > ::: < =table >

Ans. a

53. _____ HTML tag is used to mark a column inside a row.

- (a) <td> ::: < /td >
- (b) <th> ::: < =th>
- (c) < table border = 1 > ::: < =table >
- (d) < table border = 0 > ::: < =table >

Ans. a

54. Among the following options, _____ HTML tag merges 3 columns to create a large column.

- (a) <tr> ::: < =tr>
- (b) <td> ::: < =td >
- (c) < td colspan= 3 > ::: < /td >
- (d) < td rowspan= 4 > ::: < =td >

Ans. c

55. Among the following options, _____ HTML tag merges 4 rows to create a large row.

- (a) <tr> ::: < =tr>
- (b) <td> ::: < =td >
- (c) < td colspan= 3 > ::: < =td >
- (d) < td rowspan= 4 > ::: < /td >

Ans. d

These Questions Prepared by: SONU (HEETSON)

56. _____ creates an ordered list.

- (a) ::: <=ul> (b) ::: <=ol>
(c) ::: <=li> (d) none of them

Ans. b

57. _____ creates an unordered list.

- (a) ::: (b) ::: <=ol>
(c) ::: <=li> (d) none of them

Ans. a

58. _____ declares a list item which may be part of ordered list or unordered list.

- (a) ::: <=ul> (b) ::: <=ol> (c) ::: (d) none of them

Ans. c

59. HTML form controls commonly use _____ tag for taking form input.

- (a) <input> (b) <table> ::: <=table>
(c) (d) <form> ::: <=form>

Ans. a

60. HTML form is contained inside _____ tag.

- (a) <input> (b) <form> ::: </form>
(c) (d) <form> ::: <=form>

Ans. b

61. Input tag in HTML supports _____ attribute.

- (a) type (b) value (c) name/ID (d) all of them

Ans. d

62. To display a button in HTML form, _____ attribute is used in the input tag.

- (a) button (b) checkbox (c) color (d) date

Ans. a

63. To display a checkbox in HTML form, _____ attribute is used in the input tag.

- (a) button (b) checkbox (c) color (d) date

Ans. b

64. To display a colour selection input in HTML form, _____ attribute is used in the input tag.

- (a) button (b) checkbox (c) color (d) date

Ans. c

65. To display a date input in HTML form, _____ attribute is used in the input tag.

- (a) button (b) checkbox (c) color (d) date

Ans. d

66. To display a date and time input in HTML form, _____ attribute is used in the input tag.

- (a) button (b) checkbox (c) color (d) datetime

Ans. d

67. To display a field for email input in HTML form, _____ attribute is used in the input tag.

- (a) email (b) file
(c) hidden (d) image

Ans. a

These Questions Prepared by: SONU (HEETSON)

68. To display a file input dialog in HTML form, _____ attribute is used in the input tag.

- (a) email (b) file (c) hidden (d) image

Ans. b

69. To create a hidden field in HTML form, _____ attribute is used in the input tag.

- (a) email (b) file (c) hidden (d) image

Ans. c

70. To create an image selection tool in HTML form, _____ attribute is used in the input tag.

- (a) email (b) file (c) hidden (d) image

Ans. d

71. To create month selection field in HTML form, _____ attribute is used in the input tag.

- (a) month (b) number (c) password (d) radio

Ans. a

72. To create number input field in HTML form, _____ attribute is used in the input tag.

- (a) month (b) number (c) password (d) radio

Ans. b

73. To create password input field in HTML form, _____ attribute is used in the input tag.

- (a) month (b) number (c) password (d) radio

Ans. c

74. To create radio button input field in HTML form, _____ attribute is used in the input tag.

- (a) month (b) number (c) password (d) radio

Ans. d

75. To create an input field to display numbers with specific start, end and step values in HTML form, _____ attribute is used in the input tag.

- (a) range (b) reset (c) search (d) tel

Ans. a

76. To create an input field to reset all input elements of a form in HTML form, _____ attribute is used in the input tag.

- (a) range (b) reset (c) search (d) tel

Ans. b

77. To create search field (behaviour depends upon server implementation) in HTML form, _____ attribute is used in the input tag.

- (a) range (b) reset (c) search (d) tel

Ans. c

78. To create field for telephone number input in HTML form, _____ attribute is used in the input tag.

- (a) range (b) reset (c) search (d) tel

Ans. d

79. To create a field for submitting the contents of HTML form to the server, _____ attribute is used in the input tag.

- (a) submit (b) text (c) time (d) url

Ans. a

These Questions Prepared by: SONU (HEETSON)

80. To create a text input field in HTML, _____ attribute is used in the input tag.

- (a) submit (b) text (c) time (d) url

Ans. b

81. To create a time input in HTML, _____ attribute is used in the input tag.

- (a) submit (b) text (c) time (d) url

Ans. c

82. To create a field for taking a web address in HTML, _____ attribute is used in the input tag.

- (a) submit (b) text (c) time (d) url

Ans. d

83. What is the first tag in html document?

- A)** <html> **B)** <head> **C)** <title> **D)** </html>

Ans. a

84. Which html tag inserts a line horizontally in a page?

- A)** <lr> **B)** <l> **C)** <hr> **D)** <line>

Ans. c

85. What are the two main parts, available in html document?

- A)** Title and Body **B)** Head and title
C) Head and Body **D)** Head and document

Ans. c

86. Which character in html is used to indicate end tag?

- A)** \ **B)** / **C)** ! **D)** <#

Ans. b

87. Which symbols starts with html comments?

- A)** <! **B)** </ **C)** <# **D)** <\

Ans. a

88. Which attribute is used with <td> tag to merge two cells horizontally?

- A)** Colspan = 2 **B)** Rowspan = 2
C) Mergerows **D)** mergecols

Ans. a

89. Which tag creates a checkbox for a form in html?

- A** <check box> **B** <input check box>
C <input = check box> **D** <input type = "check box">

Ans. d

90. Which html tag is used to add a row in a table?

- A** <tr> and </tr> **B** <cr> and </cr>
C <th> and </th> **D** <td> and </td>

Ans. a

91. Which html tag is used to divide a row into data cells?

- A** <tr> and </tr> **B** <cr> and </cr>
C <th> and </th> **D** <td> and </td>

Ans. d

These Questions Prepared by: SONU (HEETSON)

92. Which is the correct syntax for adding alternate text for image, if the image cannot be displayed?

- A** <imgsrc = "boat.gif" alt = "big boat">
- B** <imgsrc = "boat.gif" alt text = "big boat"/>
- C** <imgsrc = "boat.gif" alternate = "big boat"/>
- D** <imgsrc = "boat.gif" alternate text = "big boat"/>

Ans. a

93. Which is the correct H1 tag for right alignment?

- A** <h1 align = "right">.....</h1>
- B** <h1 tag align = "right">.....</h1>
- C** <h1 align = "r">.....</h1>
- D** <h1 alignment = "right">.....</h1>

Ans. a

94. What is the correct syntax for making a hyperlink?

- A** <http: // "https://www.myheetson.blogspot.com"
- B** <url = "https: // www.myheetson.blogspot.com">heetson
- C** heetson
- D** heetosn

Ans. c

95. Which is the correct tag for adding iframe in html?

- A** <iframe https://www.myheetson.blogspot.com></iframe>
- B** <iframe = "https:// www.myheetson.blogspot.com"></iframe>
- C** <iframe src = "https://www.myheetson.blogspot.com"></iframe>
- D** <iframe href = "https:// www.myheetson.blogspot.com"></iframe>

Ans. c

96. what is the correct html tag for adding a background color?

- A** <body color = "Yellow">
- B** <body bgcolor = "Yellow">
- C** <body background = "Yellow">
- D** <body bg = "Yellow">

Ans. b

97. How do you add a link which will allow the visitor to send an email from the page?

- A**
- B**
- C** <a="mailto">
- D** <href = "mailto">

Ans. a

98. What will happen, If the background image is smaller than the screen, what will happen?

- A** It will be stretched
- B** It will leave a blank space at the bottom of the page
- C** It will leave a blank space at the top of the page
- D** It will be repeated

Ans. d

99. which is the correct html tag for making a text input field?\

- A** <text type = "Text">
- B** <input type = "text">
- C** <input type = "textfield">
- D** <input type = "textbox">

Ans. b

These Questions Prepared by: SONU (HEETSON)

100. Which is the correct html tag for creating password field?

- A** <text type = "password"> **B** <input type = "pwd">
C <input type = "password"> **D** <input type = "passcode">

Ans. c

101. What is the correct html code for inserting a background image?

- A** <Body background = "image.jpg"> **B** <body = "image.jpg">
C <background = "image.jpg"> **D** <body background = image.jpg>

Ans. a

102. Which option will match, while making bulleted list?

- A** Square, disc, polygon **B** triangle, disc, circle
C triangle, square, circle **D** disc, circle, square

Ans. d

103. What is the meaning of increase the cell padding?

- A** Increase the thickness of table border
B Increase the space between cells
C Increase the distance between cell and content
D Increase the no of cells

Ans. c

104. Which property of cells will how many rows a cell should span?

- A** Colspan = 5 **B** Rowspan = 5
C Cellspan = 5 **D** Span = 5

Ans. b

105. Which web language give more control over the HTML elements and allows them to change at any time without returning to the Web server?

- A** BML **B** XML **C** HTML **D** DHTML

Ans. d

106. <a> tag in HTML

- a) Alters a hyperlink b) Defines a hyperlink
c) Deletes a hyperlink d) Accuses a hyperlink

Ans. b

107. Which tag defines value of a term in description list?

- a) <a> b) <val> c) d) <dd>

Ans. d

108. A control's _____ is given by its name attribute.

- a) Control name b) Area c) Sphere d) Quotation

Ans. a

109. There are how many types of HTML controls?

- a) 8 b) 7 c) 4 d) 5

Ans. b

110. In DHTML what does D stand for?

- a) Down b) Drain c) Dead d) Dynamic

Ans. d

These Questions Prepared by: SONU (HEETSON)

111. What is the full form of DHTML?

- a) Digital Host markup language b) Dynamic hypertext markup language
- c) Digital higher text markup language d) Dynamic higher markup language

Ans. b

112. From which tag descriptive list starts

- a) <LL> b) <dd> c) <DL> d) <DS>

Ans. c

113. The attribute of <form> tag

- a) Method b) Action c) Both A and B d) None of these

Ans. c

114. What are empty elements and is it valid?

- a) No, there is no such terms as empty elements
- b) Empty elements are elements with no data
- c) No, it is not valid to use empty element
- d) None of these

Ans. b

115. Which of the following attributes of text box control allow to limit the maximum character?

- a) size b) len c) maxlength d) All of these

Ans. c

116. HTML is a subset of

- a) SGMT b) SGML c) SGMD d) None of these

Ans. b

117. Which of the following is a container tag?

- a) <select> b) <body> c) <input> d) Both A and B

Ans. d

118. The attribute, which define the relationship between current document and HREF URL is

- a) REL b) URL c) REV d) All of these

Ans. a

119. <DT> tag is designed to fit a single line of our web page but <DD> tag will accept a

- a) line of text b) full paragraph c) word d) request

Ans. b

120. Character encoding is

- a) method used to represent numbers in a character
- b) method used to represent character in a number
- c) a system that consists of a code which pairs each character with a pattern, sequence of natural numbers of electrical pulse in order to transmit the data
- d) none of these

Ans. c

121. Correct HTML to left align the content inside a table cell is

- a) <tdleft> b) <td ralign = "left">
- c) <td align = "left"> d) <td leftalign>

Ans. c

These Questions Prepared by: SONU (HEETSON)

122. The tag which allows you to rest other html tags within the description is

- a) <th> b) <td> c) <tr> d) <caption>

Ans. d

123. <base> tag is designed to appear only between

- a) <head> b) <title> c) <body> d) <form>

Ans. a

124. How can you open a link in a new browser window?

- a) b)
c) d)

Ans. b

125. A much better approach to establish the base URL is to use

- a) BASE element b) HEAD element c) Both A and B d) None of these

Ans. a

126. The latest HTML standard is

- a) XML b) SGML c) HTML 4.0 d) HTML 5.0

Ans. d

127. The tag used to create hypertext relationship between current document and another URL is

- a) <ISINDEX> b) <A> c) <LINK> d) None of these

Ans. c

128. The text inside the <text area> tag works like

- a) <p> formatted text b) <T> formatted text
c) <PRE> formatted text d) None of these

Ans. c

129. Main container for <TR> ,<TD> and <TH> is

- a) <Table> b) <Group> c) <data> d) All of these

Ans. a

130. The body tag usually used after

- a) Title tag b) head tag c) EM tag d) Form tag

Ans. b

131. Symbol used at the beginning of the HREF text is

- a) # b) \$ c) & d) ^

Ans. a

132. Which of the following is a valid Name?

- a) <_person> b) <123 person> c) Both A and B d) None of these

Ans. a

133. Who is making the web standard?

- a) The world wide web consortium b) Mozilla c) Google d) Microsoft

Ans. a

134. Choose the correct HTML element to define important text

- a)
 b) c) <i> d) <important>

Ans. b

These Questions Prepared by: SONU (HEETSON)

135. Choose the correct HTML element to define emphasized text

- a) b) <italic> c) <i> d)

Ans. a

136. Which doctype is correct for HTML5?

- a) <!DOCTYPE html>
b) <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 5.0 "https://www.myheetson.blogspot.com">
c) <!DOCTYPE HTML5>
d) <!doctype html5.0>

Ans. a

137. Which html element is used to specify a footer for a document or section?

- a) <footer> b) <section> c) <bottom> d) <head>

Ans. a

138. What is the correct html element for playing video files?

- a) <video> b) <media> c) <movie> d) <mp4>

Ans. a

139. What is the correct HTML element for playing audio files?

- a) <audio> b) <sound> c) <mp3> d) <music>

Ans. a

140. The HTML global attribute, "contenteditable" is used to:

- a) Specify whether the content of an element should be editable or not
b) Return the position of the first found occurrence of content inside a string
c) Update content from the server
d) Specifies a context menu for an element

Ans. a

141. In HTML, onblur and onfocus are:

- a) Event attributes b) html elements c) style attributes d) blur image

Ans. a

142. The HTML <canvas> element is used to:

- a) draw graphics b) create draggable elements
c) manipulate data in MySQL d) display database records

Ans. a

143. In HTML, which attribute is used to specify that an input field must be filled out?

- a) formvalidate b) validate c) required d) placeholder

Ans. c

144. Which input type defines a slider control?

- a) range b) slider c) search d) controls

Ans. a

145. Which HTML element is used to display a scalar measurement within a rang?

- a) <measure>
b) <range>
c) <gauge>
d) <meter>

Ans. d

These Questions Prepared by: SONU (HEETSON)

146. Which HTML element defines navigation links?

- a) <nav> b) <navigation> c) <navigate> d) <direction>

Ans. a

147. In HTML, what does the <aside> element define?

- a) Content aside from the page content
b) The ASCII character-set; to send information between computers on the internet
c) A navigation list to be shown at the left side of the page
d) All of these

Ans. a

148. HTML uses

- a) User defined tags
b) Pre-specified tags
c) Fixed tags defined by the language
d) Tags only for linking

Ans. c

149. The year in which HTML was developed

- a) 1990 b) 1980 c) 2000 d) 1995

Ans. a

150. Fundamental HTML Block is known as _____

- a) HTML body b) HTML tag c) HTML Attribute d) HTML Element

Ans. b

151. Apart from tag, what other tag may text bold?

- a) <fat> b) c) <black> d) <emp>

Ans. b

152. HTML web pages can be read and rendered by _____

- a) Compiler b) Server c) Web Browser d) Interpreter

Ans. c

153. Tags and texts that are not directly displayed on the page are written in _____ section.

- a) <head> b) <title> c) <body> d) <html>

Ans. a

154. Which of the following is not an attribute of <form>tag

- a) action b) method c) name d) url

Ans. d

155. Choose the correct HTML tag to make a text italic

- a) ⁢italic>
b) ⁢it>
c) <i>
d) <il>

Ans. c

156. To start a list using circles, use

- a) <ul type= "circle"> b) <ul Type= "round">
c) <ul = "round"> d) <ul "round">

Ans. d

These Questions Prepared by: SONU (HEETSON)

157. A simple text file which tells the browser what to cache is known As a

- a) input files b) Output Files c) A Manifest File d) HTML file

Ans. d

158. Which HTML Tag is used to define a client-side script such as the javaScript?

- a) <unscript> b) <script> c) Both A and B d) None of these

Ans. b

159. Which html attribute is used to provide an advisory text about an element or its contents.

- a) Dir b) Title c) Tooltip d) None of these

Ans. c

160. _____ is the XML Equivalent To Strict HTML 4.01

- a) XHTML 1.0 Frameset b) XHTML 1.0 Transitional
c) XHTML 1.0 Strict d) None of these

Ans. c

161. Which are the Objects Used for storing Data on the client provided by The HTML Local Storage?

- a) Window.localStorage b) Windows.sessionStorage
c) Window.localSession d) Both A and B

Ans. d

162. Which HTML Element is used to define the description data?

- a) <dt> b) <dd> c) d) <dl>

Ans. b

163. Which of the following is a Declaration for an HTML Document?

- a) <html>.....</html> b) <!DOCTYPE html>
c) <body>..</body> d) <p>....</p>

Ans. b

164. If you want to change the text colour to Red which of the following Tags will you use?

- a) <body text =Red>
b) <body Bgcolor=Red>
c) <body Colour = Red>
d) None of these

Ans. a

165. HTML links are Defined with <a> Tag Address Is Specified By Attribute

- a) Href
b) Hlink
c) Src
d) src-link

Ans. a

166. The first tag inside <Table> tag is

- a) <head>
b) <caption>
c) <th>
d) <td>

Ans. b

These Questions Prepared by: SONU (HEETSON)

167. Which program do you need to write HTML?

- a) A graphics program
- b) Any text editor
- c) HTML development suite 4
- d) All of these

Ans. b

168. In HTML, tags that include both on and off tag are called

- a) comment tag
- b) document tag
- c) container tag
- d) None of these

Ans. c

169. Which of the following is underline tag?

- a) <pre>
- b)
- c) <u>
- d) <hr>

Ans. c

170. Which tag can set the background color for your page?

- a) <body>
- b)
- c) <head>
- d) <title>

Ans. a

171. The <small> and <big> tags are special in what way?

- a) They are for images only
- b) They work on anything
- c) They can be repeated
- d) None of these

Ans. c

172. To start a list using circles, use

- a) <ul "round">
- b) <ul type = "circle">
- c) <ul type= "round">
- d) <ul = "round">

Ans. b

173. The tag which allows some web server search engines to search your web page

- a) <search>
- b) <ISINDEX>
- c) <HEAD>
- d) <link>

Ans. b

174. The special formatting tag is

- a) <p>
- b) <tt>
- c) <pre>
- d) None of these

Ans. c

175. Which of the following will not be found in the <head> section?

- a) <table>
- b) <Metatags>
- c) <Title>
- d) None of these

Ans. a

176. If you create an HTML page in word processor

- a) save it with binary file
- b) save it with WMF file
- c) save it with ASCII text file
- d) All of these

Ans. c

177. What will be added by using <td> and </td> tag?

- a) rows
- b) steps
- c) cell
- d) columns

Ans. d

178. Which property tells how many rows a cell should span?

- a) colspan=n
- b) rowspan=n
- c) Both A and B
- d) None of these

Ans. b

These Questions Prepared by: SONU (HEETSON)

179. To set the font for a single link, where do you add the tags?

- a) In the <head> tag
- b) Outside the <a> and tags
- c) Inside the <a> and tags
- d) None of these

Ans. c

180. which tag tells where a link starts?

- a) <a>
- b) <i>
- c) <body>
- d) none of these

Ans. a

181. The MIME text file is saved with

- a) CSS extension
- b) HTML extension
- c) HMT extension
- d) None of these

Ans. b

182. The attribute used choose the type of font in HTML is?

- a) Character
- b) Face
- c) Text-type
- d) All of these

Ans. b

183. To start a list at the count of 3, use

- a) <ol begin= "3">
- b) <ol list= "3">
- c) <ol start= "3">
- d) <olnum= "3">

Ans. c

184. To change the size of an image in HTML, use

- a) Pliers
- b) Bigger and smaller
- c) Top and Bottom
- d) Height and width

Ans. d

185. All HTML documents will be basically

- a) Graphs
- b) Text
- c) Pictures
- d) None of these

Ans. b

186. Which of these is not a valid HTML?

- a) <fontface= "verdana">
- b)
- c)
- d) All of these

Ans. a

187. To create a list using lowercase letters, use

- a) <ol "a">
- b) <ol = "a">
- c) <ol letter="a">
- d) <ol type = "a">

Ans. d

188. Defining clickable subareas on an image is called

- a) image linking
- b) multiple mapping
- c) image mapping
- d) none of these

Ans. c

189. The attribute used to create the actual section within the current HTML document is

- a) link
- b) href
- c) base
- d) name

Ans. d

190. When images are used as links they get a blue border.

- a) Always
- b) Never
- c) Unless border is set to zero
- d) none of these

Ans. c

These Questions Prepared by: SONU (HEETSON)

191. To start a numbered list with regular numerals, use

- a) <ol type= "1">
- b) <ol type= "a">
- c) <ol type = "A">
- d) <ol type= "1">

Ans. d

192. The format of the <base> tag is

- a) <href = " URL">
- b) <base = "URL">
- c) <base URL =>
- d) <base href = "<https://www.myheetson.blogspot.com>">

Ans. d

193. The default value of Border attribute is

- a) 1 pixel
- b) 2 pixel
- c) pixel
- d) 4 pixel

Ans. a

194. To set the color for table borders, use_____

- a) bgcolor= #003300
- b) bgimage= #112233
- c) bordercolor= #112233
- d) tablecolor= # 003344

Ans. c

195. The background image will scroll when the user scrolls down the page, you add which property to the <body> tag?

- a) bgproperties = "fixed"
- b) bgproperties = "move"
- c) bgproperties = "holdstill"
- d) None of these

Ans. c

196. The most basic element of any html page is

- a) ASCII text
- b) text
- c) BCD text
- d) None of these

Ans. a

197. To separate single list, use

- a) and
- b) and
- c) and
- d) All of these

Ans. c

198. HTML is simple than

- a) SGML
- b) CTML
- c) STML
- d) None of these

Ans. a

199. Why should you specify a background color if you are using an image for the actual background of your page?

- a) So the text shown up better
- b) In case the image doesn't fit right
- c) The background color will be shown until the image loads
- d) None of these

Ans. c

200. Which attribute is used to name an element uniquely?

- a) class
- b) id
- c) dot
- d) all of these

Ans. b

These Questions Prepared by: SONU (HEETSON)

201. Marquee is a tag in HTML to

- a) Display text with scrolling effect
- b) Mark the list of items to maintain in queue
- c) Mark the text so that it is hidden in browser
- d) Display text with strikethrough effect

Ans. a

202. Choose the correct statement of HTML

- a) In traditional XHTML close tag for some elements is optional but not encouraged
- b) In traditional HTML close tag for some elements is optional but not encouraged
- c) None of the mentioned
- d) Both A and B

Ans. b

203. Which of the following is not a difference between HTML and XHTML

- a) Charset in html is "text/html" whereas in xhtml it is "application/xml + xhtml"
- b) Tags and attributes are case insensitive in HTML but not in XHTML
- c) Special character must be escaped using character entities in XHTML unlike HTML
- d) None of these

Ans. d

204. What indicates the content in file is HTML when delivered on the network.

- a) The extension of the file ".html"
- b) The "content-type" header
- c) Both ".html" extension and "content-type" header
- d) None of these

Ans. b

205. XHTML stands for

- a) Extensible Hypertext markup language
- b) Extensible hypertext marking language
- c) Extensible hypertext marking line
- d) None of these

Ans. a

206. Which of the following is not a correct (X)HTML rule?

- a) Attributes should be quoted
- b) Tags should nest not tag
- c) Unused elements may be minimized
- d) Unknown attributes are ignored by the browser

Ans. d

207. Choose the correct statement for HTML

- a) Exo is a cloud-based ide that offers collaboration and deployment features
- b) Exo does not support java and python
- c) Exo supports javascript and html5
- d) Both A and C

Ans. d

208. What is DOM in HTML?

- a) Hierarchy of objects in ASP.NET
- b) Application programming interface
- c) Convention for representing and interacting with object in html documents
- d) None of these

Ans. c

These Questions Prepared by: SONU (HEETSON)

209. Which one of the following is an open source javascript library that enables styling for HTML5 elements in versions of internet Explorer before IE9?

- a) HTML5 b) HTML5 Shiv c) HTML5 Shim d) None of these

Ans. b

210. What is the role of charset attribute? It specifies

- a) a scheme to be used to interpret the value of the content attribute
b) a name for the metadata
c) the character encoding for the HTML document
d) none of these

Ans. c

211. Which of the following is not supported in HTML5

- a) scheme b) content c) http-equiv d) name

Ans. a

212. _____ is an HTML specification used to add more information to HTML tags.

- a) Macrodata b) Microdata c) Minidata d) Modifydata

Ans. b

213. Every HTML element may have an _____ attribute specified.

- a) itemtype b) relevant types c) itemscope d) none of these

Ans. c

214. The root element of an XHTML document must be html, and must contain an _____ attribute to associate it with the XHTML namespace.

- a) source b) src c) xmlns d) link

Ans. c

215. _____ is an extended version of the XHTML markup language for supporting RDF through a collection of attributes and processing rules in the form of well-formed XML documents.

- a) XHTML + RDF b) XHTML + XHTML5
c) XHTML1.0 + XHTML2.0 d) None of these

Ans. a

216. HTML document is contained inside a set of _____ tags.

- (a) < HTML > ::: < /HTML > (b) < HEAD > ::: < =HEAD >
(c) < TITLE > ::: < =T ITLE > (d) < BODY > ::: < =BODY >

Ans. a

217. The top portion of a HTML document containing many meta items and script functions is called

- (a) < HTML > ::: < /HTML >
(b) < HEAD > ::: < /HEAD >
(c) < TITLE > ::: < /T ITLE >
(d) < BODY > ::: < /BODY >

Ans. b

218. The main portion of a HTML document is contained between _____ tags.

- (a) < HTML > ::: < /HTML >
(b) < HEAD > ::: < /HEAD >
(c) < TITLE > ::: < /T ITLE >
(d) < BODY > ::: < /BODY >

Ans. d

These Questions Prepared by: SONU (HEETSON)

219. What is the full form of HTML?

- a) Hyper text markup language
- b) Higher text markup language
- c) Higher text machine language
- d) hyper text machine language

Ans. a

220. All normal webpages consists of

- a) Top and bottom
- b) Body and frameset
- c) Head and Body
- d) None of these

Ans. c

1. The HTML tags are _____

- a) in lower case
- b) in upper case
- c) case sensitive
- d) not case sensitive

2. HTML was created by _____.

- (a) Brian Kernighan
- (b) Tim Berners-Lee
- (c) Dennis Ritchie
- (d) James Gosling

3. The tag makes the enclosed text bold, which other html tag is used to make text bold?

- A <dark>
- B <bold>
- C <th>
- D

4. What is the use of forms in HTML?

- A To display a table
- B To display a list
- C To send the data to server
- D To display email contents

5. What is the use of <iframe> tag in html?

- a) Display a webpage inside a web page.
- b) To make a photo frame
- c) To make a photo border
- d) To make an image clickable

6. HTML tags are surrounded by which type of brackets?

- a) Curly
- b) Round
- c) Squart
- d) Angle

7. Markup tags tell the web browser

- a) how to organize the page
- b) How to display the page
- c) How to display message box on page
- d) None of these

8. What is the another name of web address?

- A) URL
- B) Html
- C) Http
- D) Webpage

9. ".htm or .html" is extension of _____.

- a) Web page source text
- b) image
- c) video
- d) pc application

10. HTML is what type of language

- a) Scripting language
- b) Markup language
- c) Programming language
- d) Network protocol

[Click here for Answers](#)