



## NIMCET - (ACTUAL - 2017)

## SECTION-A (ENGLISH)

### Directions: Read the following passage and answer the auestion 1 to 5

Anthropologists have placed together the little they known about the history of left - handedness and right hand handedness from indirect evidence. Though early men and women did not leave written record, they did leave tool bones and picture . Stone Age hand axes and hatches made from stone that were carefully chipped away made to from sharp cutting edges. In some, the pattern of chipping shows that these tools and weapons were made by right handed people, designed to fit comfortably into a right hand .Other Stone Age implement were made by or for left hander, Perhistoric pictures, painted on walls of caves, provider further clues to the handedness of ancient people. A right - hander finds it easier to draw faces of people and animals facing towards the left whereas a left - hander finds it easier to draw faces towards the right .Both kind of face have been found in ancient painting. On the whole, the evidence seems to indicate that prehistoric people were either ambidextrous or about equally likely to be left or right handed. But in the Bronze Age. The picture changed The tool and wepon found from that Period are mostly made for right handed use .The predominance of right - handedness among humans today and apparently already been established.

- 1. What is the indirect evidence through which the preferred handedness of the Stone Age people could be understood?
  - (a) Pertified froms of vegetation
  - (b) Patterns of stone chipping
  - (c) Fossilized waste material
  - (d) Fossilized foot prints
- 2. According to the passage, a person who is right handed is more likely to draw people and animals that are facing
  - (a) Upwards
- (b) Downwards
- (c) Towards the right
- (d) Towards the left
- What does the wors "picture" mentioned with refrence to Bronze Age mean
  - (a) Face of Animals and people
  - (b) People's view from in side the cave
  - (c) People's tendency to work with either hand
  - (d) The kinds of paint used on cave walls
- Which of the following development occored around the time of Bronze Age?
  - (a) The establishment written records
  - (b) A change in the styles of cave painting
  - (c) A increse in human skill in the handling of tools
  - (d) The prevalence of right handedness
- 5. What is the main idea conveyed through the passage?
  - (a) The picture of ancient implements
  - (b) The significance of prehistoric cave paintings

- (c) The history of right handedness and left handed -ness
- (d) The pattern of chipping ancient tools
- Which of the following refer to the idiom "under the sun"?
  - (a) Anything and everything
  - (b) Alarge number of things
  - (c) A few things
  - (d) Somthing
- 7. Choose a phrasal verb to replaced the explanation in brackets:

When we arrive at the station, we (desected from) the train.

- (a) get down (b) stand down (c) get off (d) stand out
- Choose the suitable word from the following and fill in the blank:

The medal was awarded for the student's conduct and courage

- (a) non receptive
- (b) exemplary
- (c) unrelible
- (d) dis[utable
- Which of the following is a correctly spelt word?
  - (a) Hiderence
- (b) Hindrence
- (c) Hindarrence
- (d) Hindrance
- **10.** Which of following statements is grammatically correct?
  - (a) The earth revolves round the sun
  - (b) I have not seen him since four years
  - (c) she met an one- eyed man
  - (d) One of the books borrowed by the students are famous
- Choose the set of words from among the alternatives given, which when inserted in the sentence best suit the meaning of the sentence.

of evidence was on the side of plaintif since all but one witnesses testify his story was

- (a) paucity, accurate
- (b) prosperity, far-fetched
- (c) prepondenrance, correct (d)accuracy, insufficient
- 12. Choose the one which is nearest in meaning to the word "TURN UP"
  - (a) Show up (b) Some up (c) Land up (d) Crop up
- The phase "Ready to believe" means
  - (a) Credulous
- (b) Creditable
- (c) Credible
- (d) Incredible
- **14.** Choose the appropriate words from among the choices to fill in the blank in sentence:
  - (a) impair (b) impede
- (c) impose
- (d) impel





15.	Choose the set of words for each blanks that best fits the meaning of the following sentence as a whole :	24.	Let the memory access time is 10 milliseconds and cache hit ratio 15 % .The effective memory access time is ?  (a) 2 milli seconds (b) 1.5 milli seconds (c) 1.85 micro seconds (d) 1.85 millu seconds						
	green and black tea are obtained from the same plant , there are quite a few significant differences them .								
	(a) Since , among (b) However, in (c) Though , between (d) Because , across	25.	Which of the following is the representation of decimal number (- 147) in 2's compliment notation on a 12-bit						
16.	Choose the correct alternatives which can be substituted for the given word / sentence :  (a) Hermit (b) Pilgrim (c) Saint (d) Medicant		machine ? (a) 111101101100 (b) 110001001101						
			(c) 111101101101 (d) 000001101101						
17.	Pick out the most effective word from the give words to fill to the blanks to make the sentence meaningfully complete:	26. 27.	The first instructor of bootstrap loader program of an operating system is stored in  (a) RAM (b) Hard Disk (c) BIOS (d) None						
	Some people themselves into believing that they are indispensable to the organization they work for.		Consider the equation $(40)_x = (132)_y$ in some						
	(a) keep (b) fool (c) delude (d) denigrate		bases x and y . Then a possible set of values of x and y						
18.	Fill in the blanks with appropriate phase to make the sentence meaningfully complete ,		are (a) 8 and 12 (b) 12 and 8 (c) 6 and 12 (d) 12 and 6						
	(a) In case (b) In case of	28.	The smallest integer that can be represented by an 8-						
1	(c) In case to (d) In case from		bit number in 2's complement form is (a) -256 (b) -128 (c) 127 (d) -255						
19.	In the following sentence , choose the most suitable one word for all expression	29.							
	" A book containing summarized information on all branches of knowledge "		(i) NAND (ii) NOR						
	(a) Dictionary (b) Anthology		(a) I but not II (b) II but not I						
	(c) Encyclopedia (d) Directory		(c) Neither I not II (d) Both I and II						
20.	Pick out the most effictive word from the given word to fill in the blanks to make the sentence meaningful com- pletely	30.	The toal number of binary function that can be defined using n boolen variable is						
	The man was about to move his bike into the com-		(a) $2^n - 1$ (b) $2^n$						
	pound of his apatrment when a passer by down te motor cycle.		(c) $2^{n+1}$ (d) None						
	(a) Forced (b) Fell (c) Turned (d) Knocked		SECTION-C (Reasoning)						
21.	SECTION-B (COMPUTER)  Which one of the following boolean algebraic rule is		Two person S and M have made the following statement among themselves .						
	correct?		* S says that I am certainly not over 40 years .						
	(a) A .A'=1 (b) A+AB=A+B		* M says that I am 38 years and you are at least 5 years						
	(c) $A+A'B = A+B$ (d) $A(A+B)+B$		older then me .						
22.	The representation of a floation point binary number		*S says you are at least 39 yaers.						
	+1001.11 in 8 -bit fraction and 6-bit exponent formate is		If all the above statments are wrong , what are the ages of M and S?						
	(a) Fraction : 01001110 exponent : 000100		(a) 36 and 40 (b) 36 and 41						
	(b) Fraction : 00001001 exponent : 000011		(c) 37 and 40 (d) cannot be determined						
	(c) Fraction : 10010000 ex0ponent : 110000	32.	What is the smallest number of positive integer to be picked up randomly so that the sum or difference of any two of the chosen number is divisible by 10 ?						
	(d) Fraction 00100100 exponent :011000								
23.	Which term is redudent is the expression AB+A'C+BC? (a) BC (b)A'C (c)AB (d)None		(a) 2 (b) 5 (c) 7 (d) 10						
ı		ı							






33.	Five children were administered psychological tests to		(a) 24 (b) 30 (c) 34 (d) 40							
	know their intellectual levels . In the report psychogists point that child A is less intelligent than child B . The child C is less intelligent then D , The child B is less intelligent then child C and child A is less intelligent	42.	If the day after the day after tomorrow is three days before Friday, then today is (a) Tuesday (b) Thrusday (c) Saturday (d) Monday							
	than child E . Which child is most intelligent ?	43.	Find the missing term of the following series?							
	(a) D only (b) E only		DCXW, HGTS,POLK, TSHG							
	(c) D or E (d) Neither D and E		(a) KLOP (b) LKOP (c) KLPO (d) LKPO							
34.	From a group of 7 men and 6 women , a committee of 5 person with more males than females is to be formed . In how many ways can this be done?  (a) 564 (b) 645 (c) 735 (d) 756	44.	Four passenger in a train find that they from an interesting group .Two of them are lawyers and the other two are doctor .Two of them speak Bengoli and the other two speak Hindi and no two of the same profession							
35.	A.,B,C,D,E and F are a group of friends from a club. There are two house wives, one lecturer, one architect, one accountant and one lawyer in the group. There are two married couples. The lawyer is married to D, Who is a house wife. No lady is either an archirect or an archivect of the coupled to the couple of		speak the same language . They also find two of them are Christions and two are muslims and non two of the same religion speak the same language. The Hindi speaking doctor is a Christian . Then which of the following statement logically follows?							
	accountant . C, the accountant is married to F, Who is a lecturer.If E is not a house wife, What is the profession		(a) The Bengali Spaeking lawyer is a Muslim							
	of E?		(b) The Christian lawyer speaks Bengali							
	(a) Lawyer (b) Architect (c) Lecturer (d) Accountant		(c) The Bengali speaking doctor is a Christian							
36.	There are five books A,B,C,D and E placed on a table . If A is placed below E, C is placed above D, B is placed below A and D is placed above E, then which of the	Direc	(d) The Bengali speaking doctor is a Muslim ctions: 45 to 47 are based on the following:							
	below A and D is placed above E, then which of the following books touches the surface of the table.  (a) C (b) B (c)A (d) E		In an amusement park seven friends -Feroz , Gautam , Harish , Javed , Kumar , Laxman and Mohan are deciding who will ride the roller coaster . There is time for only							
37.	The following series is obtained by considering representations of decimal 99 in different number systems.	N 1	one ride before the park closes.							
	99, 90 , 83 , 78 ,		*If Feroz rides Gautam must ride							
	(a) 71, 69 (b)69, 57 (c)67, 59 (d)69, 63		*If Gautam and Harish both ride , javed cannot ride							
Dire	ctions : 38 to 40 are based on the following :		*If Harish and javad both ride , Laxman cannot ride							
	$^{\star}$ In the family of six person A, B, C , D , E and F , there are two married couples .		*If javed rides, either kumar or Mohan must ride kumar and Laxman cannot both ride, but one of them							
	* D is the grandmother of A and mother of B		must ride .							
	* C is wife of B and mother of F		*kumar and Mohan cannot both ride .							
	* F is granddaughter of E	45.	Which of the following is an acceptable combination of							
38.	What is C to A?  (a) Daugher (b) Mother  (c) Father (d) Can not be determined		riders if only three people ride?  (a) Harish , javed and Laxman  (b) Harish , javed and kumar							
39.	Which of the following is true ?		(c) Feroz , Gautam and javed (d) Gautam , kumar and Laxman							
	(a) A is brother of F (b) A is sister of F	46.	If javed and Mohan both ride , which of the following is							
	(c) B has two daughters (d)None	47	true (a) Gautam cannot ride (b) Harish must ride							
40.	Who among the following is one of the couples ? (a) CD (b) DE (c) EB (d) None		(c) Feroz cannot ride (d) Laxman must ride							
41.	The missing number in the following series 336, 210,	47.	If Feroz and harish both ride, what is the greatest number of people who can ride?							
41.	120, 60 ,, 6 is		(a) 5 (b) 7 (c) 4 (d) 6							
1		I								



**48.** The number of square in the following  $4 \times 6$  grid is



- (a) 36
- (b) 44
- (c) 50
- (d) 54
- **49.** A Cube is made up of 125 one cm. square cubes placed on a table . How many squares are visible only on three sides?
  - (a) 4
- (b) 8
- (c) 12
- (d) 16
- 50. Three thieves rob a bakery of bread, one after the other . Each thief takes half of what is present and half a bread . If 3 breads remains at the end . What is the number of breads that were presents initially?
  - (a) 24
- (b) 31
- (c) 37
- (d) 41
- **51.** A caterpiller crawls up a pole of 75 inches high, standing from the ground. Each day it crawls up 5 inches and each night it slides down 4 inches . When will it reach the top
  - (a) At the end of 70 days
- (b) At the end of 71 days
- (c) At the end of 72 days
- (d) At the end of 73 days
- **52.** A man's investment doubles in every 5 years. If he invested Rs. 5000 in each of the years 1990 . 1995 . 2000 and 2005, then what was the total amount recieved by him in 2010?
- (a) Rs. 1,40,000 (b) 30,000 (c) 70,000 (d) 1,50,000

Directions: 53 to 57 are based on the following:

A.B,C,D,E,F G and H are sitting around a circular table facing the center, Each one of them has a different profession viz. doctor, engineer, architect, teacher, clerk, shopkeeper, banker m and businessman

- \* A sits third to right of teacher.
- \* D sits seconds to left of G.
- \* G is not an immediate neighbour of teacher,
- \* Only one person sits between B, the shopkeeper and the teacher.
- \* The one who is an architect sits third to right of the teacher,
- \* H sits between architect and engineer .
- \*E is not an immediate neighbour of H.
- \* Engineer sits third to the right of clerk .
- \* Only one person sits between the businessman and

F.

- E is neither a businessman nor a doctor . Who amongst the following is the clerk?
  - (a) C
- (b) D
- (c) E
- (d) G
- Which of the following is trues with respect to the given sitting arrangement?
  - (a) E is an immediate neighbour of the engineer,
  - (b) E is an architect
  - (c) The clerk is an immediate neighbour of the banker
  - (d) The teacher sits between H and the engineer
- **55.** What is the profession of H?
  - (a) Architect
- (b) Shopkeeper
- (c) Banker
- (d) Teacher
- 56. Who sits exactaly between the architect and businessman?
  - (a) C and H
- (b) Clerk
- (c) Banker and Shopkeeper (d) Doctor
- **57.** Who sits immediately right to the businessman?
  - (a) Teacher (b) Doctor (c) Clerk (d) Banker
- Raghav left his home for office in car . He drove 15 km straight towards North and then turned east wards and coverd 8 km. He then turned to left and coverd 1 km. He again turned left and drove for 20 km and reached office. How far and in which direction is his office from the home ?
  - (a) 20 km North West
- (b) 15 km North West
- (c) 30 km North West
- (d) 25 km North
- Johen is 20 years older than Steve . In 10 year , Steve" s age will be half that of John, What is steve's age now?
  - (a) 2
- (b) 8
- (c) 10
- (d) 20
- Pointing to a boy, Aruna said to Pushpa. "The mother of his father wife of your maternal grand - father ". How is pushpa related to that boy?
  - (a) Sister
- (b)Niece (c) Cousin sister (d) Wife
- 61. Which of the following pairs of number follow the numbers in the series 2,4 ,12 , 24, 72 , \_\_\_\_, \_\_\_ ?
  - (a) 144,432 (b) 288,332 (c) 332,288 (d) 432,144
- P, Q, R,S, T and U are sitting in two rows, three in each row facing each other.
  - \* R is second to the left of P.
  - \* Q and T are facing each other .
  - \* S and P diagonally opposite to each other
  - \* Q is not a neighbour of R.

Which of the following sitting in a row?





#### (a) P,Q,R (b)P,U,S (c) U,T,S (d) P,T,R Directions: 63 to 66 are based on the following:

There are six teacher A, B, C, D, E and F in a school, Each teacher has to teach two subjects, one compulsory and the other optional. D's optional is History, while three others have it as a compulsory subject, E and F have Physics as one of their subjects. F 's compulsory subject in Mathematics, which is an optional subject of both C and E . History and English are A's subject but in term of compulsory and optional subjects , they are reserved of D's Chemistary is an optiional subject of one of the teachers. There is only one female teacher, who has English as her compusory subject?

- 63. What is compulsory subject of C?
  - (a) Physics (b) Chemistary (c) Englilsh (d) History
- Who among the following, has chemistary as a subject? (c) C
- (a)A (b) B 65. Which of the following group of teacher has History as the compulsaory subject?
  - (a) B, C and D
- (b) C and D

(d) D

- (c) A, B and C
- (d) A, C and D
- Disregrading which is compulsory or optional subject, who has the same two subject combination as that of F
  - (a) B (b) E
- If TRANSFER is coded as RTNAFSRE, then ELEPHANT 67. would be coded as ?
  - (a) LEPEHATN
- (b) LEPEAHTN
- (c) LEEPAHTN
- (d) LEPEAHNT
- Which two of the following numbers comes next in the following sequence ? 61, 57, 50, 61, 43, 36, 61 ...... (a) 29,61 (b)29,20(c) 29,22(d) 31,61
- 69. How many minimum number of colors will be required to paint all the sides of a cube without the adjacent sides having the same colors?
  - (a) 3 (b) 4
- (d) 6
- In the following sequence, which pair of number fill in the blanks?

(c)5

1, 1, 3, 2, 8, 5, 21, 13\_ \_ , \_\_\_\_ (c) 55,34 (a) 54,33 (b) 34,55 (d) 33,54

# SECTION-D (Mathematics)

71. A and B are independent witnesses in a case, the chance that A speaks truth is x and B speaks truth is y, If A and B agree on certain statements, the probability that the statement is true is

(a) 
$$\frac{xy}{xy + (1-x)(1-y)}$$
 (b)  $\frac{xy}{(1-x)(1-y)}$ 

(c) 
$$\frac{(1-x)(1-y)}{xy+(1-x)(1-y)}$$
 (d)  $\frac{x+y}{xy+(1-x)(1-y)}$ 

The harmonic mean of two number is 4, Their arithmetic mean A and the geometric mean G satisfy the  $2A + G^2 = 27$  , then the two numbers are (a) 4 and 2 (b) 6 and 3 (c) 5 and 7 (d) 4 and 1

- In an entrance test there are multiple choice questions , with four possible answer to each question of which one is correct, The probability that a student knows the answer to a question is 90%, If the student gets the correct answer to a question, then the is probability that he was guessing is
  - (a) 37/40 (b) 1/37 (c)36/37
- A man is known to speak the truth 2 out of 3 times . He threw a dice cube with 1 to 6 on its faces and reports that it is 1. Then the probability that it is actually 1 is (a) 1/2 (b) 1/7 (c) 2/7(d) 5/6
- Let A and B be two events such that? 75.

$$P(\overline{A \cup B}) = \frac{1}{6}, P(A \cap B) = \frac{1}{4}, \text{ and } P(\overline{A}) = \frac{1}{4},$$

where  $\overline{A}$  stands for complement of event A. Then the

events A and B are

- (a) independent but not equally likely
- (b) mutually exclusive and independent
- (c) equally likely and mutually excllisive
- (d) equally likely but not independent
- The mean and variance of a random variable X having a binomial distributon are 4 and 2 respectively, The P(X=1) is?
  - (a) 1/32
- (b) 1/16
- (c) 1/8
- (d) 1/4
- 77. If  $\overline{X}$  is the mean of a distribution of X , then under

usual notation 
$$\sum_{i=1}^{n} f_i(x_i - \overline{x})$$
 is ?

- (a) Mean deviation about mean
- (b) Standard deviation
- (c)1 (d) 0
- **78.** If  $E_1$  and  $E_2$  are two events associated with a random experiment such that  $P(E_2) = 0.35$ ,

$$P(E_1 \text{ or } E_2) = 0.85 \text{ and } P(E_1 \text{ and } E_2) = 0.15$$

then  $P(E_1)$  is ?

- (a) 0.25 (b) 0.35
- (c) 0.65
- (d) 0.75
- 79. Find a matrix X such that 2A+ B+X=0 , where

$$A = \begin{bmatrix} -1 & 2 \\ 3 & 4 \end{bmatrix} \text{ and } B = \begin{bmatrix} 3 & -2 \\ 1 & 5 \end{bmatrix}$$

(a) 
$$\begin{bmatrix} 1 & 2 \\ 7 & 13 \end{bmatrix}$$

(a) 
$$\begin{bmatrix} 1 & 2 \\ 7 & 13 \end{bmatrix}$$
 (b)  $\begin{bmatrix} -1 & -2 \\ -7 & -13 \end{bmatrix}$ 

$$(c)\begin{bmatrix} 13 & 2 \\ 7 & 1 \end{bmatrix}$$

(c) 
$$\begin{bmatrix} 13 & 2 \\ 7 & 1 \end{bmatrix}$$
 (d)  $\begin{bmatrix} -13 & -2 \\ -7 & -1 \end{bmatrix}$ 

- If in a triangle ABC, the altitudes from the vertices A,B,C on opposite sides are in HP, then Sin A, Sin B, Sin C are in?
  - (a) HP
- (b) Arithmetico-Geometric progression





(d) GP

**81.**  $\alpha, \beta$  are the roots of an equation  $x^2 - 2x\cos\theta + 1$ = 0 then the equation having  $\alpha^n$  and  $\beta^n$  is

(a) 
$$x^2 - (2\cos n\theta)x + 1 = 0$$

(b) 
$$2x^2 - (2\cos n\theta)x - 1 = 0$$

(c) 
$$x^2 + (2\cos n\theta)x + 1 = 0$$

(d) 
$$x^2 + (2\cos n\theta)x - 1 = 0$$

- **82.** The equation  $(x-a)^3 + (x-b)^3 + (x-c)^3 = 0$  has
  - (a) All three real roots
  - (b) One real and two imaginary root
  - (c) Three real roots , namely x = a , y = b, z = c
  - (d) None of these
- 83. Three positive number whose sum is 21 are in arithmetic progression, If 2,2,14 are added to them added to them respectively then resulting number are in geometric progression. Then which of the following is not among the three number ?
- (b) 13 (c)1
- 84. If  $Sin^{-1} \frac{2a}{1+a^2} + Sin^{-1} \frac{2b}{1+b^2} = 2 \tan^{-1} n$  then?

(a) 
$$n = \frac{(a-b)}{(1+ab)}$$
 (b)  $n = \frac{(ab)}{(a-a)}$ 

(c) 
$$n = \frac{(a+b)}{(1-ab)}$$
 (d)  $n = \frac{(1-ab)}{(1+ab)}$ 

The value of A that satisfies the equation  $a \sin A + b \cos A = c$  is equal to ?

(a) 
$$\tan^{-1} \left( \frac{a}{b} \right) \pm \cos^{-1} \left( \frac{c}{\sqrt{a^2 + b^2}} \right)$$

(b) 
$$\tan^{-1} \left( \frac{c}{b} \right) \pm \sin^{-1} \left( \frac{a}{\sqrt{a^2 + b^2}} \right)$$

(c) 
$$\tan^{-1} \left( \frac{a}{b} \right) \pm \sin^{-1} \left( \frac{c}{\sqrt{a^2 + b^2}} \right)$$

- (d) None
- 86. If  $\tan x = \frac{-3}{4}$  and  $\frac{3\pi}{2} < x < 2\pi$ , then the value of  $\sin 2x$  is?

- (b) -7/25 (a) 7/25 (c) 24/25 (d) -24/25
- Fine the principal value of  $\cot^{-1}(-\sqrt{3})$ ?
  - (a)  $\frac{\pi}{2}$  (b)  $\frac{\pi}{6}$  (c)  $\frac{7\pi}{6}$  (d)  $\frac{5\pi}{6}$
- 88. If  $\cos \theta = \frac{4}{5}$  and  $\cos \phi = \frac{12}{12}$ , with  $\theta$  and  $\phi$  both in

the fourth quardant, the value of  $cos(\theta + \phi)$  is ?

(a) 
$$-\frac{16}{65}$$
 (b)  $-\frac{33}{65}$  (c)  $\frac{33}{65}$  (d)  $\frac{16}{65}$ 

89. The value of  $\sin 36^{\circ}$  is

(a) 
$$\frac{\sqrt{10+2\sqrt{5}}}{4}$$
 (b)  $\frac{\sqrt{10-2\sqrt{5}}}{4}$ 

(c) 
$$\frac{\left(\sqrt{5}+1\right)}{4}$$
 (d)  $\left(\frac{\sqrt{5}-1}{4}\right)$ 

- Express  $(\cos 5x \cos 7x)$  as a product of sines or cosines or sines and cosines
  - (a)  $2\cos 4x\cos x$
- (b)  $2\sin 4x \sin x$
- (c)  $2\sin 6x\sin x$
- (d)  $2\cos 6x \cos x$
- 91. If non zero number a,b,c are in A.P, then the straight line  $\frac{x}{a} + \frac{y}{b} + \frac{1}{a} = 0$  always passes through a fixed point, then the point is

(a) 
$$(1,-2)$$
 (b)  $\left(1,\frac{1}{2}\right)$  (c)  $(-1,2)$  (d) None

92. If the lines

$$x + (a-1)y + 1 = 0$$
 and  $2x + a^2y - 1 = 0$   
are prepedicular, then the condition satisfied by  $a$  is

- (a) |a| = 2
- (b) 0 < a < 1
- (c) -1 < a < 0 (d) a = -1
- 93. In a triangle ABC, Let  $C = \frac{\pi}{2}$ , If r is the inradius and

R is circumradius of the triangle ABC ,then

$$2(r+R)$$
 equals

(a) a+c (b) a+b+c (c) a+b (d) b+c

(c) 
$$a + b$$
 (d)  $b + c$ 





- **94.** If  $x^2 + 3xy + 2y^2 x 4y 6 = 0$  represents a pair of straight lines, their point if intersection is (b) (8,5) (c)(8,-5)
- 95. The equation of the tangent line to the curve

$$y = 2x \sin x$$
 at the point  $\left(\frac{\pi}{2}, \pi\right)$  is

- (a)  $v = 2x + 2\pi$
- (b) v = 2x
- (c)  $y = -2x + 2\pi$
- (d) v = -2x
- **96.** If the graph of  $y = (x-2)^2 3$  is shifted by 5 units up along y -axis and 2 unit to the right along the x-axis, then the equation of the resultant graph is ?
  - (a)  $v = x^2 + 2$
- (b)  $y = (x+2)^2 + 5$
- (c)  $y = (x+2)^2 + 2$  (d)  $y = (x-4)^2 + 2$
- The direction cosines of the vector  $\vec{a} = \left( -2\hat{i} + \hat{j} 5\hat{k} \right)$ are?
  - (a) -2,1,-5
- (b)  $\frac{1}{3}, \frac{-1}{6}, \frac{-5}{6}$
- (c)  $\frac{2}{\sqrt{30}}$ ,  $\frac{1}{\sqrt{30}}$ ,  $\frac{5}{\sqrt{30}}$  (d)  $\frac{-2}{\sqrt{30}}$ ,  $\frac{1}{\sqrt{30}}$ ,  $\frac{-5}{\sqrt{30}}$
- The equation of the hyperbola with center at the origin. lenght of the transverse axis is 6 and one focus at(0,4)

  - (a)  $\frac{y^2}{0} + \frac{x^2}{7} = 1$  (b)  $\frac{y^2}{0} \frac{x^2}{7} = 1$

  - (c)  $\frac{y^2}{7} + \frac{x^2}{9} = 1$  (d)  $\frac{y^2}{7} \frac{x^2}{9} = 1$
- **99.** If  $\stackrel{\rightarrow}{a},\stackrel{\rightarrow}{b},\stackrel{\rightarrow}{c}$  are vectors such that  $\stackrel{\rightarrow}{a}+\stackrel{\rightarrow}{b}+\stackrel{\rightarrow}{c}=0$  and

$$|\overrightarrow{a}| = 7, |\overrightarrow{b}| = 5, |\overrightarrow{c}| = 3$$
 , then the angle between the

vectors  $\stackrel{\rightarrow}{h}$  and  $\stackrel{\rightarrow}{c}$  is ?

- (a)  $60^{\circ}$  (b)  $30^{\circ}$  (c)  $45^{\circ}$
- **100.** If  $a\hat{i} + \hat{j} + \hat{k}, \hat{i} + b\hat{j} + \hat{k}, \hat{i} + \hat{j} + c\hat{k} (a \neq b \neq c \neq 1)$ are co-plananr, then the value of

$$\frac{1}{1-a} + \frac{1}{1-b} + \frac{1}{1-c}$$
 is

- (b) -1/2(c) 1/2(d)1
- **101.** Let  $\stackrel{\rightarrow}{a},\stackrel{\rightarrow}{b}$  and  $\stackrel{\rightarrow}{c}$  be three vector having magnitudes 1 1 and 2 respectively, If  $\overrightarrow{a} \times (\overrightarrow{b} \times \overrightarrow{c}) - \overrightarrow{b} = 0$  then the acute angle between  $\stackrel{\rightarrow}{q}$  and  $\stackrel{\rightarrow}{c}$  is
  - (a)  $\pi/4$  (b)  $\pi/6$  (c)  $\pi/3$
- (d) None
- **102.** Let  $\stackrel{\rightarrow}{a}, \stackrel{\rightarrow}{b}, \stackrel{\rightarrow}{c}$  be vector such that

$$\begin{vmatrix} \vec{a} \\ a \end{vmatrix} = 2, \begin{vmatrix} \vec{b} \\ b \end{vmatrix} = 3, \begin{vmatrix} \vec{c} \\ c \end{vmatrix} = 5 \text{ and } \begin{vmatrix} \vec{a} \\ a + b \end{vmatrix} + \begin{vmatrix} \vec{c} \\ c \end{vmatrix} = 0$$
 The

value of  $\stackrel{\rightarrow}{a} \stackrel{\rightarrow}{.b} \stackrel{\rightarrow}{+b} \stackrel{\rightarrow}{.c} \stackrel{\rightarrow}{+c} \stackrel{\rightarrow}{.a}$ 

- **103.** If  $\vec{a} = (\vec{i} + 2\vec{j} 3\vec{k})_{\text{and}} \vec{b} = (\vec{3}\vec{i} \vec{j} + 2\vec{k})_{\text{then}}$

the angle between  $\begin{pmatrix} \overrightarrow{a} + \overrightarrow{b} \end{pmatrix}$  and  $\begin{pmatrix} \overrightarrow{a} - \overrightarrow{b} \end{pmatrix}$  is?

- (a)  $\pi/3$  (b)  $\pi/4$
- (c)  $\pi/2$
- 104. The number if element in the power set P(S) of set  $S=\{2,\{1,4\}\}\$  is ?
- (c) 8
- **105.** If  $(1-x+x^2)^n = a_0 + a_1x + a_2x^2 + \dots + a_{2n}x^{2n}$ , then  $a_0 + a_2 + a_4 + ... + a_{2n}$  is ?

(a) 
$$\frac{3^n+1}{2}$$
 (b)  $\frac{3^n-1}{2}$  (c)  $\frac{1-3^n}{2}$  (d)  $3^n+\frac{1}{2}$ 

- 106. m dustinct animals of a circus have to be placed in m cages, one in each cage. There are n small cages and p small animals (n . The large anumalsare so large that they do not fit in small cage, However , small animals can be put in any cage , The number of ways of putting the animals into cages is :
  - (a)  $\{^{(m-n)}P_p\}\{^{(m-p)}P_{(m-p)}\}$
- (b)  $^{(m-n)}C_n$
- (c)  $\{^{(m-n)}C_n\}\{^{(m-p)}C_{(m-n)}\}$
- (d)  $^{(m-n)}P_n$
- 107. Let A and B two sets containing four and two elements respectively, The number of subsets of the set  $A \times B$  , each having at least three elements is :
  - (a) 270
- (b) 239
- (c) 219
- (d) 256





108. The slop of the function

$$f(x) = \begin{cases} x^2 \sin\left(\frac{1}{x}\right), & x \neq 0 \\ 0, & x = 0 \end{cases}$$
?

(b) 3/2

(a) 3

edges of length 3?

- (b) (1,-1) ,Maximum
- (a) (1,1) Maximum (c) (1,1) Minimum
- (d) (1,-1) Minimum
- **116.** If  $y = \cos^2 x^2$ , find  $\frac{dy}{dx}$ . (c) -1(d)None 109. What is the largest area of an isosceles tringle with two

(d) 9/2

- (a)  $4x^2 \sin x^2 \cos x^2$  (b)  $-4x \cos x^2 \sin x^2$
- (c)  $2x \sin x^2 \cos x^2$  (d)  $-2x \cos x^2 \sin x^2$
- **110.** The value of  $\int_0^{\pi} x^3 \sin x dx$  is 117. The derivatives of  $(x^3 + e^x + 3^x + \cot x)$  with respect
  - (a)  $3x^2 + e^x + 3^x (\log 3) \cos ec^2 x$

115. The critical point and nature for the function  $f(x, y) = x^2 - 2x + 2y^2 + 4y - 2$  is.

- (b)  $3x^2 + e^x + 3^x (\log 3) + \cos ec^2 x$
- (c)  $3x^2 + e^x + 3^x (\log 3) \sec^2 x$
- (d)  $3x^2 + e^x + 3^x (\log 3) + \sec^2 x$
- **111.** Let f(a) be a polynomial of degree four having extreme value at x = 1 and x = 2.

(a)  $\pi^3 - 6\pi$  (b)  $-\pi^3 - 6\pi$ 

(d)  $\pi^3 + 6\pi$ 

If 
$$\lim_{x \to 0} \left[ 1 + \frac{f(x)}{x^2} \right] = 3$$
 then  $f(2)$  is ?

(c)  $-\pi^3 + 6\pi$ 

- (c)-8
  - (d) -4
- 112. The maximum value of

$$4\sin^2 + 3\cos^2 x + \sin\frac{x}{2} + \cos\frac{x}{2}$$
 is

- (b)  $3 + \sqrt{2}$  (c) 9
- **113.** The solution of  $(e^x + 1)ydy = (y + 1)e^x dx$  is .
  - (a)  $e^y = c(e^x + 1)(y + 1)$  (b)  $e^y = e^x + y + 1$ 
    - (c)  $y = (e^x + 1)(y + 1)$  (d) None
- **114.** Evaluate  $\int_{0}^{1} x(1-x)^{n} dx$ .
  - (a)  $\frac{-1}{(n+1)(n+2)}$  (b)  $\frac{1}{(n+1)(n+2)}$
  - (c) (n+1)(n+2) (d) (n-1)(n-2)

- **118.** The solution of the equation  $\frac{dy}{dx} = e^{x+y} + x^2 e^y$  is

  - (a)  $e^{x-y} + \frac{x^3}{3} + c$  (b)  $e^x + e^{-y} + \frac{x^3}{3} = c$
  - (c)  $e^x e^{-y} = \frac{x^3}{2} + c$ (d) None
- **119.** Differentiate  $\{-\log(\log x), x > 1\}$  with respect to x
  - (a)  $-1/(x \log x)$
- (b)  $1/(\log x)$
- (c) 1/x
- (d)  $x \log x$
- **120.** Evaluate  $\lim_{x\to 0} \frac{x \tan x}{(1-\cos x)}$ 
  - (a) 1/2
- (b) 1/2
- (c) -2
- (d)2





ANSWER KEY ( NIMCET - ACTUAL -2017 )																			
1.	(b)	2.	(d)	3.	(c)	4.	(d)	5.	(c)	6.	(a)	7.	(c)	8.	(b)	9.	(d)	10.	(a)
11.	(c)	12.	(a)	13.	(a)	14.	(a)	15.	(c)	16.	(b)	17.	(c)	18.	(b)	19.	(d)	20.	(d)
21.	(c)	22.	(d)	23.	(d)	24.	(b)	25.	(c)	26.	(a)	27	. ()	28.	(b)	29.	(d)	30.	(d)
31.	(d)	32.	(b)	33.	(c)	34.	(d)	35	. ()	36.	(b)	37.	(a)	38.	(b)	39.	(d)	40.	(b)
41.	(a)	42.	(c)	43.	(d)	44.	(b)	45.	(b)	46.	(d)	47.	(a)	48.	(c)	49.	(a)	50.	(b)
51.	(b)	52.	(d)	53.	(d)	54.	(c)	55.	(d)	56.	(d)	57.	(c)	58.	(a)	59.	(c)	60.	(c)
61.	(a)	62.	(d)	63.	(d)	64.	(b)	65.	(c)	66.	(c)	67.	(b)	68.	(c)	69.	(a)	70.	(c)
71.	(a)	72.	(b)	73.	(b)	74.	(c)	<b>75.</b>	(a)	76.	(a)	77.	(d)	78.	(c)	79.	(b)	80.	(c)
81.	(a)	82.	(b)	83.	(a)	84.	(c)	85.	(a)	86.	(d)	87.	(d)	88.	(c)	89.	(b)	90.	(c)
91.	(d)	92.	(d)	93.	(c)	94.	(c)	95.	(b)	96.	(d)	97.	(d)	98.	(b)	99.	(a)	100.	()
101.	(b)	102.	(d)	103.	(c)	104.	(b)	105.	(a)	106.	(a)	107.	(c)	108.	(b)	109.	(d)	110.	(a)
111.	(a)	112.	(d)	113.	(a)	114.	(b)	115.	(d)	116.	(b)	117.	(a)	118.	(b)	119.	(a)	120.	(d)