DAY-2

Ankita Ganesh

Activity 1 – Data Dictionary

Project: Amazon Online Shopping Application

In this project, BRD explains what the business expects (like user registration, login, payment etc.).

FSD explains how these requirements are technically implemented in the system, including field formats and validations.

Below I am mentioning field name, data type, and validation conditions.

1. **Registration Module**:

   As per BRD, user should be able to create an account.

   - Field Name: **user_id**
     Data Type: Integer
     Description: Auto-generated unique ID for every user.
   - Field Name: **full_name**
     Data Type: Varchar (100)
     Condition: Should contain only alphabets and spaces. Minimum 3 characters.
   - Field Name: **email**
     Data Type: Varchar(100)

Activity-2

Waterfall model



Waterfall Model –

Linear model/Sequential model

The Waterfall model is a way of building software where you finish one step completely before moving to the next. It works like a staircase — once you

Activity -03

Test Execution Process

The Test Execution process is the stage where testers actually run the test cases and check if the software works the way it should. It's like finally using a product after weeks of planning, designing, and preparing test cases.

Below is the step-by-step flow you gave:

Test case design → Test case execution → Smoke testing → Normal test cases execution → Defect → Regression testing → Smoke testing → Test reporting → Test closure report

Now, let's explain each stage simply.

1. Test Case Design

This is when testers write down "what to test," "how to test," and "what result is expected."

Example:

- **Test case:** Check if login works with valid username and password
- **Expected result:** User should be able to log in

2. Test Case Execution

Now testers start running these test cases one by one on the application.
They compare:

Activity-04



White Box Testing –

White box testing means checking the internal code

Example: Medical chatbot.

The developer opens the chatbot's code and checks the logic that decides:

- If the user types "fever + body pain," the bot should suggest "possible flu."

Activity-05

User Acceptance Testing (UAT) –

User Acceptance Testing is the final stage of testing where the actual users or business team test the software to check if it works the way they expect.
It is like doing a final reality check before launching the product.
ex:Is this software ready for real people to use?

Different Types of UAT (Explained Simply)

1.Business Acceptance Testing (BAT)

This checks whether the software supports business needs.

Example:
For a medical chatbot → Business wants the chatbot to ask critical questions like "Do you have severe chest pain?" BAT checks if the bot behaves exactly as the business planned.

2.Operational Acceptance Testing (OAT)

This checks whether the system is ready for day-to-day operation.

Example:
The medical chatbot team checks if logs are being generated, backup is working, and the server can handle chat requests smoothly.

3.Regulatory / Compliance UAT