
Create Account

- Happy Path



Sample logs

```
[GIN-debug] GET /docs/*filepath /docs/*filepat
```


Values in DB

```
SELECT id, document_number
FROM pismodata.transaction_routine_accounts_data;

Select * from pismodata.transaction_routine_transactions_data;


delete from pismodata.transaction_routine_tr
```

If document_number value is not there




If document_number is not at present in request body


If no request body is present at all




Calling GetAccountByID on the newly created account.




If account id not present in db




If account id is not valid uuid




Create Transaction Happy Path





Get Transaction




Negative scenerios for create transactions

If account_id is not there in the request body


```
Post with the image is a control of the imag
```


If operation_type_id is not there in the request body


If amount is missing in the request body



If amount is positive for operation_type_id 1, 2, or 3








Positive amount with operation_type_id 4

```
Post Thitp://localhost.8080/v1/transactions

Params Body Auth Headers Scripts Docs

Preview Headers Cookies Tests 0/0 Tests 0/
```

Negative amount with operation_type_id 4



Error scenario has gin stack printed for easy debugging

```
/Users/ankitchahal/dev/go/pkg/mod/golang.org/toolchain@v0.0.1-gol.23.1.darwin-arm64/src/net/http/server.go:2092
2024-10-14T2:00:10.8630-0530 ERROR middleware/inputvalidation.go:124 transactions of type Normal Purchase, Purchase with Installments, and Withdrawal must have a negative amount, txid: 02a02307-2465-41c9-a6ff-9afe87f300c; transaction-routine/internal/middleware.validateCreateTransactionInput
//Users/ankitchahal/dev/go/src/github.com/ankit/project/transaction-routine/internal/middleware/inputvalidation.go:124
github.com/ankit/project/transaction-routine/internal/server.Start.ValidateInputRequest.func2
//Users/ankitchahal/dev/go/src/github.com/ankit/project/transaction-routine/internal/middleware/inputvalidation.go:45
github.com/gin-gonic/gin.(*Context).Next
//Users/ankitchahal/dev/go/pkg/mod/github.com/gin-gonic/gin@v1.10.0/context.go:185
github.com/gin-gonic/gin.CustomRecoveryWithWriter.func1
//Users/ankitchahal/dev/go/pkg/mod/github.com/gin-gonic/gin@v1.10.0/context.go:185
github.com/gin-gonic/gin.(*Context).Next
//Users/ankitchahal/dev/go/pkg/mod/github.com/gin-gonic/gin@v1.10.0/context.go:185
github.com/gin-gonic/gin.(*Context).Next
//Users/ankitchahal/dev/go/pkg/mod/github.com/gin-gonic/gin@v1.10.0/context.go:185
github.com/gin-gonic/gin.(*Engine).serveHTTP
//Users/ankitchahal/dev/go/pkg/mod/github.com/gin-gonic/gin@v1.10.0/gin.go:589
net/http.serverHandler.ServeHTTP
//Users/ankitchahal/dev/go/pkg/mod/golang.org/toolchain@v0.0.1-gol.23.1.darwin-arm64/src/net/http/server.go:3210
net/http.(*conn).serve
//Users/ankitchahal/dev/go/pkg/mod/golang.org/toolchain@v0.0.1-gol.23.1.darwin-arm64/src/net/http/server.go:2092
```