




Smart Electrical Solutions for **Happy Homes**



PRICE LIST

w.e.f 1st September, 2026

Retail & Agro Products

We touch your electricity everyday!



General Terms & Conditions

Price are subject to revision without prior notice and will be applicable as prevailing at the time of dispatch.

- This Pricelist supersedes all previous Price Lists.
- Maximum Retail Price (MRP) mentioned are maximum recommended selling prices inclusive of GST.
- All Prices are in Indian Rupees.
- All prices indicated are for unit quantity. In case of ordering products with standard packaging defined, kindly multiply by unit rate.

Warranty

All our listed products carry a warranty, against manufacturing defects for a period of 12 months from the date of invoicing subject to it's usages in normal recommended operating conditions. The company liability shall be limited to exchange or repair of the product, at its discretion, provided that such defective products are returned to billing address with all necessary documents.

POR - Price on request

Products have been classified as Stockable & Non Stockable items.

Non Stockable items has been marked as 

CENTRAL CUSTOMER CARE (CCC)

Single stop Customer Support for all service needs, please contact:

Toll Free Number: 1800 572 2012

E-mail: customercare@cselectric.co.in

Products	Page No.
MCB, RCCB, Isolator & ACCL	
WiNtrip1 MCB	4-5
WiNtrip2 MCB	6-9
Isolator	10
Higher Rating MCB	11
MCB Type Changeover Switch	11
SmartSol Mini MCB	11
Residual Current Circuit Breaker	13~14
ACCL	15
Distribution Boards	16~24
Modular Switches	
Elusio Switches	25-27
Divino Switches	28-32
Weather Proof Enclosures (COMBI)	33
Accessories	34
Primo Plus Switches	35-38
Primo Switches	39-41
Bridgg Switches	42~43
 Bridgg2.0 Switches	44~45
Modular MCB	46
Metal Box	47
Industrial Plugs & Sockets	49
Control & Signalling Devices	50
Anmol Motor Starters	
Anmol Range of Starters	52-53
Motor Starters & Submersible Pump Starters-Offerings	54
Relay Range & Contactor Ratings Used in Motor Starters	55
DOL Starters	56-57
Star Delta Starters	58~59
Submersible Pump Starters	60-66
Smart Mobile Pump Controller	67
Anmol Motor Starter Spares	68~71
Motor Starter - Selection Chart	72-73
MCCBs	74~75
On Load Changeover Switches	76
Switch Disconnectors	77-78
Fusegear	79
WiNtrip MCB - Selection Chart	80

WiNtrip1

MCBs & Isolators



- Fast Tripping
- Line Load Reversibility
- Trip Free Mechanism
- Bi-Connect Terminals

MCB

■ SP | SPN | DP | TP | TPN | FP
■ 6A~63A

Isolator

■ SP | DP | TP | FP
■ 25A~125A

We touch your electricity everyday!



WiNtrip1 Miniature Circuit Breaker



Current rating (Amps.)	Product Code	MRP (₹)	Std.Pkg. (Nos.)
1 Pole			
6	CSMBL1C6	273	12
10	CSMBL1C10	273	
16	CSMBL1C16	273	
20	CSMBL1C20	273	
25	CSMBL1C25	273	
32	CSMBL1C32	273	
40	CSMBL1C40	642	
63	CSMBL1C63	734	
1 Pole + N			
6	CSMBL1C6N	1095	6
10	CSMBL1C10N	1095	
16	CSMBL1C16N	1095	
20	CSMBL1C20N	1095	
25	CSMBL1C25N	1095	
32	CSMBL1C32N	1095	
40	CSMBL1C40N	1545	
63	CSMBL1C63N	1630	
2 Pole			
6	CSMBL2C6	1161	6
10	CSMBL2C10	1161	
16	CSMBL2C16	1161	
20	CSMBL2C20	1161	
25	CSMBL2C25	1161	
32	CSMBL2C32	1161	
40	CSMBL2C40	1493	
63	CSMBL2C63	1750	

[HSN Code: 8536]

Current rating (Amps.)	Product Code	MRP (₹)	Std.Pkg. (Nos.)
3 Pole			
6	CSMBL3C6	1983	4
10	CSMBL3C10	1983	
16	CSMBL3C16	1983	
20	CSMBL3C20	1983	
25	CSMBL3C25	1983	
32	CSMBL3C32	1983	
40	CSMBL3C40	2505	
63	CSMBL3C63	2468	
3 Pole + N			
6	CSMBL3C6N	2600	3
10	CSMBL3C10N	2600	
16	CSMBL3C16N	2600	
20	CSMBL3C20N	2600	
25	CSMBL3C25N	2600	
32	CSMBL3C32N	2600	
40	CSMBL3C40N	2730	
63	CSMBL3C63N	2804	
4 Pole			
6	CSMBL4C6	2639	3
10	CSMBL4C10	2639	
16	CSMBL4C16	2639	
20	CSMBL4C20	2639	
25	CSMBL4C25	2639	
32	CSMBL4C32	2639	
40	CSMBL4C40	2940	
63	CSMBL4C63	3675	


WiNtrip1 Isolator



Current rating (Amps.)	Product Code	MRP (₹)	Std.Pkg. (Nos.)
1 Pole			
25	CSMBL1ISO25	326	12
40	CSMBL1ISO40	431	
63	CSMBL1ISO63	483	
80	CSMBL1ISO80	658	
100	CSMBL1ISO100	747	
125	CSMBL1ISO125	901	
2 Pole			
25	CSMBL2ISO25	683	6
40	CSMBL2ISO40	590	
63	CSMBL2ISO63	751	
80	CSMBL2ISO80	1172	
100	CSMBL2ISO100	1274	
125	CSMBL2ISO125	1404	

[HSN Code: 8536]

Current rating (Amps.)	Product Code	MRP (₹)	Std.Pkg. (Nos.)
3 Pole			
25	CSMBL3ISO25	1224	4
40	CSMBL3ISO40	1266	
63	CSMBL3ISO63	1353	
80	CSMBL3ISO80	1816	
100	CSMBL3ISO100	1890	
125	CSMBL3ISO125	1958	
4 Pole			
25	CSMBL4ISO25	1314	3
40	CSMBL4ISO40	1418	
63	CSMBL4ISO63	1628	
80	CSMBL4ISO80	2112	
100	CSMBL4ISO100	2158	
125	CSMBL4ISO125	2184	

WiNtrip2 Miniature Circuit Breaker


Large Terminal Screws

Finger proof Terminal

Air Circulation Channel

Breaking Capacity 10kA

Large Dolly

Padlocking facility

Integrated Label Channel Holder

Combination Head Captive Screw


B-Series

Lighting & Distribution with no Surge Current

[HSN Code: 8536]



Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
1 Pole			
6	CSMBS1B6	390	12
10	CSMBS1B10	390	
16	CSMBS1B16	390	
20	CSMBS1B20	390	
25	CSMBS1B25	390	
32	CSMBS1B32	390	
40	CSMBS1B40	930	
50	 CSMBS1B50	1050	
63	CSMBS1B63	1050	
1 Pole + N			
6	CSMBS1B6N	1320	6
10	CSMBS1B10N	1320	
16	CSMBS1B16N	1320	
20	CSMBS1B20N	1320	
25	CSMBS1B25N	1320	
32	CSMBS1B32N	1320	
40	CSMBS1B40N	1920	
50	 CSMBS1B50N	2160	
63	CSMBS1B63N	2160	
2 Pole			
6	CSMBS2B6	1470	6
10	CSMBS2B10	1470	
16	CSMBS2B16	1470	
20	CSMBS2B20	1470	
25	CSMBS2B25	1470	
32	CSMBS2B32	1470	
40	CSMBS2B40	2050	
50	 CSMBS2B50	2390	
63	CSMBS2B63	2390	

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
3 Pole			
6	CSMBS3B6	2190	4
10	CSMBS3B10	2190	
16	CSMBS3B16	2190	
20	CSMBS3B20	2190	
25	CSMBS3B25	2190	
32	CSMBS3B32	2190	
40	CSMBS3B40	3250	
50	CSMBS3B50	3250	
63	CSMBS3B63	3250	
3 Pole + N			
6	CSMBS3B6N	2860	3
10	CSMBS3B10N	2860	
16	CSMBS3B16N	2860	
20	CSMBS3B20N	2860	
25	CSMBS3B25N	2860	
32	CSMBS3B32N	2860	
40	CSMBS3B40N	3820	
50	CSMBS3B50N	4230	
63	CSMBS3B63N	4230	
4 Pole			
6	CSMBS4B6	3160	3
10	CSMBS4B10	3160	
16	CSMBS4B16	3160	
20	CSMBS4B20	3160	
25	CSMBS4B25	3160	
32	CSMBS4B32	3160	
40	CSMBS4B40	4140	
50	CSMBS4B50	4420	
63	CSMBS4B63	4420	

CSMBS1B50, CSMBS1B50N, CSMBS2B50, CSMBS3B50, CSMBS4B50: Non Stockable item



WIntrip2 Miniature Circuit Breaker

C-Series

Inductive load with surge current - Motor Circuit Applications

[HSN Code: 8536]

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
1 Pole			
0.5	 CSMBS1C0.5	710	12
1	CSMBS1C1	710	
2	CSMBS1C2	710	
3	 CSMBS1C3	710	
4	CSMBS1C4	710	
5	 CSMBS1C5	710	
6	CSMBS1C6	410	
10	CSMBS1C10	410	
16	CSMBS1C 16	410	
20	CSMBS1C20	410	
25	CSMBS1C25	410	
32	CSMBS1C32	410	
40	CSMBS1C40	1010	6
50	 CSMBS1C50	1060	
63	CSMBS1C63	1060	
1 Pole + N			
0.5	CSMBS1C0.5N	1980	6
1	 CSMBS1C1N	1980	
2	 CSMBS1C2N	1980	
3	 CSMBS1C3N	1980	
4	CSMBS1C4N	1980	
5	CSMBS1C5N	1980	
6	 CSMBS1C6N	1400	
10	CSMBS1C10N	1400	
16	CSMBS1C16N	1400	
20	CSMBS1C20N	1400	
25	 CSMBS1C25N	1400	
32	CSMBS1C32N	1400	
40	 CSMBS1C40N	2030	6
50	 CSMBS1C50N	2290	
63	CSMBS1C63N	2290	
2 Pole			
0.5	CSMBS2C0.5	2040	6
1	 CSMBS2C1	2040	
2	CSMBS2C2	2040	
3	 CSMBS2C3	2040	
4	CSMBS2C4	2040	
5	CSMBS2C5	2040	
6	CSMBS2C6	1470	
10	CSMBS2C10	1470	
16	CSMBS2C16	1470	
20	CSMBS2C20	1470	
25	CSMBS2C25	1470	
32	CSMBS2C32	1470	
40	CSMBS2C40	2160	3
50	 CSMBS2C50	2440	
63	CSMBS2C63	2440	

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)	
3 Pole				
0.5	CSMBS3C0.5	2880	4	
1	CSMBS3C1	2880		
2	CSMBS3C2	2880		
3	CSMBS3C3	2880		
4	CSMBS3C4	2880		
5	CSMBS3C5	2880		
6	CSMBS3C6	2300		
10	CSMBS3C10	2300		
16	CSMBS3C16	2300		
20	CSMBS3C20	2300		
25	CSMBS3C25	2300		
32	CSMBS3C32	2300		
40	CSMBS3C40	3410	3	
50	CSMBS3C50	3560		
63	CSMBS3C63	3560		
3 Pole + N				
0.5	CSMBS3C0.5N	3750		
1	CSMBS3C1N	3750		
2	CSMBS3C2N	3750		
3	CSMBS3C3N	3750		
4	CSMBS3C4N	3750		
5	CSMBS3C5N	3750		
6	CSMBS3C6N	2940		
10	CSMBS3C10N	2940		
16	CSMBS3C16N	2940		
20	CSMBS3C20N	2940		
25	CSMBS3C25N	2940		
32	CSMBS3C32N	2940		
40	CSMBS3C40N	3990		
50	CSMBS3C50N	4250		
63	CSMBS3C63N	4250		
4 Pole				
0.5	CSMBS4C0.5	3980	3	
1	CSMBS4C1	3980		
2	CSMBS4C2	3980		
3	CSMBS4C3	3980		
4	CSMBS4C4	3980		
5	CSMBS4C5	3980		
6	CSMBS4C6	3250		
10	CSMBS4C10	3250		
16	CSMBS4C16	3250		
20	CSMBS4C20	3250		
25	CSMBS4C25	3250		
32	CSMBS4C32	3250		
40	CSMBS4C40	4460	3	
50	CSMBS4C50	4620		
63	CSMBS4C63	4620		

Non Stockable item

WiNtrip2 Miniature Circuit Breaker
K-Series, 'C' Curve

IS/IEC 60947-2

Inductive load with surge current - Motor Circuit Applications

[HSN Code: 8536]

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
1 Pole			
0.5	CSMBS1K0.5	830	12
1	CSMBS1K1	830	
2	CSMBS1K2	830	
3	CSMBS1K3	830	
4	CSMBS1K4	830	
5	CSMBS1K5	830	
6	CSMBS1K6	520	
10	CSMBS1K10	520	
16	CSMBS1K16	520	
20	CSMBS1K20	520	
25	CSMBS1K25	520	
32	CSMBS1K32	520	
40	CSMBS1K40	1170	
50	CSMBS1K50	1290	
63	CSMBS1K63	1290	
1 Pole + N			
0.5	CSMBS1K0.5N	2270	6
1	CSMBS1K1N	2270	
2	CSMBS1K2N	2270	
3	CSMBS1K3N	2270	
4	CSMBS1K4N	2270	
5	CSMBS1K5N	2270	
6	CSMBS1K6N	1620	
10	CSMBS1K10N	1620	
16	CSMBS1K16N	1620	
20	CSMBS1K20N	1620	
25	CSMBS1K25N	1620	
32	CSMBS1K32N	1620	
40	CSMBS1K40N	2310	
50	CSMBS1K50N	2620	
63	CSMBS1K63N	2620	
2 Pole			
0.5	CSMBS2K0.5	2390	6
1	CSMBS2K1	2390	
2	CSMBS2K2	2390	
3	CSMBS2K3	2390	
4	CSMBS2K4	2390	
5	CSMBS2K5	2390	
6	CSMBS2K6	1720	
10	CSMBS2K10	1720	
16	CSMBS2K16	1720	
20	CSMBS2K20	1720	
25	CSMBS2K25	1720	
32	CSMBS2K32	1720	
40	CSMBS2K40	2560	
50	CSMBS2K50	2900	
63	CSMBS2K63	2900	

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
3 Pole			
0.5	CSMBS3K0.5	3330	4
1	CSMBS3K1	3330	
2	CSMBS3K2	3330	
3	CSMBS3K3	3330	
4	CSMBS3K4	3330	
5	CSMBS3K5	3330	
6	CSMBS3K6	2750	
10	CSMBS3K10	2750	
16	CSMBS3K16	2750	
20	CSMBS3K20	2750	
25	CSMBS3K25	2750	
32	CSMBS3K32	2750	
40	CSMBS3K40	4000	
50	CSMBS3K50	4260	
63	CSMBS3K63	4260	
3 Pole + N			
0.5	CSMBS3K0.5N	4290	3
1	CSMBS3K1N	4290	
2	CSMBS3K2N	4290	
3	CSMBS3K3N	4290	
4	CSMBS3K4N	4290	
5	CSMBS3K5N	4290	
6	CSMBS3K6N	3490	
10	CSMBS3K10N	3490	
16	CSMBS3K16N	3490	
20	CSMBS3K20N	3490	
25	CSMBS3K25N	3490	
32	CSMBS3K32N	3490	
40	CSMBS3K40N	4700	
50	CSMBS3K50N	5050	
63	CSMBS3K63N	5050	
4 Pole			
0.5	CSMBS4K0.5	4570	3
1	CSMBS4K1	4570	
2	CSMBS4K2	4570	
3	CSMBS4K3	4570	
4	CSMBS4K4	4570	
5	CSMBS4K5	4570	
6	CSMBS4K6	3890	
10	CSMBS4K10	3890	
16	CSMBS4K16	3890	
20	CSMBS4K20	3890	
25	CSMBS4K25	3890	
32	CSMBS4K32	3890	
40	CSMBS4K40	5200	
50	CSMBS4K50	5630	
63	CSMBS4K63	5630	





Wintrip2 Miniature Circuit Breaker

DC MCB-Series

[HSN Code: 8536]

Description	Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
1 Pole				
DC MCB SP 6A-250V	6	CSMBS1DC6-250	900	12
DC MCB SP 10A-250V	10	CSMBS1DC10-250	900	
DC MCB SP 16A-250V	16	CSMBS1DC16-250	900	
DC MCB SP 20A-250V	20	CSMBS1DC20-250	900	
DC MCB SP 25A-250V	25	CSMBS1DC25-250	900	
DC MCB SP 32A-250V	32	CSMBS1DC32-250	900	
DC MCB SP 40A-250V	40	CSMBS1DC40-250	1260	
Shorting link		SHMT8101	170	
2 Pole				
DC MCB DP 6A-500V	6	CSMBS2DC6-500	1920	6
DC MCB DP 10A-500V	10	CSMBS2DC10-500	1920	
DC MCB DP 16A-500V	16	CSMBS2DC16-500	1920	
DC MCB DP 20A-500V	20	CSMBS2DC20-500	1920	
DC MCB DP 25A-500V	25	CSMBS2DC25-500	1920	
DC MCB DP 32A-500V	32	CSMBS2DC32-500	1920	
DC MCB DP 40A-500V	40	CSMBS2DC40-500	2730	
Shorting link		SHMT8101	170	



DC MCB-Series

[HSN Code: 8536]

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)	Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
1 Pole				2 Pole			
0.5	CSMBS1DC0.5	940	12	0.5	CSMBS2DC0.5	2230	6
1	CSMBS1DC1	940		1	CSMBS2DC1	2230	
2	CSMBS1DC2	940		2	CSMBS2DC2	2230	
3	CSMBS1DC3	940		3	CSMBS2DC3	2230	
4	CSMBS1DC4	940		4	CSMBS2DC4	2230	
5	CSMBS1DC5	940		5	CSMBS2DC5	2230	
6	CSMBS1DC6	810		6	CSMBS2DC6	1720	
10	CSMBS1DC10	810		10	CSMBS2DC10	1720	
16	CSMBS1DC16	810		16	CSMBS2DC16	1720	
20	CSMBS1DC20	810		20	CSMBS2DC20	1720	
25	CSMBS1DC25	810		25	CSMBS2DC25	1720	
32	CSMBS1DC32	810		32	CSMBS2DC32	1720	
40	CSMBS1DC40	1130		40	CSMBS2DC40	2420	
50	CSMBS1DC50	1330		50	CSMBS2DC50	2720	
63	CSMBS1DC63	1330		63	CSMBS2DC63	2720	



Accessories (Site fit-able)

[HSN Code: 8538]

Description	Product Code	Configuration	Type of contact	Fit-ments	Module Size	Suitable MCB Rating (A)	MRP (₹)	Std. Pkg. (Nos.)
Auxiliary Contact	CSMBAXSF1	1NO-1NC	Changeover	Right	9 mm	Wintrip2 0.5-63	1610	12
Auxiliary Contact	CSMBAXSF2	2NO-2NC	Changeover	Right	9 mm	Wintrip2 0.5-63	1680	
Auxiliary Contact	CSMBAXSF11	1NO-1NC	Potential free	Left	18 mm	Wintrip2 0.5-63	1610	
Alarm Contact	CSMBALSF1	1 Changeover	Changeover	Right	9 mm	Wintrip2 0.5-63	1390	12
Shunt Trip	CSMBS012DCSF	-	-	Left	18 mm	Wintrip2 0.5-63	1920	6
Shunt Trip	CSMBS024DCSF	-	-	Left	18 mm	Wintrip2 0.5-63	1920	
Shunt Trip	CSMBS048DCSF	-	-	Left	18 mm	Wintrip2 0.5-63	1920	
Shunt Trip	CSMBS220ACSF	-	-	Left	18 mm	Wintrip2 0.5-63	1920	

Non Stockable item

WiNtrip2 Isolator (IEC 60947-3)

[HSN Code: 8536]

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg (Nos.)
1 Pole			
25	CSMBS1SD25	570	12
40	CSMBS1SD40	750	
63	CSMBS1SD63	840	
80	CSMBS1SD80	940	
100	CSMBS1SD100	1100	
125	CSMBS1SD125	1270	
2 Pole			
25	CSMBS2SD25	950	6
40	CSMBS2SD40	1080	
63	CSMBS2SD63	1340	
80	CSMBS2SD80	1690	
100	CSMBS2SD100	1730	
125	CSMBS2SD125	1940	

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
3 Pole			
25	CSMBS3SD25	1800	4
40	CSMBS3SD40	2070	
63	CSMBS3SD63	2320	
80	CSMBS3SD80	2640	
100	CSMBS3SD100	2750	
125	CSMBS3SD125	2890	
4 Pole			
25	CSMBS4SD25	1910	3
40	CSMBS4SD40	2370	
63	CSMBS4SD63	2600	
80	CSMBS4SD80	3210	
100	CSMBS4SD100	3250	
125	CSMBS4SD125	3580	

[HSN Code: 8536]


Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg (Nos.)
1 Pole			
25	 CSMBS1ISO25	520	12
40	 CSMBS1ISO40	680	
63	 CSMBS1ISO63	770	
80	CSMBS1ISO80	POR	
100	 CSMBS1ISO100	POR	
125	 CSMBS1ISO125	POR	
Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg (Nos.)
2 Pole			
25	CSMBS2ISO25	870	6
40	CSMBS2ISO40	950	
63	CSMBS2ISO63	1200	
80	 CSMBS2ISO80	POR	
100	CSMBS2ISO100	POR	
125	CSMBS2ISO125	POR	

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
3 Pole			
25	CSMBS3ISO25	1600	4
40	CSMBS3ISO40	1830	
63	CSMBS3ISO63	2060	
80	CSMBS3ISO80	POR	
100	CSMBS3ISO100	POR	
125	CSMBS3ISO125	POR	
Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
4 Pole			
25	CSMBS4ISO25	1690	3
40	CSMBS4ISO40	2090	
63	CSMBS4ISO63	2310	
80	CSMBS4ISO80	POR	
100	CSMBS4ISO100	POR	
125	CSMBS4ISO125	POR	

Available till the stock last

Higher Rating Miniature Circuit Breakers (IEC 60947-2)

[HSN Code: 8536]



Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
1 Pole			
80	CSMBH1C80	3770	8
100	CSMBH1C100	4220	
125	CSMBH1C125	4570	
2 Pole			
80	CSMBH2C80	8420	4
100	CSMBH2C100	9000	
125	CSMBH2C125	9900	

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
3 Pole			
80	CSMBH3C80	13300	3
100	CSMBH3C100	14160	
125	CSMBH3C125	15730	
4 Pole			
80	CSMBH4C80	16930	2
100	CSMBH4C100	17660	
125	CSMBH4C125	19930	

Accessories (Site fit-able)

[HSN Code: 8538]

Description	Product Code	Configuration	Type of contact	Fitments	Module Size	Suitable MCB Rating (A)	MRP (₹)	Std. Pkg. (Nos.)
Auxiliary Contact	CSMBAXHSF1	1NO-1NC	Changeover	Right	9 mm	Wintrip2 80-100	1740	12
Auxiliary Contact	CSMBAXHSF2	2NO-2NC	Changeover	Right	9 mm	Wintrip2 80-100	1830	
Alarm Contact	CSMBALHSF1	1 Changeover	Changeover	Right	9 mm	Wintrip2 80-100	1740	
Shunt Trip	CSMBHS012DCSF	-	-	Left	18 mm	Wintrip2 80-100	2040	6
Shunt Trip	CSMBHS024DCSF	-	-	Left	18 mm	Wintrip2 80-100	2040	
Shunt Trip	CSMBHS048DCSF	-	-	Left	18 mm	Wintrip2 80-100	2040	
Shunt Trip	CSMBHS220ACSF	-	-	Left	18 mm	Wintrip2 80-100	2040	

Wintrip MCB Type Changeover Switch

[HSN Code: 8536]



Description	Pole	Rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
2 Pole					
Two way centre OFF Changeover Switch	2	25	CSCOS2P25A	2800	6
Two way centre OFF Changeover Switch	2	40	CSCOS2P40A	4150	
Two way centre OFF Changeover Switch	2	63	CSCOS2P63A	4800	
4 Pole					
Two way centre OFF Changeover Switch	4	25	CSCOS4P25A	5300	3
Two way centre OFF Changeover Switch	4	40	CSCOS4P40A	7930	
Two way centre OFF Changeover Switch	4	63	CSCOS4P63A	8530	

SmartSol Mini MCB DP

[HSN Code: 8536]



Description	Current rating (Amps.)	Reference	MRP (₹)
DP "C" 6-32A Mini MCB with Enclosure	6-32	CSMBSS2C6-32	1120
SPN "C" 6-32A Mini MCB with Enclosure	6-32	CSMBSS1C6-32*N	1010

Non Stockable item

Safety isn't expensive,
it's **PRICELESS!**

**C&S RCCBs
10kA**



WiNtrip

MCBs & RCCBs

- WIDE RANGE**
10A~100A | 30mA, 100mA, 300mA | 2P, 4P | 10kA
- SAFE**
IP20 | Isolation | Fire Retardant Molded-case
- CONVENIENT**
Dual Termination
- FAST RESPONSE**
Instantaneous Trip<40ms
- HIGH PERFORMANCE**
Voltage Independent | No Nuisance Tripping

IS 12640-1-2008



CM/L 3148552




KEMA



IEC/EN 61008-1

WIntrip Residual Current Circuit Breaker



Test Button



Bi-connect Terminals

2 Pole, 30mA 10kA

[HSN Code: 8536]

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
10	CSRB2P10A30-10kA	5110	5
16	CSRB2P16A30-10kA	5110	
20	CSRB2P20A30-10kA	5110	
25	CSRB2P25A30-10kA	5260	
32	CSRB2P32A30-10kA	5380	
40	CSRB2P40A30-10kA	5430	
63	CSRB2P63A30-10kA	7230	
80	CSRB2P80A30-10kA	POR	
100	CSRB2P100A30-10kA	POR	

2 Pole, 100mA 10kA


[HSN Code: 8536]

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
10	CSRB2P10A100-10kA	5110	5
16	CSRB2P16A100-10kA	5110	
20	CSRB2P20A100-10kA	5110	
25	CSRB2P25A100-10kA	5260	
32	CSRB2P32A100-10kA	5380	
40	CSRB2P40A100-10kA	5430	
63	CSRB2P63A100-10kA	7230	
80	CSRB2P80A100-10kA	POR	
100	CSRB2P100A100-10kA	POR	

2 Pole, 300mA 10kA

[HSN Code: 8536]

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
10	CSRB2P10A300-10kA	5120	5
16	CSRB2P16A300-10kA	5120	
20	CSRB2P20A300-10kA	5130	
25	CSRB2P25A300-10kA	5540	
32	CSRB2P32A300-10kA	5610	
40	CSRB2P40A300-10kA	5940	
63	CSRB2P63A300-10kA	7440	
80	CSRB2P80A300-10kA	POR	
100	CSRB2P100A300-10kA	POR	

WiNtrip Residual Current Circuit Breaker


Test Button



Bi-connect Terminals

4 Pole, 30mA 10kA

[HSN Code: 8536]

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
10	☒ CSRB4P10A30-10kA	6530	4
16	CSRB4P16A30-10kA	6560	
20	☒ CSRB4P20A30-10kA	6620	
25	CSRB4P25A30-10kA	6960	
32	CSRB4P32A30-10kA	6970	
40	CSRB4P40A30-10kA	7130	
63	CSRB4P63A30-10kA	8090	
80	CSRB4P80A30-10kA	POR	
100	☒ CSRB4P100A30-10kA	POR	

4 Pole, 100mA 10kA


[HSN Code: 8536]

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
10	☒ CSRB4P10A100-10kA	6530	4
16	☒ CSRB4P16A100-10kA	6560	
20	CSRB4P20A100-10kA	6620	
25	CSRB4P25A100-10kA	6960	
32	CSRB4P32A100-10kA	6970	
40	CSRB4P40A100-10kA	7130	
63	CSRB4P63A100-10kA	8090	
80	CSRB4P80A100-10kA	POR	
100	CSRB4P100A100-10kA	POR	

4 Pole, 300mA 10kA

[HSN Code: 8536]

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
10	☒ CSRB4P10A300-10kA	6560	4
16	☒ CSRB4P16A300-10kA	6610	
20	CSRB4P20A300-10kA	6670	
25	☒ CSRB4P25A300-10kA	7280	
32	☒ CSRB4P32A300-10kA	7280	
40	CSRB4P40A300-10kA	7580	
63	CSRB4P63A300-10kA	8150	
80	☒ CSRB4P80A300-10kA	POR	
100	CSRB4P100A300-10kA	POR	




ACCL

Automatic Changeover with Current Limiter



- Complying to IEC 60947-6 & IEC 60947-3
- Utilization Category AC 32A
- Rating : Mains - 30A, DG - 0.5A~30A
- Individual LED for Mains & DG
- Quick Transfer Time
- Fault Annunciation
- Higher Electrical Life
- Low Blackout Time
- Din Rail Mounting
- Auto Reset Facility
- Can be used for New Installations as Well as for Retrofits

ACCL			[HSN Code: 8536]
Product Code	Mains Rating (Amps.)	Genset Rating (Amps.)	MRP (₹)
TCALSS005	30	0.5	5940
TCALSS010	30	1	5940
TCALSS015	30	1.5	5940
TCALSS025	30	2.5	5940
TCALSS030	30	3	5940
TCALSS040	30	4	5940
TCALSS050	30	5	5940
TCALSS060	30	6	5940
TCALSS080	30	8	5940
TCALSS090	30	9	5940
TCALSS100	30	10	5940
TCALSS150	30	15	5940
TCALSS200	30	20	5940
TCALSS250	30	25	5940
TCALSS300	30	30	5940



Epitome

IP43 Distribution Boards



for Residential & industrial application

- Heavy duty Gasket to inhibit the entry of foreign particles
- Choice of multiple incomers as MCB/Isolator/RCCB
- Adequate wiring space
- Also available with lock & key mechanism for safety
- Real time data monitoring & seamless IOT Integration option available



EPITOME IP43 Distribution Boards

[HSN Code: 8537]

Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
SPN Distribution Board			
SPN Double Door 04 Way IP43 DB	CSDBSPNPWXDD04	4	3020
SPN Double Door 06 Way IP43 DB	CSDBSPNPWXDD06	6	3540
SPN Double Door 08 Way IP43 DB	CSDBSPNPWXDD08	8	3820
SPN Double Door 10 Way IP43 DB	CSDBSPNPWXDD10	10	4610
SPN Double Door 12 Way IP43 DB	CSDBSPNPWXDD12	12	4840
SPN Double Door 16 Way IP43 DB	CSDBSPNPWXDD16	16	6160
SPN Double Door 20 Way IP43 DB	CSDBSPNPWXDD20	20	8320
TPN Distribution Board			
TPNH Double Door 04 Way IP43 DB	CSDBTPNHPWXDD04	8+12	8150
TPNH Double Door 06 Way IP43 DB	CSDBTPNHPWXDD06	8+18	10170
TPNH Double Door 08 Way IP43 DB	CSDBTPNHPWXDD08	8+24	12640
TPNH Double Door 12 Way IP43 DB	CSDBTPNHPWXDD12	8+36	17140
TPNH Double Door 16 Way IP43 DB	CSDBTPNHPWXDD16	8+48	22330



Distribution Board

EPITOME IP43 Distribution Boards

[HSN Code: 8537]

Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
PPI Vertical Distribution Board			
4 Way Double Door	CSDBTPNVPIWXDD04	8+6+12	13430
6 Way Double Door	CSDBTPNVPIWXDD06	8+6+18	14070
8 Way Double Door	CSDBTPNVPIWXDD08	8+6+24	16120
12 Way Double Door	CSDBTPNVPIWXDD12	8+6+36	20000
PPI Horizontal Distribution Board			
4 Way Double Door	CSDBTPNHPIWXDD04	8+6+12	11670
6 Way Double Door	CSDBTPNHPIWXDD06	8+6+18	13170
8 Way Double Door	CSDBTPNHPIWXDD08	8+6+24	14990
12 Way Double Door	CSDBTPNHPIWXDD12	8+6+36	18780
Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
VTPN Distribution Board (with provision for MCCB WiNbreak1 as incomer & WiNtrip2 MCB as outgoing)			
DB MCCB AS I/C 125A DD04 Way	CSDBMCCB125PWXDD04S	MCCB+12	21150
DB MCCB AS I/C 125A DD06 Way	CSDBMCCB125PWXDD06S	MCCB+18	22860
DB MCCB AS I/C 125A DD08 Way	CSDBMCCB125PWXDD08S	MCCB+24	23810
DB MCCB AS I/C 125A DD12 Way	CSDBMCCB125PWXDD12S	MCCB+36	32210
DB MCCB AS I/C 250A DD04 Way	CSDBMCCB250PWXDD04S	MCCB+12	25390
DB MCCB AS I/C 250A DD06 Way	CSDBMCCB250PWXDD06S	MCCB+18	29180
DB MCCB AS I/C 250A DD08 Way	CSDBMCCB250PWXDD08S	MCCB+24	33040
DB MCCB AS I/C 250A DD12 Way	CSDBMCCB250PWXDD12S	MCCB+36	41290
Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
VTPN Distribution Board (with WiNtrip2 MCB as Incoming & Outgoing)			
TPNV Double Door 04 Way IP43 DB	CSDBTPNVMCBWXDD04	8+12	14370
TPNV Double Door 06 Way IP43 DB	CSDBTPNVMCBWXDD06	8+18	16970
TPNV Double Door 08 Way IP43 DB	CSDBTPNVMCBWXDD08	8+24	19610
TPNV Double Door 12 Way IP43 DB	CSDBTPNVMCBWXDD12	8+36	25020

Epitome

Distribution Boards

for Mivan Construction



Strong

Smart

Sleek

- IP43 Version-SPN-TPN
- Increased Sheet Thickness
- Low Depth -75mm
- Strong Gland Plates
- Option for real time data monitoring

EPITOME IP43 Distribution Boards

Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
SPN Distribution Board			
SPN Double Door 04 Way IP43 DB	CSDBSPNMIWVXDD04	4	3770
SPN Double Door 08 Way IP43 DB	CSDBSPNMIWVXDD08	8	4780
SPN Double Door 12 Way IP43 DB	CSDBSPNMIWVXDD12	12	6060
SPN Double Door 16 Way IP43 DB	CSDBSPNMIWVXDD16	16	7700
TPN Distribution Board			
TPNH Double Door 04 Way IP43 DB	CSDBTPNMIWVXDD04	8+12	9560
TPNH Double Door 06 Way IP43 DB	CSDBTPNMIWVXDD06	8+18	10560
TPNH Double Door 08 Way IP43 DB	CSDBTPNMIWVXDD08	8+24	13090
TPNH Double Door 12 Way IP43 DB	CSDBTPNMIWVXDD12	8+36	18150
Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
SPN TELEPHONE & TELEVISION SOCKET DISTRIBUTION BOARD	CSDBSPNMIWVXTVELDD06	2+06	4840
	CSDBSPNMIWVXTVELDD08	2+08	7210
	CSDBSPNMIWVXTVELDD12	2+12	8540
	CSDBSPNMIWVXTVELDD16	2+16	9570
TPN TELEPHONE & TELEVISION SOCKET DISTRIBUTION BOARD	CSDBTPNMIWVXTVELDD04	8+12	11880
	CSDBTPNMIWVXTVELDD06	8+18	13220
	CSDBTPNMIWVXTVELDD08	8+24	17700
	CSDBTPNMIWVXTVELDD12	8+36	20520

Distribution Board



EPIC Distribution Board

[HSN Code: 8537]

Description	Product Code	Total Modules	MRP (₹)
SPN Distribution Board			
04 Way SPN Single Door	CSDBSPNPESD04	4	1430
06 Way SPN Single Door	CSDBSPNPESD06	6	1560
08 Way SPN Single Door	CSDBSPNPESD08	8	1840
12 Way SPN Single Door	CSDBSPNPESD12	12	2350
16 Way SPN Single Door	CSDBSPNPESD16	16	3010
SPN Distribution Board			
04 Way SPN Double Door	CSDBSPNPEDD04	4	2400
06 Way SPN Double Door	CSDBSPNPEDD06	6	2580
08 Way SPN Double Door	CSDBSPNPEDD08	8	2990
10 Way SPN Double Door	CSDBSPNPEDD10	10	3610
12 Way SPN Double Door	CSDBSPNPEDD12	12	3940
16 Way SPN Double Door	CSDBSPNPEDD16	16	4890

EPIC Distribution Board

[HSN Code: 8537]

Description	Product Code	Total Modules	MRP (₹)
TPN-Horizontal Distribution Board			
04 Way TPNH Single Door	CSDBTPNHPESD04	20	4540
06 Way TPNH Single Door	CSDBTPNHPESD06	26	5680
08 Way TPNH Single Door	CSDBTPNHPESD08	32	6650
12 Way TPNH Single Door	CSDBTPNHPESD12	44	8970
TPN-Horizontal Distribution Board			
04 Way TPNH Double Door	CSDBTPNHPEDD04	20	6550
06 Way TPNH Double Door	CSDBTPNHPEDD06	26	8080
08 Way TPNH Double Door	CSDBTPNHPEDD08	32	9670
12 Way TPNH Double Door	CSDBTPNHPEDD12	44	13170
TPN-Vertical Distribution Board			
04 Way TPNH Double Door	CSDBTPNVPEGDD04	20	11940
06 Way TPNH Double Door	CSDBTPNVPEGDD06	26	14080
08 Way TPNH Double Door	CSDBTPNVPEGDD08	32	16360
12 Way TPNH Double Door	CSDBTPNVPEGDD12	44	20840





EPI-C-F Distribution Board

[HSN Code: 8537]

Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
SPN Distribution Board			
04 Way SPN Single Door	CSDBSPNPSD04	4	1490
06 Way SPN Single Door	CSDBSPNPSD06	6	1640
08 Way SPN Single Door	CSDBSPNPSD08	8	1890
12 Way SPN Single Door	CSDBSPNPSD12	12	2480
16 Way SPN Single Door	CSDBSPNPSD16	16	3230
SPN Distribution Board			
04 Way SPN Double Door	CSDBSPNPGDD04	4	2440
06 Way SPN Double Door	CSDBSPNPGDD06	6	2720
08 Way SPN Double Door	CSDBSPNPGDD08	8	3050
10 Way SPN Double Door	CSDBSPNPGDD10	10	3700
12 Way SPN Double Door	CSDBSPNPGDD12	12	4010
16 Way SPN Double Door	CSDBSPNPGDD16	16	5000
TPN-Horizontal Distribution Board			
04 Way TPNH Single Door	CSDBTPNHPSD04	8+12	4820
06 Way TPNH Single Door	☒ CSDBTPNHPSD06	8+18	6010
08 Way TPNH Single Door	☒ CSDBTPNHPSD08	8+24	7000
12 Way TPNH Single Door	☒ CSDBTPNHPSD12	8+36	9440
TPN-Horizontal Distribution Board			
04 Way TPNH Double Door	CSDBTPNHPCGDD04	8+12	6540
06 Way TPNH Double Door	CSDBTPNHPCGDD06	8+18	8160
08 Way TPNH Double Door	CSDBTPNHPCGDD08	8+24	9920
12 Way TPNH Double Door	CSDBTPNHPCGDD12	8+36	13890
VTPN Distribution Board (with provision for MCCB WiNbreak1 as incomer & WiNtrip2 MCCB as outgoing)			
DB MCCB AS I/C 100A DD04 Way	CSDBMCCB125PDD04S	MCCB+12	20430
DB MCCB AS I/C 100A DD08 Way	CSDBMCCB125PDD08S	MCCB+24	23030
DB MCCB AS I/C 100A DD12 Way	CSDBMCCB125PDD12S	MCCB+36	31820
DB MCCB AS I/C 250A DD04 Way	☒ CSDBMCCB250PDD04S	MCCB+12	24520
DB MCCB AS I/C 250A DD08 Way	CSDBMCCB250PDD08S	MCCB+24	31940
DB MCCB AS I/C 250A DD12 Way	CSDBMCCB250PDD12S	MCCB+36	39900

Selection Table for MCCB as Incomer VTPN Distribution Boards

	Description	Product Code	Type/Breaking Capacity Ics=100%Icu	MCCB Rating
WiNbreak 1 MCCB	CSE1M125ATM3P-*, CSE1M125ATM4P-*	CSDBMCCB125PDD04S	25kA, 36kA & 50kA	#FMU Release with rating lower than 63A ATM - 63A, 80A, 100A, 125A ETM - 40A, 63A, 100A, 125A
	CSE1NN125ATM3P-*, CSE1NN125ATM4P-*	CSDBMCCB125PDD08S		
	CSE1NN125ETM3P-*, CSE1NN125ETM4P-*	CSDBMCCB125PDD12S		
	CSE1S125ETM3P-*, CSE1S125ETM4P-*			
	CSE2M250ATM3P-*, CSE2M250A M4P-*	CSDBMCCB250PDD04S	25kA, 36kA & 50kA	ATM - 160A, 200A, 250V ETM - 160V, 200V, 250V
	CSE2NN250ATM3P-*, CSE2NN250ATM4P-*	CSDBMCCB250PDD08S		
	CSE2NN250ETM3P-*, CSE2NN250ETM4P-*	CSDBMCCB250PDD12S		
	CSE2S250ETM3P-*, CSE2S250ETM4P-*			
	CSE2SX250ETM3P-*, CSE2SX250ETM4P-*			
	CSE2SX250ATM3P-*, CSE2SX250ATM4P-*			

NOTE: While Ordering, Replace*** by current Rating.

#For lower ratings please contact nearest Branch Office.

Special Distribution Board**Polycarbonate Cover Consumer Unit DB****[HSN Code: 8537]**

Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
SPN WC 06 Way SD With Acrylic Door	CSDBSPNSDCA06	6	2770
SPN WC 08 Way SD With Acrylic Door	CSDBSPNSDCA08	8	3100
SPN WC 12 Way SD With Acrylic Door	CSDBSPNSDCA12	12	3990
SPN WC 16 Way SD With Acrylic Door	CSDBSPNSDCA16	16	5090

**Phase Selector Distribution Board** - TPN Phase Selector DD DB for incorporating

MCB / Isolator / RCCB, equipped with 3 Nos 63A Phase Selector Switches & 3 No Plano Switches

[HSN Code: 8537]

Description	Product Code	MRP (₹)
4 Way DD with 63A Rotary Switch	CSDBPHSCDD04RS63	23730
6 Way DD with 63A Rotary Switch	CSDBPHSCDD06RS63	24280
8 Way DD with 63A Rotary Switch	CSDBPHSCDD08RS63	26800
12 Way DD with 63A Rotary Switch	☒ CSDBPHSCDD12RS63	29680
4 Way DD with 40A Rotary Switch	CSDBPHSCDD04RS40	23590
6 Way DD with 40A Rotary Switch	CSDBPHSCDD06RS40	23860
8 Way DD with 40A Rotary Switch	☒ CSDBPHSCDD08RS40	26540
12Way DD with 40A Rotary Switch	☒ CSDBPHSCDD12RS40	29170
4 Way DD without Rotary Switch	☒ CSDBPHSCDD04	20290
6 Way DD without Rotary Switch	☒ CSDBPHSCDD06	20790
8 Way DD without Rotary Switch	CSDBPHSCDD08	22870
12 Way DD without Rotary Switch	CSDBPHSCDD12	26140

**7 Segment Distribution Board****[HSN Code: 8537]**

Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
7 Segment TPN DD DB With Provision for FP MCB / Isolator / RCCB as incomer, DP MCB / Isolator / RCCB as sub incomer and SP MCBs as outgoing	☒ CSDB7SEGDD04	8+12+12	18600
	CSDB7SEGDD06	8+12+18	20950
	☒ CSDB7SEGDD08	8+12+24	23390
	☒ CSDB7SEGDD12	8+12+36	29710

Price on request : Pre-wired Distribution Board fitted with Busbar, Terminal Block for incoming/outgoing phase neutral & Earth duly wired with Provision for ISO/RCCB/MCB as incomer and SP outgoing (without MCBs)

☒ Non Stockable item

FLEXI TIER Distribution Board**[HSN Code: 8537]**

Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
14 Module 2 Row DD DB	CSDBFLDD2R14	28	10210
14 Module 3 Row DD DB	CSDBFLDD3R14	42	12020
14 Module 4 Row DD DB	CSDBFLDD4R14	56	13290



Cable End Boxes

[HSN Code: 8537]

EPITOME

Description	Product Code	MRP (₹)
SPN Cable End Box		
SPN 4 Way	CSDBCBSPNPWXDD04	1520
SPN 6 Way	CSDBCBSPNPWXDD06	1740
SPN 8 Way	CSDBCBSPNPWXDD08	1950
SPN 10 Way	CSDBCBSPNPWXDD10	2170
SPN 12 Way	CSDBCBSPNPWXDD12	2370
SPN 16 Way	CSDBCBSPNPWXDD16	2820
SPN 20 Way	CSDBCBSPNPWXDD20	3280
TPN 4 Way	CSDBCBTPNHPWXDD04	2510
TPN 6 Way	CSDBCBTPNHPWXDD06	2700
TPN 8 Way	CSDBCBTPNHPWXDD08	2980
TPN 12 Way	CSDBCBTPNHPWXDD12	3880
TPN 16 Way	CSDBCBTPNHPWXDD16	4870

VTPN MCB I/C Cable End Box

Cable End Box For CSDBTPNVMCBWXDD04~12 Way DB	CSDBCBTPNVMCBWXDD	2750
---	-------------------	------

VTPN MCCB I/C Cable End Box

Cable End Box For CSDBMCCBPWXDD04~12S Way DB	CSDBCBMCCBPWXDD	3240
--	-----------------	------

PPI Horizontal DB Cable End Box

4 Way DD	CSDBCBTPNHPPWXDD04	3210
6 Way DD	CSDBCBTPNHPPWXDD06	3610
8 Way DD	CSDBCBTPNHPPWXDD08	4160
12 Way DD	CSDBCBTPNHPPWXDD12	5190

PPI VERTICAL DB CABLE END BOX

6 Way DD	CSDBCBTPNVPPWXDD06	3890
8 Way DD	CSDBCBTPNVPPWXDD08	4430
12 Way DD	CSDBCBTPNVPPWXDD12	5540

Epic-F / Epic Cable End Box

SPN Cable End Box

SPN 4 Way	CSDBCBSPNPDD04	1180
TPNH 6 Way	CSDBCBSPNPDD06	1300
SPN 8 Way	CSDBCBSPNPDD08	1470
SPN 12 Way	CSDBCBSPNPDD12	1830
SPN 16 Way	CSDBCBSPNPDD16	2240

TPNH Cable End Box

TPNH 4 Way	CSDBCBTPNHPDD04	1900
TPNH 6 Way	CSDBCBTPNHPDD06	2190
TPNH 8 Way	CSDBCBTPNHPDD08	2490
TPNH 12 Way	CSDBCBTPNHPDD12	3180

TPNV Cable End Box

CABLE END BOX FOR CSDBTPNPVEDD 04~12 WAY DB	CSDBCBTPNPVEDD	2700
---	----------------	------


VTPN MCCB I/C Cable End Box

CABLE END BOX FOR CSDBMCCB125PDD04~12S WAY DB	CSDBCBMCCBPDDDB	3190
---	-----------------	------

PPI Kit

PPI KIT TO CONVERT TPNHP/TPNHPE DD 04 TO DD 02 WAY	CSDBPPIKT01	3770
PPI KIT TO CONVERT TPNHP/TPNHPE DD 06 TO DD 04 WAY	CSDBPPIKT02	4260
PPI KIT TO CONVERT TPNHP/TPNHPE DD 08 TO DD 06 WAY	CSDBPPIKT03	4780
PPI KIT TO CONVERT TPNHP/TPNHPE DD 12 TO DD 10 WAY	CSDBPPIKT04	5750





WiNtrip Distribution Board

WiNtrip Plug and Socket DBs (without MCB)

Powder Coated Sheet Metal Deep Drawn DBs with Plug & Socket including insulated Neutral link, adjustable Din Rail and connecting links.

[HSN Code: 8537]



Description	Product Code	MRP (₹)	Std. Pkg. (No.s)
10Amp SPN	CSDBPSSPN010	2160	12
20Amp SPN	CSDBPSSPN020	2160	12
20Amp SPN (SP Cutout)	CSDBPSSPN020SP	2160	12
20Amp TPN	CSDBPSTPN020	5220	6
30Amp TPN	CSDBPSTPN030	5720	6

WiNtrip Plug and Sockets (Metal Clad)

[HSN Code: 8537]



Description	Product Code	MRP (₹)	Std. Pkg. (No.s)
10Amp SPN Plug	CSDBPSPN010	450	36
10Amp SPN Socket	CSDBSSPN010	460	36
20Amp SPN Plug	CSDBPSPN020	470	36
20Amp SPN Socket	CSDBSSPN020	560	36
20Amp TPN Plug	CSDBPTPN020	570	36
20Amp TPN Socket	CSDBSTPN020	570	36
30Amp TPN Plug	CSDBPTPN030	900	36
30Amp TPN Socket	CSDBSTPN030	900	36

WiNtrip Metal Enclosures (with Din Rail)

For Mounting WiNtrip MCBs / RCCBs / Isolators

[HSN Code: 8537]



Description	Product Code	MRP (₹)	Std. Pkg. (No.s)
SP Enclosure	CSDBMCBESP	740	24
DP Enclosure	CSDBMCBEDP	740	24
TP Enclosure	CSDBMCBETP	880	12
FP Enclosure	CSDBMCBEFP	880	12

WiNtrip Plastic Enclosure without MCB

[HSN Code: 8537]



Description	Product Code	MRP (₹)
Plastic MCB Enclosure SP&DP/STD	CSDBMCBEPDP	310
Plastic MCB Enclosure TP&FP/STD	CSDBMCBEPFP	410

MCB Enclosure IP55

[HSN Code: 8537]


4 Pole Enclosure

Description	Product Code	MRP (₹)	Std. Pkg. (No.s)
MCB Enclosure IP55 04 Way	CSDBEP04	2980	1

☒ Non Stockable item



elusio
SWITCHES
Born Green



Stylish and eco-friendly.
30% more switch.
upto 3 times more switching.



FRONT MOUNT
& REMOVAL OPTION



SLEEK
DESIGN



UNBREAKABLE
DESIGNS



SMOOTH
TO TOUCH

Colors available in White, Elusio Green, Champagne, Dark Grey & Charcoal Black

Switches

Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White/Charcoal Black /Dark Grey	Champagne	Elusio Green	
CE20113	85361010	6AX Switch SP 1 way	6AX	1M	144	189	218	20
CE20114	85361010	6AX Switch SP 1 way with Indicator	6AX	1M	198	243	271	
CE20123	85361010	6AX Switch SP 2 way	6AX	1M	218	244	284	
CE20568	85361010	10AX Switch SP 1 way	10AX	1M	188	247	284	
CE20569	85361010	10AX Switch SP 1 way with Indicator	10AX	1M	243	280	322	
CE20571	85361010	10AX Switch SP 2 way	10AX	1M	268	304	349	
CE20573	85361020	16AX Switch SP 1 way	16AX	1M	207	229	269	
CE20574	85361020	16AX Switch SP 1 way with Indicator	16AX	1M	277	305	345	
CE20578	85361020	16AX Switch SP 2 way	16AX	1M	312	325	405	
CE20580	85361020	20AX Switch SP 1 way	20AX	1M	257	292	334	
CE20581	85361020	20AX Switch SP 2 way	20AX	1M	376	412	473	10
CE20584	85361020	20AX Switch SP 1 way with Indicator	20AX	1M	338	361	414	
CE20115	85361010	6AX Switch SP 1 way with Indicator	6AX	2M	276	294	339	
CE20124	85361010	6AX Switch SP 2 way	6AX	2M	255	301	363	
CE20570	85361010	10AX Switch SP 1 way with Indicator	10AX	2M	315	339	389	
CE20572	85361010	10AX Switch SP 2 way	10AX	2M	305	365	420	
CE20575	85361020	16AX Switch SP 1 way with Indicator	16AX	2M	288	341	392	
CE20579	85361020	16AX Switch SP 2 way	16AX	2M	335	389	448	
CE20582	85361020	20AX Switch SP 1 way	20AX	2M	313	354	445	
CE20583	85361020	20AX Switch SP 2 way	20AX	2M	388	448	515	
CE20121	85361020	32A DP Switch with Indicator	32A	2M	821	997	1130	

Bell Push Switches

Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White/Charcoal Black /Dark Grey	Champagne	Elusio Green	
CE20509	85361010	6A Bell Push Switch	6A	1M	171	194	226	20
CE20508	85361010	6A Bell Push Switch with Indicator	6A	1M	200	246	283	
CE20510	85361010	6A Bell Push Switch	6A	2M	200	249	279	10
CE20511	85361010	6A Bell Push Switch with Indicator	6A	2M	228	285	344	

Blanking / Phase Indicator

Product Code	HSN Code	Description	Module	MRP (₹)			Std. Pkg. (Nos.)
				White/Charcoal Black /Dark Grey	Champagne	Elusio Green	
CE20056	85361010	Blanking Plate	1M	55	66	76	40
CE20631	85361010	Phase Indicator Red	1M	327	-	-	20

NOTE: Phase indicator is available in white colour only.

Fan Regulator / Dimmer

Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White/Charcoal Black /Dark Grey	Champagne	Elusio Green	
CE20827	85361010	4 Step Fan Regulator	100W	1M	553	553	650	20
CE20826	85361010	5 Step Fan Regulator	100W	2M	710	731	852	10
CE20828	85361010	5 Step Fan Regulator	120W	2M	976	1037	1157	10
CE20804	85361010	Rotary Dimmer	300W	1M	761	866	996	20
CE20801	85361010	Rotary Dimmer	500W	2M	917	1,036	1193	10
CE20829	85361010	BLDC Fan Regulator	500W	2M	745	803	922	10

Sockets

Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White/Charcoal Black /Dark Grey	Champagne	Elusio Green	
CE20370	85361020	6A 3 Pin Socket	6A	2M	208	336	389	10
CE20352	85361020	6/16A 3 Pin Socket	6/16A	2M	349	405	480	
CE20354	85361020	6/16A 3 Pin Socket- Projected	6/16A	2M	372	444	513	

NOTE: For ordering color accessories suffix CB for Charcol Black, DG for Dark Grey, CZ for Champagne, JG for Elusio Green e.g. for ordering one module Charcol Black plate, the code would be CE25801CB



TV / Telephone / Computer / HDMI / VGA / USB / Night Lamp / Skirt Light

Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White/Charcoal Black/Dark Grey	Champagne	Elusio Green	
CE20228	85361010	TV Socket		1M	134	156	194	20
CE20251	85361010	RJ 11 Telephone Socket		1M	123	151	186	
CE20272	85361010	RJ 45 Cat 6 Computer Socket	Cat 6	1M	1235	1279	1516	
CE20273	85361010	RJ 45 Cat 6a Computer Socket	Cat6a	1M	2615	2659	3058	
CE20276	85361010	HDMI Socket		1M	1602	1840	2115	10
CE20277	85361010	VGA Socket		1M	1595	1761	2025	
CE20275	85044030	USB Charger Socket (Fast Charging)	2.1A, A type	1M	1522	1693	2007	20
CE20278	85044030	USB Charger Socket (Power Delivery)	18W C type	1M	3402	3841	4061	
CE20633	94051090	Night Lamp		2M	534	550	665	10
CE20632	94051090	Skirt Light with LED		2M	774	855	983	



Single Phase Motor Starter

Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White/Charcoal Black/Dark Grey	Champagne	Elusio Green	
CE20364	85361020	Motor Starter 16A	16A	2M	876	945	1087	10
CE20366	85361020	Motor Starter 25A	25A	2M	876	945	1087	



CE20364



CE20610

CE20609

CE20636



CE20825

Hospitality Range

Product Code	HSN Code	Description	Module	MRP (₹)			Std. Pkg. (Nos.)
				White/Charcoal Black/Dark Grey	Champagne	Elusio Green	
CE20611	85361010	DND/CMR internal unit	1M	477	510	585	10
CE20610	85361010	DND/CMR external unit	1M	765	782	899	
CE20609	85361010	DND/MMR Indicator	1M	548	587	676	
CE20116	85361010	6AX Switch SP 1 way MMR	1M	210	216	249	20
CE20125	85361010	6AX Switch SP 2 way DND	1M	276	282	323	
CE20636	85361010	Buzzer	1M	734	888	1020	
CE20825	85361010	16A Electronic Key Card Switch	2M	5250	5513	5791	3

Modular - Miniature Circuit Breakers

Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White/Charcoal Black/Dark Grey	Champagne	Elusio Green	
CE20431	85361010	MCB 6A Single Pole 4.5kA	6A, C Curve	1M	457	499	567	12
CE20432	85361010	MCB 10A Single Pole 4.5kA	10A, C Curve	1M	457	499	567	
CE20433	85361010	MCB 16A Single Pole 4.5kA	16A, C Curve	1M	457	499	567	
CE20437	85361010	MCB 20A Single Pole 4.5kA	20A, C Curve	1M	457	499	567	
CE20435	85361010	MCB 25A Single Pole 4.5kA	25A, C Curve	1M	457	499	567	
CE20436	85361010	MCB 32A Single Pole 4.5kA	32A, C Curve	1M	457	499	567	
CE20438	85361010	MCB 6A Double Pole 4.5kA	6A, C Curve	2M	940	1003	1155	6
CE20439	85361010	MCB 10A Double Pole 4.5kA	10A, C Curve	2M	940	1003	1155	
CE20440	85361010	MCB 16A Double Pole 4.5kA	16A, C Curve	2M	940	1003	1155	
CE20441	85361010	MCB 20A Double Pole 4.5kA	20A, C Curve	2M	940	1003	1155	
CE20442	85361010	MCB 25A Double Pole 4.5kA	25A, C Curve	2M	940	1003	1155	
CE20443	85361010	MCB 32A Double Pole 4.5kA	32A, C Curve	2M	940	1003	1155	



CE20436

CE20440

Cover Plate with Support Plate


Product Code	HSN Code	Description	Module	MRP (₹)			Std. Pkg. (Nos.)
				White/Charcoal Black/Dark Grey	Champagne	Elusio Green	
CE25801WH	85381010	Cover & Support Plate	1M	139	293	329	10
CE25802WH	85381010	Cover & Support Plate	2M	139	293	329	
CE25803WH	85381010	Cover & Support Plate	3M	179	341	392	
CE25804WH	85381010	Cover & Support Plate	4M	210	408	470	
CE25806WH	85381010	Cover & Support Plate	6M	290	640	733	
CE25807WH	85381010	Cover & Support Plate	6M (2x3)	290	640	733	
CE25808WH	85381010	Cover & Support Plate-Horizontal	8M	350	718	829	5
CE25809WH	85381010	Cover & Support Plate-Vertical	8MV	350	718	829	
CE25812WH	85381010	Cover & Support Plate	12M	516	1025	1101	
CE25816WH	85381010	Cover & Support Plate	16M	640	1107	1180	
CE25818WH	85381010	Cover & Support Plate	18M	710	1451	1507	



CE25803WH



NOTE: For ordering color accessories suffix CB for Charcoal Black, DG for Dark Grey, CZ for Champagne, JG for Elusio Green e.g. for ordering one module Charcoal Black plate, the code would be CE25801CB



YOUR SAFETY MATTERS US

C&S Primo Plus Antibacterial Switches protects from Germs & Bacterial infections



ANTIBACTERIAL
MODULAR SWITCHES

MODULAR SWITCHES

WEATHER PROOF
ENCLOSURES

PrimoPlus SWITCHES

- Available with Anti Bacterial features*
- Sleek design, compatible with PRIMO range of switches
- Highly aesthetic break free design
- Compatible to market boxes
- High gloss design
- Designed with front mounting and removable feature
- Ease of mounting
- Available in 1M -18M

DIVINO
SWITCHES

PrimoPlus
SWITCHES

primo
SWITCHES

bridgg
SWITCHES

COMBI
WEATHER-PROOF ENCLOSURES



Modular Switches | DIVINO



CG20114PW



CG23114



CG20123PW



CG23123



CG20509PW



CG23509



CG20056PW



CG23056



CG20634PW



CG23634



CG20826PW



CG23826



CG20801PW



CG23801



CG20636PW

Switches

Product Code - Pure White / Grey	HSN Code	Description	Type	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
----------------------------------	----------	-------------	------	----------------	---------	----------------

One-Way Switches

CG20113PW / CG23113	85361010	1P-6A	General	1	129	20
CG20114PW / CG23114	85361010	1P-6A	Luminous	1	219	
CG20573PW / CG23573	85361020	1P-16A	General	1	182	
CG20574PW / CG23574	85361020	1P-16A	Luminous	1	208	
CG20117PW / CG23117	85361020	1P-25A	General	1	318	
CG20118PW / CG23118	85361020	1P-25A	Luminous	1	271	10
CG20120PW / CG23120	85361020	2P-32A	Luminous	2	676	

Two-Way Switches

CG20123PW / CG23123	85361010	1P-6A	General	1	192	20
CG20578PW / CG23578	85361020	1P-16A	General	1	245	

Product Code - Pure White / Grey	HSN Code	Description	Type	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
----------------------------------	----------	-------------	------	----------------	---------	----------------

Bell Push Switches

CG20508PW / CG23508	85361010	1P-6A	Luminous	1	275	20
CG20509PW / CG23509	85361010	1P-6A	With Symbol	1	153	

Product Code - Pure White / Grey	HSN Code	Description	Type	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
----------------------------------	----------	-------------	------	----------------	---------	----------------

Blanking Modules

CG20056PW / CG23056	85381010	1 Gang	-	1	37	40
CG20073PW / CG23073	85381010	2 Gang	-	2	84	20

Product Code - Pure White / Grey	HSN Code	Description	Type	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
----------------------------------	----------	-------------	------	----------------	---------	----------------

Neon Indicators

CG20634PW / CG23634	85361010	Red Color	-	1	146	20
---------------------	----------	-----------	---	---	-----	----

Product Code - Pure White / Grey	HSN Code	Description	Type	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
----------------------------------	----------	-------------	------	----------------	---------	----------------

Fan Regulator

CG20826PW / CG23826	85361010	5 Step (100W)	Rotary	2	647	10
CG20827PW / CG23827	85361010	4 Step (100W)	Rotary	1	522	20

Product Code - Pure White / Grey	HSN Code	Description	Type	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
----------------------------------	----------	-------------	------	----------------	---------	----------------

Dimmer

CG20801PW / CG23801	85361010	500W	Rotary (Stepless)	2	644	10
CG20804PW / CG23804	85361010	300W	Rotary (Stepless)	1	565	20

Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
----------------------------------	----------	-------------	----------------	---------	----------------

Buzzer

CG20636PW / CG23636	85361010	Buzzer	1	334	20
---------------------	----------	--------	---	-----	----



CG20370PW CG23370



CG20228PW CG23228



CG20275PW



CG20815PW



CG20124PW CG20609PW



CG20125PW CG20610PW



CG20126PW CG20611PW

Socket

Product Code - Pure White / Grey	HSN Code	Description	For Plug Pin	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
Sockets With Safety Shutters						
CG20370PW / CG23370	85361010	6A Socket 3 Pin (Flushed)	Round	2	156	10
CG20352PW / CG23352	85361020	6/16A Twin Socket 3 Pin (Projected)	Round	2	318	10
CG20354PW / CG23354	85361020	6/16A Twin Socket 3 Pin (Flushed)	Round	3	370	6

Product Code - Pure White / Grey	HSN Code	Description	Nos. Pairs	For Plug Pin	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
Telephone / Computer / TV Socket							
CG20251PW / CG23251	85361010	RJ11	2	Twisted pair	1	173	20
CG20228PW / CG23228	85361010	TV Socket	-	-		166	
CG20272PW / CG23272	85361010	RJ45 CAT6	4	UTP		767	
CG20273PW / CG23273	85361010	RJ45 CAT6a		UTP		1680	

USB Charger Socket

Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
CG20275PW / CG23275	85044030	USB Charger Socket 2.1A (Fast Charging)	1	1311	20

Hospitality Range

Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
Energy Key Tag					
CG20815PW / CG23815	85361020	1P-25A, 230V-Energy Key Switch With Tag	2	849	1
CG20434PW / CG23434	85361010	Tag For Energy Key Tag		176	10

Application activation of functions service inside hotel rooms (e.g.m light, air-conditioner, minibar) when the room is occupied (with badge inserted)

Do Not Disturb

CG20609PW / CG23609	85361010	Indicator	1	154	20
CG20124PW / CG23124	85361010	6A-230V, IW, SP Luminous Switch		218	
CG20612PW / CG23612	85361010	Unit (Indicator+Switch)	1+1	365	10

Room Occupied

CG20610PW / CG23610	85361010	Indicator	1	154	20
CG20125PW / CG23125	85361010	6A-230V, IW, SP Luminous Switch		218	
CG20613PW / CG23613	85361010	Unit (Indicator+Switch)	1+1	365	10

Make My Room

CG20611PW / CG23611	85361010	Indicator	1	154	20
CG20126PW / CG23126	85361010	6A-230V, IW, SP Luminous Switch		218	
CG20614PW / CG23614	85361010	Unit (Indicator+Switch)	1+1	365	10



CG20825PW



CG20632



CG20436PW



CG20443PW




CG26401PW



CG20362PW



CG25703PW



CG25803PW

Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
-------------------------------------	----------	-------------	-------------------	------------	-------------------

Time Delay Electronic Switch (Card Operated)

CG20825PW / CG23825	85361020	25A	3	1892	6
---------------------	----------	-----	---	------	---

Foot Lamp

CG20631	94051090	230V-LED Yellow Night Lamp	3	530	6
CG20632	94051090	230V-LED Blue Night Lamp			
CG20633	94051090	230V-LED White Night Lamp			

Modular Miniature Case Circuit Breaker - W/Ntrip 'S'

Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
---------------------------	----------	-------------	-------------------	------------	-------------------

Single Pole

CG20431PW	85361010	6A Single Pole 4.5kA - Tripping Curve 'C'	1	286	12
CG20432PW	85361010	10A Single Pole 4.5kA - Tripping Curve 'C'			
CG20433PW	85361020	16A Single Pole 4.5kA - Tripping Curve 'C'			
CG20437PW	85361020	20A Single Pole 4.5kA - Tripping Curve 'C'			
CG20435PW	85361020	25A Single Pole 4.5kA - Tripping Curve 'C'			
CG20436PW	85361020	32A Single Pole 4.5kA - Tripping Curve 'C'			

Double Pole

CG20438PW	85361010	6A Double Pole 4.5kA - Tripping Curve 'C'	2	669	6
CG20439PW	85361010	10A Double Pole 4.5kA - Tripping Curve 'C'			
CG20440PW	85361020	16A Double Pole 4.5kA - Tripping Curve 'C'			
CG20441PW	85361020	20A Double Pole 4.5kA - Tripping Curve 'C'			
CG20442PW	85361020	25A Double Pole 4.5kA - Tripping Curve 'C'			
CG20443PW	85361020	32A Double Pole 4.5kA - Tripping Curve 'C'			

Power Unit with Metal Box

Product Code - Pure White	HSN Code	Description	MRP (₹)	Std.Pkg (Nos.)
CG26401PW	85371000	16Amp Power Unit	1169	1

Power Unit with PVC

CG26404PW	85371000	16Amp Power Unit	1056	1
-----------	----------	------------------	------	---

Motor Starter

Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	Std.Pkg (Nos.)
CG20362PW / CG23362	85361020	Motor Starter 16A	2	618	10
CG20364PW / CG23364	85361020	Motor Starter 25A	2	730	

Pure White Cover Plates With Support Plate

Product Code - Vera / Virna	HSN Code	Description	MRP (₹)	Std.Pkg (Nos.)
CG25701PW / CG25801PW	85381010	1 Module Plate	130	10
CG25702PW / CG25802PW	85381010	2 Module Plate		
CG25703PW / CG25803PW	85381010	3 Module Plate	189	
CG25704PW / CG25804PW	85381010	4 Module Plate	202	
CG25706PW / CG25806PW	85381010	6 Module Plate	271	5
CG25708PW / CG25808PW	85381010	8 Module Plate - Vertical	347	
CG25709PW / CG25809PW	85381010	8 Module Plate - Horizontal		
CG25712PW / CG25812PW	85381010	12 Module Plate	384	
CG25718PW / CG25818PW	85381010	18 Module Plate	582	

Glossy Grey Cover Plates With Support Plate

Product Code - Vera / Virna	HSN Code	Description	MRP (₹)	Std.Pkg (Nos.)
CG25701GR / CG25801GR	85381010	1 Module Plate	205	10
CG25702GR / CG25802GR	85381010	2 Module Plate		
CG25703GR / CG25803GR	85381010	3 Module Plate		
CG25704GR / CG25804GR	85381010	4 Module Plate		
CG25706GR / CG25806GR	85381010	6 Module Plate	294	5
CG25706GR / CG25806GR	85381010	6 Module Plate	370	
CG25708GR / CG25808GR	85381010	8 Module Plate - Vertical	433	
CG25709GR / CG25809GR	85381010	8 Module Plate - Horizontal		
CG25712GR / CG25812GR	85381010	12 Module Plate	575	
CG25718GR / CG25818GR	85381010	18 Module Plate	912	



CG25803GR

Cover Plates With Support Plate

Product Code - Vera / Virna	HSN Code	Description	MRP (₹)	Std.Pkg (Nos.)
-----------------------------	----------	-------------	---------	----------------

Cadet Grey / Black Olive / Argent Grey / Charcol Black / Arsenic Black / Champagne / Candy Red / Corel Red / British Green Plates

CG25701 / CG25801	85381010	1 Module Plate	298	10
CG25702 / CG25802	85381010	2 Module Plate		
CG25703 / CG25803	85381010	3 Module Plate	347	
CG25704 / CG25804	85381010	4 Module Plate	453	
CG25706 / CG25806	85381010	6 Module Plate	624	5
CG25708 / CG25808	85381010	8 Module - Vertical	678	
CG25709 / CG25809	85381010	8 Module - Horizontal		
CG25712 / CG25812	85381010	12 Module Plate	855	
CG25718 / CG25818	85381010	18 Module Plate	1117	



CG25803BG



CG25803COR

Please add codes CG for Cadet Grey, BO for Black Olive, AG for Argent Grey, CB for Charcol Black, AB for Arsenic Black, CH for Champagne, CAR for Candy Red, COR for Corel Red, BG for British Green Plates e.g. for ordering one module Vera Cadet Grey plate code would be CG25701CG

English Walnut & Burly Wood Cover Plates With Support Plate

Product Code Vera / Virna	HSN Code	Description	MRP (₹)	Std.Pkg (Nos.)
CG25701 / CG25801	85381010	1 Module Plate	436	10
CG25702 / CG25802	85381010	2 Module Plate		
CG25703 / CG25803	85381010	3 Module Plate	539	
CG25704 / CG25804	85381010	4 Module Plate	687	
CG25706 / CG25806	85381010	6 Module Plate	948	5
CG25708 / CG25808	85381010	8 Module Plate - Vertical	975	
CG25709 / CG25809	85381010	8 Module Plate - Horizontal		
CG25712 / CG25812	85381010	12 Module Top Plate	1271	
CG25718 / CG25818	85381010	18 Module Plate	1449	




CG25703BW



CG25803EW

Please add codes EW for English Walnut and BW for Burly Wood e.g. for ordering one module Vera English Walnut plate code would be CG25701EW

Divino Cover Plate Sizes (All dimensions in mm)





Weather Proof Enclosures COMBI



CG26000W

CG26400W



CG24025W



CG26012W



CG26020W

IP55 Enclosures

Product Code	HSN Code	Description	Configuration	MRP (₹)	Std. Pkg. (Nos.)
Watertight And Dust Proof Enclosures IP55-Surface Mounting					
CG26000W	85371000	Bell Push	1 Module	847	1
CG26400W	85371000	16A Switch, 6/16A Socket	3 Module	1526	
CG26016W	85371000	6A Switch	1 Module	893	10

IP55 Motor Starter

CG26018W	85381010	IP55 2M Enclosure With 16A Motor Starter		1640	10
CG26019W	85381010	IP55 2M Enclosure With 25A Motor Starter		1926	

Watertight Plates For Flush Mounting Installations IP55 (Compatible with 3M concealed box)

CG24025W	85381010	3 Gang			903	10
Product Code	HSN Code	Description	Configuration	External Dim. LxHxD (mm)	MRP (₹)	Std. Pkg. (Nos.)

Watertight Enclosures For Fixed Or Movable Applications

CG26010W	85381010	1 Gang	Module 1	80x64x59	644	10
CG26011W	85381010	2 Gang	Module 2	80x64x59	656	
CG26012W	85381010	3 Gang	Module 3	80x96x59	800	
CG26013W	85381010	4 Gang	Module 4x1	80x128x59	1016	
CG26014W	85381010	8 Gang	Module 4x2	160x128x59	1712	5
CG26015W	85381010	12 Gang	Module 4x3	240x128x59	2347	3



IP40 Enclosures (Combined)

			MRP (₹)	Std. Pkg. (Nos.)
CG26020W	85381010	6A Switch, 6A Socket	412	10
CG26021W	85381010	16A Switch, 16A Protected Socket	472	

COMBI
WEATHER-PROOF ENCLOSURES.

**DUST PROOF.
WATER PROOF.**
A switch designed to win the biggest test.
NATURE.



Accessories



CG28017



CG28020

Top Plug

Product Code	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)
CG28014	85361010	6A Plug Top	94	10
CG28015	85361020	16A Plug Top	166	
CG28017	85361020	16A Plug Top with Indicator	181	

Multi Plug Socket

Product Code	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)
CG28020	85361010	6A Multi Plug Socket	136	10



Power Extension & Door Bell



ACEXB001



ACEXB002



ACEXB003



ACDB001



ACDB002

Product Code	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)
ACEXB001	85381010	4 Universal Socket with 1 Master Switch with 1.5m wire	826	1
ACEXB002	85381010	4 Universal Socket with 4 Switches with 1.5m wire	843	
ACEXB003	85381010	4 Universal Socket with 1 Master Switch, 1 Thermal Switch with 1.5m wire	809	
ACEXB004	85381010	4 Universal Socket with 1 Master Switch with 3m wire	1348	
ACEXB005	85381010	4 Universal Socket with 4 Switches with 3m wire	1374	
ACEXB006	85381010	4 Universal Socket with 1 Master Switch, 1 Thermal Switch with 3m wire	1327	
ACEXB007	85381010	4 Universal Socket with 1 Master Switch with 5m wire	1648	
ACEXB008	85381010	4 Universal Socket with 4 Switches with 5m wire	1697	
ACEXB009	85381010	4 Universal Socket with 1 Master Switch, 1 Thermal Switch with 5m wire	1622	
ACDB001	85381010	Door Bell - Jewell (Ding Dong Sound)	462	
ACDB002	85381010	Door Bell - Curvy (Ding Dong Sound)		

Batten Holder




ACBHS001




ACBHA004



ACBHA005



ACBHS006



ACBHS008



ACBHS001B



ACCR001

Product Code	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)
ACBHS001	85381010	Straight Batten Holder (Plain)	69	20
ACBHA003	85381010	Angular Batten Holder (Plain)		
ACBHS002	85381010	Straight Batten Holder (Fancy)	87	
ACBHA004	85381010	Angular Batten Holder (Fancy)		
ACBHA005	85381010	Batten Holder common (2 in 1)	87	10
ACBHS006	85381010	Square Batten Holder (Plain)	119	
ACBHA007	85381010	Square angle Batten Holder (Plain)		
ACBHS008	85381010	Slim Batten Holder (Fancy)	133	
ACBHA009	85381010	Slim angle Batten Holder (Fancy)		



Batten Holder & Ceiling Rose

Product Code	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)
ACBHS001B	85381010	Batten Holder Straight	60	20
ACBHA003B	85381010	Batten Holder Angular		
ACBHS002B	85381010	Batten Holder Straight Fancy	83	
ACBHA004B	85381010	Batten Holder Angular Fancy		

Ceiling Rose

Product Code	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)
ACCR001	85381010	Ceiling rose	63	20

Surface Plastic Box



Product Code	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)
ACSMB001	85381010	1 Module	99	10
ACSMB001	85381010	2 Module	99	
ACSMB003	85381010	3 Module	128	
ACSMB004	85381010	4 Module	139	
ACSMB006	85381010	6 Module	185	
ACSMB008	85381010	8 Module (Horizontal)	255	
ACSMB009	85381010	8 Module (Vertical)	255	
ACSMB012	85381010	12 Module	324	
ACSMB018	85381010	18 Module	366	



Switches

Product Code - Pure White / Grey	HSN Code	Description	Type	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
-------------------------------------	----------	-------------	------	-------------	---------	------------------

One-Way Switches

CS20113P / CS23113P	85361010	6A, 250V	General	1	108	20
CS20114P / CS23114P	85361010	6A, 250V	Luminous	1	167	
CS20115P / CS23115P	85361010	6A, 250V	Luminous	2	186	10
CS20573P / CS23573P	85361020	16A, 250V	General	1	201	20
CS20574P / CS23574P	85361020	16A, 250V	Luminous	1	229	
CS20575P / CS23575P	85361020	16A, 250V	Luminous	2	250	10
CS20117P / CS23117P	85361020	25A, 250V	General	1	272	20
CS20118P / CS23118P	85361020	25A, 250V	Luminous	1	302	
CS20119P / CS23119P	85361020	25A, 250V	General	2	305	10
CS20120P / CS23120P	85361020	25A, 250V	Luminous	2	328	

Two-Way Switches

CS20123P / CS23123P	85361010	6A, 250V	General	1	195	20
CS20124P / CS23124P	85361010	6A, 250V	General	2	205	10
CS20578P / CS23578P	85361020	16A, 250V	General	1	280	20
CS20579P / CS23579P	85361020	16A, 250V	General	2	309	10

Product Code - Pure White / Grey	HSN Code	Description	Type	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
-------------------------------------	----------	-------------	------	-------------	---------	------------------

Bell Push Switches

CS20509P / CS23509P	85361010	6A, Bell Push	General	1	173	20
CS20508P / CS23508P	85361010	6A, Bell Push	Luminous	1	183	
CS20510P / CS23510P	85361010	6A, Bell Push	General	2	207	10
CS20511P / CS23511P	85361010	6A, Bell Push	Luminous	2	212	

Blanking Module

CS20056P / CS23056P	85381010	1M Blank		1	34	40
---------------------	----------	----------	--	---	----	----

Product Code - Pure White / Grey	HSN Code	Description	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
-------------------------------------	----------	-------------	-------------	---------	------------------

Neon Indicator

CS20631P / CS23631P	85361010	Neon Indicator Red	1	130	20
---------------------	----------	--------------------	---	-----	----

Product Code - Pure White / Grey	HSN Code	Description	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
-------------------------------------	----------	-------------	-------------	---------	------------------

Fan Regulator / Dimmer

CS20828P / CS23828P	85361010	5 Step Fan Regulator 120W	2	678	10
CS20826P / CS23826P	85361010	5-Step Fan Regulator 100W	2	543	10
CS20827P / CS23827P	85361010	4-Step Fan Regulator 100W	1	459	20
CS20801P / CS23801P	85361010	Rotary Type Dimmer 500W	2	588	10
CS20804P / CS23804P	85361010	Rotary Type Dimmer 300W	1	432	20

Product Code - White / Grey	HSN Code	Description	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
--------------------------------	----------	-------------	-------------	---------	------------------

Buzzer

CS20636P / CS23636P	85361010	Buzzer	1	821	20
---------------------	----------	--------	---	-----	----



CS20114P



CS20123P



CS20511P



CS20631



CS20801P



CS20636P



CS20354P

CS20370P

Product Code - Pure White / Grey	HSN Code	Description	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
-------------------------------------	----------	-------------	-------------	---------	------------------

Sockets with Safety Shutters

CS20370P / CS23370P	85361010	6A, 3 Pin	2	139	10
CS20352P / CS23352P	85361020	6/16A, 6 Pin	3	306	6
CS20354P / CS23354P	85361020	6/16A, Socket Projected	2	298	10



CS20228P

Product Code - Pure White / Grey	HSN Code	Description	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
-------------------------------------	----------	-------------	-------------	---------	------------------

TV Socket / Flex Outlet

CS20228P / CS23228P	85361010	TV Socket	1	147	20
CS20237P / CS23237P	85361010	Flex Outlet	1	105	



CS20251P

Product Code - Pure White / Grey	HSN Code	Description	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
-------------------------------------	----------	-------------	-------------	---------	------------------

Telephone / Computer Socket

CS20251P / CS23251P	85361010	RJ 11, Telephone Jack	1	164	20
CS20272P / CS23272P	85361010	RJ 45, Computer Jack CAT6	1	821	
CS20273P / CS23273P	85361010	RJ 45, Computer Jack CAT6a	1	1443	



CS20275P

USB Charger Socket

Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	Std. Pkg. (Nos.)
CS20275P / CS23275P	85044030	USB Charger Socket 2.1A (Fast Charging)	1	1271	20



CS20816P

Hospitality Range

Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	Std. Pkg. (Nos.)
-------------------------------------	----------	-------------	----------------	---------	------------------

Energy Saving Switch

CS20816P / CS23816P	85361020	25A, Energy Saving Switch With Key Tag & Indicator	2	748	1
---------------------	----------	--	---	-----	---

APPLICATION: activation of functions and service inside hotel rooms (e.g. light, air-conditioner, minibar) when the room is occupied (with badge inserted).



CS20609P

CS20611P

Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	Std. Pkg. (Nos.)
-------------------------------------	----------	-------------	----------------	---------	------------------

DND MMR Switches

CS20609P / CS23609P	85361010	Indicator	1	138	20
CS20610P / CS23610P	85361010	DND/MMR External Indicator Unit	1+1	340	10
CS20611P / CS23611P	85361010	DND/MMR Internal Switch Unit	1+1	307	10



CS20633P

CS23632P

Skirt Light / Night Lamp

Product Code	HSN Code	Description	No. of Modules	MRP (₹)	Std. Pkg. (Nos.)
CS20632P / CS23632P	94051090	Skirt light 2M	2	519	10
CS20633P / CS23633P	94051090	Night Lamp 2M	2	523	10



CS26404PW

Primo Plus Power Unit with PVC

Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	Std. Pkg. (Nos.)
CS26404PW	85371000	Power Unit Combo 16A MCB Protected Socket	4	972	1
CS26408PW	85371000	Power Unit Combo Heavy Duty with 25Amp MCB		1040	

Primo Plus Power Unit with Metal Enclosure

CS26407PW	85371000	Power Unit Combo Heavy Duty with 25Amp MCB	4	1103	1
CS26401P	85371000	Power Unit Combo 16A MCB		1069	



CS25803WH

Product Code	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)
--------------	----------	-------------	---------	------------------

Swan White (Cover Plates with Support Plate)

CS25801WH	85381010	1 Module Plate	142	10
CS25802WH	85381010	2 Module Plate		
CS25803WH	85381010	3 Module Plate		
CS25804WH	85381010	4 Module Plate		
CS25806WH	85381010	6 Module Plate	278	5
CS25808WH	85381010	8 Module Plate (Horizontal)	349	
CS25809WH	85381010	8 Module Plate (Vertical)	349	
CS25812WH	85381010	12 Module Plate	445	
CS25816WH	85381010	16 Module Plate	503	
CS25818WH	85381010	18 Module Plate	559	



CS25803GR

Glossy Grey (Cover Plates with Support Plate)

CS25801GR	85381010	1 Module Plate	150	10
CS25802GR	85381010	2 Module Plate		
CS25803GR	85381010	3 Module Plate		
CS25804GR	85381010	4 Module Plate		
CS25806GR	85381010	6 Module Plate	290	5
CS25808GR	85381010	8 Module Plate (Horizontal)	392	
CS25809GR	85381010	8 Module Plate (Vertical)	392	
CS25812GR	85381010	12 Module Plate	468	
CS25816GR	85381010	16 Module Plate	549	
CS25818GR	85381010	18 Module Plate	613	

Cover Plates with Support Plate

Product Code	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)
--------------	----------	-------------	---------	------------------

Cadet Grey / Black Olive / Argent Grey / Charcol Black / Arsenic Black / Champagne / Candy Red / Corel Red / British Green Plates

CS25801	85381010	1 Module Plate	273	10
CS25802	85381010	2 Module Plate		
CS25803	85381010	3 Module Plate		
CS25804	85381010	4 Module Plate		
CS25806	85381010	6 Module Plate	527	5
CS25808	85381010	8 Module - Horizontal	617	
CS25809	85381010	8 Module - Vertical	617	
CS25812	85381010	12 Module Plate	760	
CS25816	85381010	16 Module Plate	761	
CS25818	85381010	18 Module Plate	989	

Please add codes CS for Cadet Grey, BO for Black Olive, AG for Argent Grey, CB for Charcol Black, AB for Arsenic Black, CH for Champagne, CAR for Candy Red, COR for Corel Red, BG for British Green Plates e.g. for ordering one module Cadet Grey plate code would be CS25801



English Walnut & Burly Wood Cover Plates with Support Plate

Product Code	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)
CS25801	85381010	1 Module Plate	328	10
CS25802	85381010	2 Module Plate		
CS25803	85381010	3 Module Plate	360	
CS25804	85381010	4 Module Plate	415	
CS25806	85381010	6 Module Plate	646	
CS25808	85381010	8 Module Plate - Horizontal	816	
CS25809	85381010	8 Module Plate - Vertical	816	
CS25812	85381010	12 Module Top Plate	966	5
CS25816	85381010	16 Module Top Plate	1182	
CS25818	85381010	18 Module Plate	1256	


Please add codes EW for English Walnut and BW for Burly Wood e.g. for ordering one module English Walnut plate code would be CS25801EW



CS25803BW



CS25803EW



A Piece of **Art**
for your **Walls**





CS20114



CS20123



CS20511



CS20631



CS20801



CS20370



CS20228



CS20251

Switches

Product Code - Pure White	HSN Code	Description	Type	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
One-Way Switches						
CS20113	85361010	6A, 250V	General	1	96	20
CS20114	85361010	6A, 250V	Luminous	1	156	
CS20115	85361010	6A, 250V	Luminous	2	176	10
CS20573	85361020	16A, 250V	General	1	181	20
CS20574	85361020	16A, 250V	Luminous	1	225	
CS20575	85361020	16A, 250V	Luminous	2	240	10
CS20117	85361020	25A, 250V	General	1	261	20
CS20118	85361020	25A, 250V	Luminous	1	287	
CS20119	85361020	25A, 250V	General	2	294	10
CS20120	85361020	25A, 250V	Luminous	2	292	

Two-Way Switches

CS20123	85361010	6A, 250V	General	1	178	20
CS20124	85361010	6A, 250V	General	2	193	10
CS20578	85361020	16A, 250V	General	1	245	20
CS20579	85361020	16A, 250V	General	2	261	10

Bell Push Switches

CS20509	85361010	6A, Bell Push	General	1	151	20
CS20508	85361010	6A, Bell Push	Luminous	1	186	
CS20510	85361010	6A, Bell Push	General	2	192	10
CS20511	85361010	6A, Bell Push	Luminous	2	203	

Blanking Module

CS20056	85381010	1M Blank		1	32	40
---------	----------	----------	--	---	----	----

Neon Indicator

CS20631	85361010	Neon Indicator Red		1	111	20
---------	----------	--------------------	--	---	-----	----

Product Code - Pure White	HSN Code	Description	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
---------------------------	----------	-------------	-------------	---------	------------------

Fan Regulator / Dimmer

CS20826	85361010	5-Step Fan Regulator 100W	2	495	10
CS20828	85361010	5 Step Fan Regulator 120W	2	592	10
CS20827	85361010	4-Step Fan Regulator 100W	1	423	20
CS20801	85361010	Rotary Type Dimmer 500W	2	572	10
CS20804	85361010	Rotary Type Dimmer 300W	1	411	20

Sockets with Safety Shutters

CS20370	85361010	6A, 3 Pin	2	126	10
CS20352	85361020	6/16A, 6 Pin	3	300	6
CS20354	85361020	6/16A, Socket Projected	2	270	10

Product Code - Pure White	HSN Code	Description	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
---------------------------	----------	-------------	-------------	---------	------------------

TV Socket / Flex Outlet

CS20228	85361010	TV Socket	1	128	20
CS20237	85361010	Flex Outlet	1	102	

Telephone / Computer Socket

CS20251	85361010	RJ 11, Telephone Jack	1	139	20
CS20272	85361010	RJ 45, Computer Jack CAT6	1	699	
CS20273	85361010	RJ 45, Computer Jack CAT6a	1	1372	



CS20275



CS20815



CS20609



CS20611



CS20636



CS20633



CS20632



CS20431



CS20443



CS26401W

USB Charger Socket

Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	Std. Pkg. (Nos.)
CS20275	85044030	USB Charger Socket 2.1A (Fast Charging)	1	1134	20

Hospitality Range

Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	Std. Pkg. (Nos.)
---------------------------	----------	-------------	----------------	---------	------------------

Energy Saving Switch

CS20815	85361020	25A, Energy Saving Switch With Key Tag & Indicator	2	690	1
---------	----------	--	---	-----	---

APPLICATION: activation of functions and service inside hotel rooms (e.g. light, air-conditioner, minibar) when the room is occupied (with badge inserted).

Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	Std. Pkg. (Nos.)
---------------------------	----------	-------------	----------------	---------	------------------

DND/MMR Switches

CS20609	85361010	Indicator	1	126	20
CS20610	85361010	DND/MMR External Indicator Unit	1+1	320	10
CS20611	85361010	DND/MMR Internal Switch Unit	1+1	292	10

Product Code	HSN Code	Description	No. of Modules	MRP (₹)	Std. Pkg. (Nos.)
--------------	----------	-------------	----------------	---------	------------------

Buzzer

CS20636	85361010	Buzzer	1	780	20
---------	----------	--------	---	-----	----

Skirt Light / Night Lamp

Product Code	HSN Code	Description	No. of Modules	MRP (₹)	Std. Pkg. (Nos.)
CS20632	94051090	Skirt light 2M	2	523	10
CS20633	94051090	Night Lamp 2M	2	502	10

Modular Miniature Case Circuit Breaker - WiNtrip 'S'

Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	Std. Pkg. (Nos.)
---------------------------	----------	-------------	----------------	---------	------------------

Single & Double Pole

CS20431	85361010	6A Single Pole 4.5kA - Tripping Curve 'C'	1	286	12
CS20432	85361010	10A Single Pole 4.5kA - Tripping Curve 'C'			
CS20433	85361020	16A Single Pole 4.5kA - Tripping Curve 'C'			
CS20437	85361020	20A Single Pole 4.5kA - Tripping Curve 'C'			
CS20435	85361020	25A Single Pole 4.5kA - Tripping Curve 'C'			
CS20436	85361020	32A Single Pole 4.5kA - Tripping Curve 'C'			
CS20438	85361010	6A Double Pole 4.5kA - Tripping Curve 'C'	2	669	6
CS20439	85361010	10A Double Pole 4.5kA - Tripping Curve 'C'			
CS20440	85361020	16A Double Pole 4.5kA - Tripping Curve 'C'			
CS20441	85361020	20A Double Pole 4.5kA - Tripping Curve 'C'			
CS20442	85361020	25A Double Pole 4.5kA - Tripping Curve 'C'			
CS20443	85361020	32A Double Pole 4.5kA - Tripping Curve 'C'			

Power Unit with Metal Box

Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	Std. Pkg. (Nos.)
CS26401W	85371000	Power Unit Combo 16A MCB Projected Socket	4	1007	1



Modular Switches | primo



CS20364

Single Phase Motor Starter

Product Code	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)
CS20364	85361020	Motor Starter 16A	935	10
CS20366	85361020	Motor Starter 25A		

Top Plates with Support Plate

Product Code- Pure White	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)
CS25701WH	85381010	1 Module Plate	105	10
CS25702WH	85381010	2 Module Plate		
CS25703WH	85381010	3 Module Plate	166	
CS25704WH	85381010	4 Module Plate	172	
CS25705WH	85381010	5 Module Plate (Compatible with 4M Metal Box)	182	
CS25706WH	85381010	6 Module Plate	229	
CS25707WH	85381010	8 Module-Horizontal	312	5
CS25709WH	85381010	8 Module Plate Horizontal (Compatible with 6M Metal Box)		
CS25710WH	85381010	10 Module-Vertical (Compatible With 8M (4+4) Metal Box)	312	10
CS25711WH	85381010	10 Module-Horizontal (Compatible With 8M (H) Metal Box)	312	5
CS25712WH	85381010	12 Module Plate	391	5
CS25716WH	85381010	16 Module Plate (Compatible With 12M Metal Box)	502	
CS25718WH	85381010	18 Module Plate	515	

Red / Yellow/ Green/ Blue / Grey Plates


CS25701	85381010	1 Module Plate	132	10
CS25702	85381010	2 Module Plate		
CS25703	85381010	3 Module Plate	191	
CS25704	85381010	4 Module Plate	198	
CS25705	85381010	5 Module Plate (Compatible With 4M Metal Box)		
CS25706	85381010	6 Module Plate	244	
CS25707	85381010	8 Module Horizontal	331	
CS25709	85381010	8 Module Plate Horizontal (Compatible with 6M Metal Box)		
CS25710	85381010	10 Module-Vertical (Compatible With 8M (4+4) Metal Box)	331	5
CS25711	85381010	10 Module-Horizontal (Compatible With 8M (H) Metal Box)	331	10
CS25712	85381010	12 Module Plate	457	5
CS25716	85381010	16 Module Plate (Compatible With 12M Metal Box)	558	
CS25718	85381010	18 Module Plate	640	

Please add following to codes for color selection GR for Grey / RD for RED / YL for Yellow / BL for Blue/ GN for Green e.g. for ordering one module red plate code would be CS25701RD

Wooden

CS25701WN	85381010	1 Module Plate	249	10
CS25702WN	85381010	2 Module Plate		
CS25703WN	85381010	3 Module Plate	317	
CS25704WN	85381010	4 Module Plate	343	
CS25705WN	85381010	5 Module Plate (Compatible With 4M Metal Box)		
CS25706WN	85381010	6 Module Plate	437	
CS25707WN	85381010	8 Module Horizontal	627	
CS25709WN	85381010	8 Module Plate Horizontal (Compatible with 6M Metal Box)		
CS25710WN	85381010	10 Module-Vertical (Compatible With 8M (4+4) Metal Box)	627	5
CS25711WN	85381010	10 Module-Horizontal (Compatible With 8M (H) Metal Box)	627	10
CS25712WN	85381010	12 Module Plate	771	5
CS25716WN	85381010	16 Module Plate (Compatible With 12M Metal Box)	816	
CS25718WN	85381010	18Module Plate	970	





**DESIGNED FOR SEAMLESSLY
BLEND STYLE & AFFORDABILITY**

bridgg
SWITCHES

anywhere, everywhere...



FLAME
RETARDANT



SLEEK
DESIGN




UNBREAKABLE
DESIGNS



SMOOTH
TO TOUCH



Switches



Product Code	HSN Code	Description	Rating	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
CB20568	85361010	Switch 10AX 1way	10AX	1M	79	20
CB20571	85361010	Switch 10AX 2way	10AX	1M	125	20
CB20569	85361010	Switch Indicator 10AX 1 Way	10AX	1M	128	20
CB20509	85361010	Bell Push 10A	10A	1M	113	20
CB20508	85361010	Bell Push 10A Indicator	10A	1M	128	20
CB20511	85361010	Bell Push 10A Indicator	10A	2M	180	10
CB20580	85361020	Switch 20A	20A	1M	120	20
CB20584	85361020	Switch Indicator 20A	20A	1M	146	20
CB20121	85361020	Switch 32A DP 1 Way Indicator	32A	2M	487	10
CB20581	85361020	Switch 20A 2way	20A	1M	190	20

Sockets / Fan Regulator / Dimmer

Product Code	HSN Code	Description	Rating	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
CB20370	85361010	Socket 6A 3 Pin	6A	2M	113	10
CB20354	85361020	Twin Socket 6/16A	6/16A	2M	237	10
CB20827	85361010	Fan Regulator 80W	80W	1M	351	20
CB20826	85361010	Fan Regulator 100W	100W	2M	458	10
CB20804	85361010	Tiny Dimmer 300W	300W	1M	351	20

Accessories



Product Code	HSN Code	Description	Rating	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
CB20056	85361010	Blank Plate	-	1M	31	40
CB20631	85361010	Phase Indicator LED Red	-	1M	95	20
CB20228	85361010	TV Socket outlet	-	1M	124	20
CB20251	85361010	RJ11 Tel Jack with Shutter	-	1M	124	20
CB20272	85361010	RJ45 Computer Jack Cat6	-	1M	741	20
CB20633	94051090	Foot Light LED Cool day Light	-	2M	397	10
CB20636	85361010	Electronic Buzzer Parrot	-	2M	512	10
CB20815	85361020	Key Tag Switch 32A	32A	2M	703	5
CG20431R-437R	85361010	Single Pole Tripping Curve 'C' 4.5kA	6A-32A	1M	272	12
CG20438R-443R	85361010	Double Pole Tripping Curve 'C' 4.5kA	6A-32A	2M	637	6

Cover Plate with Support Plate

Product Code	HSN Code	Description	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
--------------	----------	-------------	-------------	---------	------------------

White Cover Plate with Support Plate

CB25801WH	85381010	1 Modular White	1M	109	10
CB25802WH	85381010	2 Modular White	2M	109	10
CB25803WH	85381010	3 Modular White	3M	128	10
CB25804WH	85381010	4 Modular White	4M	149	10
CB25806WH	85381010	6 Modular White	6M	209	10
CB25808WH	85381010	8 Modular White - Horizontal	8M - H	249	10
CB25809WH	85381010	8 Modular White - Vertical	8M - V	249	10
CB25812WH	85381010	12 Modular White	12M	323	10
CB25816WH	85381010	16 Modular White	16M	336	5
CB25818WH	85381010	18 Modular White	18M	382	5

Chrome Cover Plate with Support Plate

CB25801C	85381010	1 Modular White with Chrome	1M	116	10
CB25802C	85381010	2 Modular White with Chrome	2M	116	10
CB25803C	85381010	3 Modular White with Chrome	3M	129	10
CB25804C	85381010	4 Modular White with Chrome	4M	162	10
CB25806C	85381010	6 Modular White with Chrome	6M	216	10
CB25808C	85381010	8 Modular White with Chrome - Horizontal	8M - H	257	10
CB25809C	85381010	8 Modular White with Chrome - Vertical	8M - V	257	10
CB25812C	85381010	12 Modular White with Chrome	12M	344	10
CB25816C	85381010	16 Modular White with Chrome	16M	367	5
CB25818C	85381010	18 Modular White with Chrome	18M	451	5



Switches



Product Code	HSN Code	Description	Rating	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
CB20113-2	85044030	Switch 6AX 1Way	6AX	1M	79	20
CB20114-2	85044030	Switch Indicator 6AX 1 Way	6AX	1M	128	20
CB20 573-2	85044030	Switch 16A 1Way	16A	1M	120	20
CB20574-2	85044030	Switch Indicator 16A 1 Way	16A	1M	146	20
CB20121-2	85044030	Switch Indicator 32A DP 1 Way	32A	2M	487	10
CB20123-2	85044030	Switch 6AX 2Way	6AX	1M	125	20
CB20578-2	85044030	Switch 16A 2Way	16A	1M	181	20
CB20508-2	85044030	Bell Push 6A Indicator	6A	1M	128	20
CB20509-2	85044030	Bell Push 6A	6A	1M	113	20
CB20511-2	85044030	Bell Push 6A Indicator	6A	2M	180	10



Sockets / Fan Regulator

Product Code	HSN Code	Description	Rating	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
CB20370-2	85044030	Socket 6A 3 Pin	6A	2M	113	10
CB20354-2	85044030	Twin Socket 6/16A	6/16A	2M	237	10
CB20827-2	85044030	Fan Regulator 80W	80W	1M	351	10
CB20826-2	85044030	Fan Regulator 100W	100W	2M	458	20



Accessories

Product Code	HSN Code	Description	Rating	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
CB20056-2	85044030	Blank Plate	-	1M	31	40
CB20631-2	85044030	Phase Indicator LED Red	-	1M	95	20
CB20228-2	85044030	TV Socket outlet	-	1M	124	20
CB20251-2	85044030	RJ11 Tel Jack with Shutter	-	1M	124	20
CB20272-2	85044030	RJ45 Computer Jack Cat6	-	1M	741	20
CB20275-2	85044030	2AMP USB CHARGER (ATYPE)	2A	1M	687	20
CB20278-2	85044030	2AMP USB CHARGER (CTYPE)	2A	1M	1010	20
CB20279-2	85044030	2AMP USB CHARGER (A+CTYPE)	2A	1M	1346	20
CB20815-2	85361020	Key Tag Switch 32A	32A	2M	703	5



Cover Plate with Support Plate

 Product Code	HSN Code	Description	No. Modules	MRP (₹)	Std. Pkg. (Nos.)
--	----------	-------------	-------------	---------	------------------

White Cover Plate with Support Plate

CB25801WH-2	85381010	Modular Plate 1M	1M	109	15
CB25802WH-2	85381010	Modular Plate 2M	2M	109	15
CB25803WH-2	85381010	Modular Plate 3M	3M	129	10
CB25804WH-2	85381010	Modular Plate 4M	4M	149	10
CB25806WH-2	85381010	Modular Plate 6M	6M	209	10
CB25808WH-2	85381010	Modular Plate 8M H	8M (H)	249	10
CB25809WH-2	85381010	Modular Plate 8M V	8M (V)	249	10
CB25812WH-2	85381010	Modular Plate 12M	12M	323	5
CB25816WH-2	85381010	Modular Plate 16M	16M	336	5
CB25818WH-2	85381010	Modular Plate 18M	18M	382	5

Chrome Cover Plate with Support Plate

CB25801C-2	85381010	Modular Plate 1M	1M	116	15
CB25802C-2	85381010	Modular Plate 2M	2M	116	10
CB25803C-2	85381010	Modular Plate 3M	3M	129	10
CB25804C-2	85381010	Modular Plate 4M	4M	162	10
CB25806C-2	85381010	Modular Plate 6M	6M	216	10
CB25808C-2	85381010	Modular Plate 8M H	8M (H)	257	10
CB25809C-2	85381010	Modular Plate 8M V	8M (V)	257	10
CB25812C-2	85381010	Modular Plate 12M	12M	344	5
CB25816C-2	85381010	Modular Plate 16M	16M	367	5
CB25818C-2	85381010	Modular Plate 18M	18M	451	5

Wooden Cover Plate with Support Plate

CB25701W-2	85381010	Modular Plate 1M	1M	159	10
CB25702W-2	85381010	Modular Plate 2M	2M	159	10
CB25703W-2	85381010	Modular Plate 3M	3M	162	10
CB25704W-2	85381010	Modular Plate 4M	4M	216	10
CB25706W-2	85381010	Modular Plate 6M	6M	249	10
CB25708W-2	85381010	Modular Plate 8M	8M	310	5
CB25710W-2	85381010	Modular Plate 10M	10M	335	5
CB25711W-2	85381010	Modular Plate 12M H	12M	412	5
CB25712W-2	85381010	Modular Plate 12M SQ	12M (SQ)	412	5
CB25716W-2	85381010	Modular Plate 16M	16M	420	5
CB25718W-2	85381010	Modular Plate 18M	18M	471	5
CB25720W-2	85381010	Modular Plate 20M	20M	471	5



WiNtrip 'S'

Single Lock Modular MCB

The perfect solution for AC's, Refrigerators & Electrical Appliances

Safe || Convenient || Energy Saving || Wide Range || Compact Design || Overload & Short Circuit Protection || Rapid Closing Mechanism || Easy to Operate



WiNtrip 'S' Modular MCB

Single pole - Tripping Curve 'C' 4.5kA					Double pole - Tripping Curve 'C' 4.5kA				
Product Code	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)	Product Code	HSN Code	Description	MRP (₹)	Std. Pkg. (Nos.)
CG20431R	85361010	6A	286	12	CG20438R	85361010	6A	669	6
CG20432R	85361010	10A			CG20439R	85361010	10A		
CG20433R	85361020	16A			CG20440R	85361020	16A		
CG20437R	85361020	20A			CG20441R	85361020	20A		
CG20435R	85361020	25A			CG20442R	85361020	25A		
CG20436R	85361020	32A			CG20443R	85361020	32A		

Non-Modular Miniature Case Circuit Breaker - WiNtrip 'S'

Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	Std. Pkg. (Nos.)
Single Pole					
CS20431N	85361010	6A Single Pole 4.5kA-Tripping Curve 'C'	1	286	12
CS20432N	85361010	10A Single Pole 4.5kA-Tripping Curve 'C'			
CS20433N	85361020	16A Single Pole 4.5kA-Tripping Curve 'C'			
CS20437N	85361020	20A Single Pole 4.5kA-Tripping Curve 'C'			
CS20435N	85361020	25A Single Pole 4.5kA-Tripping Curve 'C'			
CS20436N	85361020	32A Single Pole 4.5kA-Tripping Curve 'C'			
Double Pole					
CS20438N	85361010	6A Double Pole 4.5kA-Tripping Curve 'C'	2	669	6
CS20439N	85361010	10A Double Pole 4.5kA-Tripping Curve 'C'			
CS20440N	85361020	16A Double Pole 4.5kA-Tripping Curve 'C'			
CS20441N	85361020	20A Double Pole 4.5kA-Tripping Curve 'C'			
CS20442N	85361020	25A Double Pole 4.5kA-Tripping Curve 'C'			
CS20443N	85361020	32A Double Pole 4.5kA-Tripping Curve 'C'			



CS20436N



CS20438N



CG24272


Metal Boxes- Fabricated (Boxes for Elusio, Divino, Primo Plus, Primo, Bridgg and Bridgg2.0)

Product Code	HSN Code	Description	Dimension LxHxD (mm)	MRP (₹)	Std. Pkg. (Nos.)
CG24271	85381010	1 Module Box	75 X 75 X 50	112	10
CG24271	85381010	2 Module Box	75 X 75 X 50		
CG24272	85381010	3 Module Box	100 X 75 X 50	133	
CG24273	85381010	4 Module Box	135 X 76 X 50	159	
CG24274	85381010	6 Module Box	210 X 75 X 50	222	5
CG24275	85381010	8 Module Box (4 +4)	134 X 140 X 52	259	
CG24276	85381010	8 Module Box (Horizontal)	232 X 79 X 52		
CG24277	85381010	12 Module Box	210 X 140 X 50	313	
CG24279	85381010	16 Module Box	210 X 140 X 60	392	7
CG24278	85381010	18 Module Box	210 X 210 X 56	451	5

* 10M Top Plate shall be fitted in 8M (4+4) Vertical Metal Box (i.e. CG 24 275)

* 5M Top Plate Shall be fitted in 4M Metal Box (i.e. CG 24 273)

* Deep Drawn Metal Boxes are available on request.

Primo Cover Plate Sizes (All dimensions in mm)**General Terms & Conditions**

Price are subject to revision without prior notice and will be applicable as prevailing at the time of dispatch.

- This Pricelist supersedes all previous Price Lists.
- Maximum Retail Price (MRP) mentioned are maximum recommended selling prices inclusive of GST.
- All Prices are in Indian Rupees.

**Warranty for Wiring Accessories**

All our listed Electro-mechanical wiring devices carry a warranty, against manufacturing defects for a period of 10 years from the date of invoicing & 2 years for all mains related electronic wiring products viz. Dimmers, Step Fan regulator and Indicators subject to it's usages in normal recommended operating conditions. Guarantee does not include Metal boxes, Plug Tops and other stand alone products. The guarantee defines the company's entire liability & does not cover consequences loss or damage or re-installations cost arising from defective product. The company liability shall be limited to exchange or repair of the product, at our discretion, provided that such defective products are returned to nearest Branch office.



Industrial Plugs & Sockets

Benefits



- Safety through interchangeability
- High grade thermo plastic material assures:
 - Exceptional high impact resistance
 - High thermal stability
 - High insulated Quality
 - Good resistance to various chemicals
- Colour codes for easy identification of Plug & Sockets
- Locking device prevent unintended withdrawal

Junction Box

- Corrosion Resistive
- Durability & Longevity
- Wide Range
- Light Weight
- Dust Proof - IP66



IEC 60309 Series
IP44 & IP67 Protection



Control & Signalling Devices

Metallic & Polycarbonate Series



Push Buttons & Pilot Lamps

- Ø22.5 mm Push Buttons, Emergency Stop PB, Selector switch
- Illuminated & Non-illuminated Actuators in Plastic & Metallic variants
- Pilot Lamps in LED
- Push Button Stations 1/2/3/4 ways, IP65 / IP66, NEMA-41/X protection
- High Mechanical and Electrical life
- Aesthetic and Elegant outlook
- Wide Range of colors | voltages available

Globally accepted





Industrial Plugs & Sockets

IEC 60309 Series

[HSN Code: 8536]

IP 44 & IP 67 Versions	Description	Rating (Amp)	Protection Degree	3 PIN, 2P+E 240V AC			4 PIN, 3P+E 415V AC			5 PIN, 3P+N+E 415V AC		
				Code	MRP (₹)	Reference h	Code	MRP (₹)	Reference h	Code	MRP (₹)	Reference h
	Panel Mounting Socket - Splash Proof	16	IP44	CS62205*	1000	6	-	-	-	CS62210*	1670	6
		32		CS62216*	1710	6	-	-	-	CS62221*	1910	6
	Panel Mounting Socket - Water Tight	16	IP67	CS62227	2150	6	-	-	-	CS62232	2290	6
		32		CS62238	2310	6	-	-	-	CS62243	3040	6
		63		CS63249	8510	6	-	-	-	CS63254	7830	6
		125		-	-	-	-	-	-	CS62262	29290	6
	Surface Mounting Socket - Splash Proof	16	IP44	CS62404	1650	6	-	-	-	CS62409	1820	6
		32		CS62415	2050	6	-	-	-	CS62420	2350	6
	Surface Mounting Socket - Water Tight	16	IP67	CS62426	2790	6	-	-	-	CS62431	4000	6
		32		CS62437	3490	6	CS62283	3910	3	CS62442	4580	6
		63		CS63448	10750	6	-	-	-	CS63453	11010	6
		125		-	-	-	-	-	-	CS63463	41390	6
	Plugs - Splash Proof	16	IP44	CS60004*	870	6	-	-	-	CS60009*	1210	6
		32		CS60015*	1380	6	-	-	-	CS60020*	1830	6
	Plugs - Water Tight	16	IP67	CS60026	1850	6	-	-	-	CS60031	2430	6
		32		CS60037	2870	6	CS60145	2930	3	CS60042	2980	6
		63		CS61048	8100	6	-	-	-	CS61053	8370	6
		125		-	-	-	-	-	-	CS60061	24870	6
	Surface Mounting Interlocked Switched Socket Outlet - Horizontal	16	IP44	CS66004(H)	13130	6	-	-	-	CS66109(H)	16730	6
		32		CS66015(H)	15610	6	-	-	-	CS66020(H)	18710	6
	Surface Mounting Interlocked Switched Socket Outlet - Vertical	16	IP67	CS66200	14390	6	-	-	-	CS66202	20360	6
		32		CS66201	20090	6	-	-	-	CS66203	24300	6
	Connector - Splash Proof	16	IP44	CS62004*	1240	6	-	-	-	CS66215*	1440	-
		32		CS62015*	1600	6	-	-	-	CS66225*	2040	-
	Connector Water Tight	32	IP67	-	-	-	CS62128	3910	3	-	-	-

Note: Plugs & Sockets 3 PIN, 2P+E 240V AC are in Blue color, 5 PIN, 3P+N+E 415V AC are in Red color

	Plastic Junction Box IP66 , 230V with provision for housing MCB	Reference	Pole	Rating	Socket Reference	MRP
		CSE163PIP66	3P	16A	CS36001	POR
		CSE164PIP66	4P		CS36002	
		CSE165PIP66	5P		CS36006	
		CSE323PIP66	3P	32A	CS36005	
		CSE324PIP66	4P		CS62283	
		CSE325PIP66	5P		CS62243	

Note: Junction box comes equipped with socket however for MCB it has provision only and has to be ordered separately.

[HSN Code: 8536]

AC Distribution Box with Socket	Description	Rating (Amp)	Protection Degree	Code	MRP (₹)	Reference h
	AC Distribution Box (Includes Socket & Plug)	16A 3P 240V	IP40	CS60045*	3100	6
		32A 3P 240V		CS60046*	3840	6
		32A 5P 415V		CS60047*	5760	6
		63A 5P 415V		CS60048*	14990	6


* Stock for accessories are subject to availability

Push Buttons: 22.5mm Without Contact Elements

Push Button Actuators with Carrier-Non-Illuminated [HSN Code: 8536]

Description	Reference	MRP (₹)	Std. Pkg. (Nos.)	Product Picture
Push Spring Return Push Button	RCP2BA1 ○	200	20	
	☒ RCP2BA2 ●			
	RCP2BA3 ●			
	RCP2BA4 ●			
	RCP2BA5 ●			
	☒ RCP2BA6 ●			
Flush Spring Return Push Button with contact	☒ RCP2BA33 ●	440	10	
	RCP2BA35 ●			
Projecting Push Button	RCP2BL1 ○	200	10	
	☒ RCP2BL2 ●			
	RCP2BL3 ●			
	RCP2BL4 ●			
	RCP2BL5 ●			
	RCP2BL6 ●			
Mushroom Head Push Button, Spring Return	RCP2BC2 ●	270	8	
	RCP2BC3 ●			
	☒ RCP2BC4 ●			
	RCP2BC5 ●			
Mushroom Head Push Button, Spring Return with contact	RCP2BC6 ●	400	10	
	RCP2BC21 ●			
	RCP2BC31 ●			
	☒ RCP2BC42 ●			
	RCP2BC51 ●			
	RCP2BC61 ●			
Mushroom Head ø40mm Push Button Stay Put turn to release	RCP2BS54 ●	370	8	
Mushroom Head ø40mm Push to Stay Pull to release	RCP2BT4 ●			
Mushroom Head ø60mm Push Button Stay Put turn to release	RCP2BS64 ●	550	5	
Mushroom Head Push Button, Push to Stay & Key to release	RCP2BS14 ●	680	8	
Push Button Stay Put ø30mm (Press to Lock turn to release)	RCP2BS44 ●	350	10	

Push Button Actuators with Carrier & Contact Element-Non-Illuminated

Flush Spring Return Push Button with 1NO Block	☒ RCP2BA11 ○	280	10	
	☒ RCP2BA21 ●			
	RCP2BA31 ●			
	RCP2BA51 ●			
	RCP2BA61 ●			
	RCP2BA41 ●			
Push Button with 1NC Block	RCP2BA42 ●	280	10	
	RCP2BL11 ○			
Projecting Head Push Button with 1NO Block	RCP2BL21 ●			
	☒ RCP2BL31 ●			
	RCP2BL51 ●			
	RCP2BL61 ●			
Projecting PB with 1NC Block	☒ RCP2BL42 ●			

LED Type Push Button Actuators - Illuminated Flush

Flush Illuminated with Integral Circuit LED 48V, 24V & 12V (AC/DC) also available in 110V AC, 110V DC, 240V AC, 220DC	RCP2BWL317 ▲ ○	550	10	
	RCP2BWL337 ▲ ●			
	☒ RCP2BWL347 ▲ ●			
	☒ RCP2BWL357 ▲ ●			
	☒ RCP2BWL377 ▲ ○			
	RCP2BWL387 ▲ ●			
	RCP2BWL367 ▲ ●	950		

LED Type Push Button Actuators - Illuminated Projecting Type of voltage AC/DC to be specified

Projecting Illuminated Actuator, with integral LED, suitable for operating 48V, 24V & 12V (AC/DC) also available in 110V AC, 110V DC, 240V AC, 220DC	RCP2BWL117 ▲ ○	550	10	
	☒ RCP2BWL137 ▲ ●			
	☒ RCP2BWL147 ▲ ●			
	RCP2BWL157 ▲ ●			
	RCP2BWL177 ▲ ○			
	RCP2BWL187 ▲ ●			
	RCP2BWL167 ▲ ●			
		960		

Selector Switch Actuators with Carrier

[HSN Code: 8536]

Description	Reference	MRP (₹)	Std. Pkg. (Nos.)	Product Picture
2-Position Selector Switch (stay put)	RCP2BD2	530	10	
3-Position Selector Switch, centre 'OFF' (stay put)	RCP2BD3			
2-Position Selector Switch with extra long knob (stay put)	☒ RCP2BJ2	530	10	
3-Position Selector Switch, with extra long knob centre 'OFF' (stay put)	RCP2BJ3			
3-Position Selector Switch (Spring Return)	RCP2BDR3	570	10	
3-Position Selector Switch extra long knob (Spring Return)	RCP2BJR3			

Selector Switch Actuators with Carrier & Contact Element

2-Position Selector Switch (stay put) with 1NO Block	RCP2BD21	570	10	
2-Position Selector Switch, centre 'OFF' (stay put) with NO+NC Block	RCP2BD25	740		
3-Position Selector Switch, centre 'OFF' (stay put) with NO+NC Block	RCP2BD35			

Key Actuators with Carrier

2-Position Key Switch, Key removable in unactuated position	☒ RCP2BG2	760	10	
2-Position Key Switch, Key removable in both position	☒ RCP2BG4			
2-Position Key Switch, Key removable in 'Right Hand' position	RCP2BG02			
3-Position Key Switch, Key removable in centre 'OFF' position	☒ RCP2BG3	770	10	
3-Position Key Switch, Key removable in all position	RCP2BG0			
3-Position Key Switch, Key removable in 'Left Hand & Right Hand' position	RCP2BG5			
3-Position Key Switch, Key removable in 'Left Hand' position	☒ RCP2BG9			
3-Position Key Switch, Key removable in 'Right Hand' position	RCP2BG7			

Push Buttons Extended Range

Reset Extended Actuator Push button - Round Type	☒ RCB2AL8R	190	24	
Reset Extended Actuator Push button - Hex Type	☒ RCB2AL8H		30	
Plastic Adaptor for 30 mm hole to 22.5 mm.	☒ RP2BZ41M	70	20	
Metal Adaptor for 30 mm hole to 22.5 mm	☒ RB2BZ41M			
Recess (Guarded) Push button - Plastic	RP2BA16 ○	160	20	
	RP2BA26 ●			
	☒ RP2BA36 ●			
	☒ RP2BA46 ●			
	RP2BA56 ●			
	RP2BA66 ●			

Push Buttons Extended Range

Intermittent Sounding Flashing Buzzer 15 ~ 20 mA, sound level 80 dB, 24V, 48V, 110V AC/DC 240V AC (* Add Voltage code)	☒ RB2KS* ●	580	15	
--	------------	-----	----	---

Contact Elements-NO/NC (UL) *

Contact Element 1 NO	RB2BE101	180	50	
Contact Element 1 NC	RB2BE102			

*Applicable for Both Metallic and Plastic range

LED Type Pilot Lamp Type of voltage AC / DC to be specified

Pilot Light with integral circuit LED 48V, 24V & 12V (AC/DC) Also available in 110V AC, 110V DC, 240V AC, 220DC	☒ RCP2BVL73 ▲ ●	580	10	
	☒ RCP2BVL74 ▲ ●			
	☒ RCP2BVL75 ▲ ●			
	RCP2BVL77 ▲ ○			
	RCP2BVL71 ▲ ○			
	☒ RCP2BVL78 ▲ ●			
	☒ RCP2BVL76 ▲ ●	880		

Colour Code for Actuator / Lens

Colour Code	1	2	3	4	5	6	7	8
Colour of Actuator	White ○	Black ●	Green ●	Red ●	Yellow ●	Blue ●	-	-
Colour of Lens	White ○	-	Green ●	Red ●	Amber ●	Blue ●	Clear ○	Yellow ●

How to Order: Actuators, Contact Elements, Lens Assemblies can also be ordered separately or in combination, as required.

▲Add Voltage Code

Motor Starters

for Domestic & Agro applications



Anmol Motor Starters

- Conforms to IS 13947-4-1
- DOL starter range: 1HP~15HP
- Auto start DOL starter range: 1HP~15HP
- 1Ø DOL starter range: 0.5HP~3HP
- Automatic star delta starter range: 2 HP~25HP
- 3 Ø Submersible pump starter range: 2 HP~80 HP
- 1Ø Submersible pump starter range: 0.5 HP~5HP



for Agro Applications

THREE PHASE DOL STARTER



Type: **BE1DXM**
Rating: 1~15 HP
Incorporating: TC1DX Contactor & LR3D OLR



Type: **BE1DXSD**
Rating: 1~15 HP
Incorporating: TC1DX Contactor & LR3D OLR

THREE PHASE FULLY AUTOMATIC STAR DELTA STARTER



Type: **BE3DXM**
Rating: 1.5~30 HP
Incorporating: TC1DX Contactor & LR3D OLR & Electronic Timer



Type: **CS1SD**
Rating: 10~22 HP
Incorporating: CS Contactor & CS1 OLR & Electronic Timer



Type: **BE3DXM-PT**
Rating: 2~30 HP
Incorporating: TC1DX Contactor & LR3D OLR & Pneumatic Timer

THREE PHASE SEMI-AUTOMATIC STAR DELTA STARTER



Type: **BE3DXM**
Rating: 1.5~30 HP
Incorporating: TC1DX Contactor & LR3D OLR



Type: **CS1SD-SA**
Rating: 10~22 HP
Incorporating: CS Contactor & CS1 OLR

THREE PHASE DOL SUBMERSIBLE PUMP CONTROL PANEL



Type: **SPSCS1DO**
Rating: 3~10 HP
Incorporating: 4Pole CS1 Contactor, CS1 OLR Dual Digital VA meter



Type: **BE1SPSSD**
Rating: 2~20 HP
Incorporating: 4Pole TCIDX Contactor, LR1D/LR3D OLR Dual Analog VA meter & Rocker Switch with rigid busbar



Type: **BE1SPSSD-RS**
Rating: 2~20 HP
Incorporating: 4Pole TCIDX Contactor, LR1D/LR3D OLR Dual Ammeter, Volt meter & Rocker Switch



Type: **BE1SPSDD**
Rating: 2~20 HP
Incorporating: 4Pole TCIDX Contactor, LR1D/LR3D OLR Ammeter, Volt meter & MCB for short circuit protection

THREE PHASE STAR DELTA SUBMERSIBLE PUMP CONTROL PANEL



Type: **SPSCS1SD**
Rating: 12.5~22 HP
Incorporating: 4Pole CS1 Contactor, CS1 OLR Dual digital VA meter



Type: **BE3SPSSD**
Rating: 3~60 HP
Incorporating: 4Pole TCIDX Contactor, LR1D/LR3D OLR Dual Analog VA meter & Rocker Switch with rigid busbar




Type: **BE3SPSSD-RS**
Rating: 3~75 HP
Incorporating: 4Pole TCIDX Contactor, LR1D/LR3D OLR Ammeter, Volt meter & Rocker Switch



Type: **BE3SPSDD**
Rating: 2~80 HP
Incorporating: 4Pole TCIDX Contactor, LR1D/LR3D OLR Ammeter, Volt meter & MCB for short circuit protection





Anmol Range of Starters

for Domestic Applications

SINGLE PHASE DOL STARTER



Type: **BE1ASA2025MU**
Rating: 0.25~3 HP
Incorporating: 2 Pole Contactor
AC2D & LR7D type OLR

SINGLE PHASE DOL STARTER



Type: **BE1-SDA**
Rating: 0.5~5 HP
Incorporating: 2Pole Contactor AC2D,
LR7D OLR, Ammeter & Volt meter, Run &
Start Capacitor



Type: **BE1-SDEDP**
Rating: 0.5~2 HP
Incorporating: 2Pole TCDP Contactor,
LR7D OLR, Ammeter & Volt meter with
Run & Start Capacitor



Type: **BE1-SSCEDP**
Rating: 1~3 HP
Incorporating: 2Pole TCDP Contactor MCB
& Dual VA meter with Run & Start
Capacitor



Type: **BE1-SDEDP**
Rating: 1~2 HP
Incorporating: 2Pole TCDP Contactor
Fixed current OLR & Dual VA meter with
Run & Start capacitor



Motor Starters & Submersible Pump Starters-Offerings

MOTOR STARTERS					STAR DELTA STARTERS				
HP RATING	3 Phase Starter DOL		Single Phase Starter DOL / Auto Start DOL		HP Rating	Automatic/Semi-Automatic Starter-Star Delta			Automatic/Semi-Automatic Starter-Star Delta
	BE1DXM/XH	CS1DO	BE1ASA 1PH	BE1DXSD		BE3DXM	CS1SD	CS1SASD	BE3DXM-SA
0.5~1.5	✓	✓	✓	✓	1.5	✓	✗	✗	✓
2	✓	✓	✓	✓	2	✓	✗	✗	✓
3	✓	✓	✓	✓	3	✓	✗	✗	✓
4	✗	✓	✗	✓	4	✓	✗	✗	✓
5.5	✓	✓	✗	✓	5.5	✓	✗	✗	✓
7.5	✓	✓	✗	✓	7.5	✓	✗	✗	✓
10	✗	✗	✗	✓	10	✗	✓	✓	✓
12	✓	✗	✗	✓	12/12.5	✓	✓	✓	✓
15	✓	✗	✗	✓	15	✓	✓	✓	✓
20	✓	✗	✗	✓	20	✓	✗	✗	✓
25	✓	✗	✗	✓	22	✓	✓	✓	✓
					25	✓	✗	✗	✓
					30	✓	✗	✗	✓

SUBMERSIBLE PUMP STARTERS												
HP RATING	3 Phase Submersible Pump Starters-DOL			3 Phase Submersible Pump Starters Star-Delta			Single Phase Submersible Pump Starters-DOL					
	BE1-SPSSDX	BE1-SPSDDX	SPSCS	SPSCS	BE3-SPSSDX	BE3-SPSDDX	BE1-SSEDP	BE1-SEDP	BE1-SDA	BE1-SSCEDP	BE1-SDEDP	BE1-SSDCEDP
0.5	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
0.75	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
1	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
1.5	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
2	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
3	✓	✓	✗	✗	✓	✓	✗	✗	✓	✓	✗	✗
5	✓	✓	✗	✗	✓	✓	✗	✗	✓	✗	✗	✗
5.5	✓	✓	✓	✗	✓	✓	✗	✗	✗	✗	✗	✗
7.5	✓	✓	✓	✗	✓	✓	✗	✗	✗	✗	✗	✗
10	✓	✓	✓	✗	✓	✓	✗	✗	✗	✗	✗	✗
12	✓	✓	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
15	✓	✓	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
20	✗	✓	✗	✗	✓	✓	✗	✗	✗	✗	✗	✗
25	✗	✓	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
30	✗	✓	✗	✗	✓	✓	✗	✗	✗	✗	✗	✗
35	✗	✗	✗	✗	✓	✓	✗	✗	✗	✗	✗	✗
50	✗	✗	✗	✗	✓	✓	✗	✗	✗	✗	✗	✗
75	✗	✗	✗	✗	✓	✓	✗	✗	✗	✗	✗	✗
80	✗	✗	✗	✗	✓	✓	✗	✗	✗	✗	✗	✗



Relay Range & Contactor Ratings Used in Motor Starters

Composition - DOL / Auto Start Starters

Starter type & Contactor Type	Relay & Contactor Used in DOL / Auto Start Starters													
	1~1.6	1.6~2.5	2.5~4	4~6	5.5~8	7~10	9~14	13~18	14~22	18~25	23~32	28~40	38~50	48~70
BE1DXM-3Phase (0.5~25HP) with TC1DX Contactor	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 25 A	LR3D + 25 A	LR3D + 40 A	-	-	-
BE1ASA-Single Phase (0.5~3HP) with AC2D Contactor	-	LR7D + 20 A	LR7D + 20 A	LR7D + 20 A	LR7D + 20 A	LR7D + 20 A	LR7D + 20 A	LR7D + 25 A	-	LR7D + 25 A	-	-	-	-
BE1DXSD-Auto Start (0.5~25HP) with TC1DX Contactor	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 25	LR3D + 25 A	LR3D + 40 A	-	-	-

Composition - DOL Starters - CS1 Series

Starter type & Contactor Type	Relay & Contactor Used in DOL Starters					
	1.5~2.5	2.5~4	4~6.5	6~10	9~14	11~18
CS1DO Starter (1~7.5HP) with CS Series Relay & Contactor	CR3D+16A	CR3D+16A	CR3D+16A	CR3D+16A	CR3D+16A	CR3D+16A

Composition-Automatic / Semi-Automatic Star Delta Starters - CS1 Series

Starter type & Contactor Type	Relay & Contactor Used in FASD/SASD Starters					
	6~10	9~14	11~18	13~22	13~22	20~32
CS1SD Star Delta Starter (10~22HP) with CS Series Relay & Contactor	CR3D + 16A	CR3D + 16A	CR3D + 16A	CR3D + 16A	CR3D + 16A	CR3D + 16A

Composition - DOL Starter-SPSCS series

Starter type & Contactor Type	Relay & Contactor Used in DOL Starters				
	9~14	11~18	13~22	13~22	20~32
CS1 Series (Upto 7.5HP) (with CS relay & CS contactor)	CR3D + 16A	CR3D + 16A	CR3D + 25A	CR3D + 25A	CR3D + 32A

Composition - FASD Starter-SPSCS series

Starter type & Contactor Type	Relay & Contactor Used in FASD Starters				
	9~14	11~18	13~22	13~22	20~32
CS1 Series (12.5~22HP) (with CS relay & CS contactor)	CR3D + 16A	CR3D + 16A	CR3D + 25A	CR3D + 25A	CR3D + 32A

Composition - FASD Starters

Starter type & Contactor Type	Relay & Contactor Used in FASD Starters														
	5.5~8	7~10	9~14	13~18	14~22	18~25	23~32	30~40	48~57	57~66	66~105	80~125	100~200	160~250	200~315
BE3DXM-(12~30HP) with TC1DX Contactor	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 25 A	LR3D + 25 A	LR3D + 25 A	-	-	-	-	-	-	-	-

Composition - SASD Starters

Starter type & Contactor Type	Relay & Contactor Used in SASD Starters						
	2.5~8	7~10	9~14	13~18	14~22	18~25	23~32
BE3DXM-SA-(12~30HP) with TC1DX 4 Pole Contactor	-	LR3D+20A	LR3D+20A	LR3D+20A	LR3D+25A	LR3D+25A	LR3D+25A

Composition-SPS Starters

Starter type & Contactor Type	Relay & Contactor Used in SPS Starters											
	4~6.0	5.5~8	7~10	9~14	13~18	14~22	18~25	23~32	28~40	38~50	48~66 (38~50/48~57 /57~66)	
3PH DOL SPS BE1SPSSDX- Standard with 3PSS w/o short circuit protection-(2~20HP) with TC1DX Contactor	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 25A	LR3D + 25A	LR1D + 40A	LR1D + 40A	-	-	
3PH DOL SPS BE1SPSSDX-Deluxe with 3 PSS with short circuit protection-(2~20HP) TC1DX Contactor	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 25A	LR3D + 25A	LR1D + 40A	LR1D + 40A	-	-	
3PH FASD SPS BE3SPSSDX- Standard with 3 PSS w/o short circuit protection-(2~75HP) with TC1DX & D range Contactor	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 25A	LR3D + 25A	LR3D + 25A	LR1D + 40A	LR1D + 40A	LR1D + D range 63 A/ 80 A	
3PH FASD SPS BE3SPSSDX-Deluxe with 3PSS with short protection-(2~75HP) with TC1DX Contactor	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 25A	LR3D + 25A	LR3D + 25A	LR1D + 40A	LR1D + 40A	LR1D + D range 63 A/ 80 A	
1PH DOL SPS BE1SDEDP-Deluxe (0.5~2HP) with 2 Pole Contactor	LR7DM + 20A	LR7DM + 20A	LR7DM + 20A	LR7DM + 20A	LR7DM + 20A	LR7DM + 20A	-	-	-	-	-	
1PH DOL SPS BE1SDA with 2 Pole Contactor - (.5~5HP)	LR7D + 20A	LR7D + 20A	LR7D + 20A	LR7D + 20A	LR7D + 20A	LR7D + 25A	LR7D + 25A	LR7D + 40A	-	-	-	
1PH DOL SPS BE1SSEDP - Standard with 2 Pole Contactor & Single Pole MCB for Protection - (0.5~2HP)	20A + 1P MCB	20A + 1P MCB	20A + 1P MCB	20A + 1P MCB	-	20A + 1P MCB	-	-	-	-	-	

DOL Starters

CS1 Series Starters (DOL & Star Delta) are available with contactors type CS1, CS2 & CS3 having 16A, 25A, 32A AC3 duty. These Starters are specially designed for agricultural use and have following features:

- Conforms to IEC 60947-4-1
- Wide band coil
- Rugged design which is durable and easy for maintenance
- Spares are available across the country
- Elegant powder coated sheet metal box made from 0.8 mm CRCA sheet

3Ø DOL Starters in SS Enclosure [HSN Code: 8536] GST@18%

Reference	Relay Range (Amp)	Maximum Motor Output at 415V, 3 Phase		MRP (₹)	MOQ
		kW	HP		
CS1DO■1525	1.5-2.5	0.75	1	6175	1
CS1DO■2504	2.5-4	1.5	2	6175	
CS1DO■0406	4-6.5	3	4	6175	
CS1DO■0610	6-10	4.5	6	6175	
CS1DO■0914	9-14	5.5	7.5	6175	
CS1DO■1118	11-18	5.5	7.5	6266	
CS1DO■1322	13-22	5.5	7.5	6361	
CS2DO■1322	13-22	5.5	7.5	6470	
CS2DO■2032	20-32	5.5	7.5	6813	
CS3DO■2032	20-32	5.5	7.5	7776	



1Ø DOL Starters in SS Enclosure [HSN Code: 8536] GST@18%

Incorporating 2 Pole Contactor type AC2D with wide band operating coil, 2 Pole Overload relay type LR7D

Reference	Relay Range (Amp)	Std. Power Rating for Single Phase Motor at 220V AC		MRP (₹)	MOQ
		kW	HP		
BE1ASA2025MU210	4-6	0.37	0.5	5235	6
BE1ASA2025MU212	5.5-8	0.55	0.75	5235	
BE1ASA2025MU214	7-10	0.75	1	5235	
BE1ASA2025MU216X	9-14	1.1	1.5	5235	
BE1ASA2525MU221	13-18	1.5	2	6901	
BE1ASA2525MU222	18-25	2.2	3	6901	





DOL Starters

3Ø DOL in SS Enclosure [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole Contactor type TC1-DX with wide band operating coil, Overload relay type LR3D with manual re-set and yellow flag for trip indication



Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE1DXM204■307	1.6~2.5	0.75	1	9829	6
BE1DXM204■308	2.5~4.0	1.1/1.5	1.5/2	9829	
BE1DXM204■310	4.0~6.0	2.2	3	9829	
BE1DXM204■312	5.5~8.0	2.2	3	9829	
BE1DXM204■314	7.0~10	3.7	5	9829	
BE1DXM204■316X	9.0~14	3.7/4	5/5.5	9829	
BE1DXM204■321	13~18	5.5	7.5	9864	
BE1DXM254■321X	14~22	7.5	10	10435	
BE1DXM254■322	18~25	10	12	10435	
BE1DXM404■353	23~32	11	15	15473	

3Ø Auto Start DOL Starter in SS Enclosure [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole Contactor type TC1-DX with wide band operating coil, Overload relay type LR3D with manual re-set and yellow flag for trip indication. Electronic Auto Switch for protection against Single Phase, phase reversal & phase unbalance and 3 position selector switch-SPP Auto/SPP Manual/Manual having provision of 6 way terminal block for bottom cable entry.



Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE1DXSD204■307	1.6~2.5	0.75	1	15719	1
BE1DXSD204■308	2.5~4.0	1.1/1.5	1.5/2	15719	
BE1DXSD204■310	4.0~6.0	2.2	3	15719	
BE1DXSD204■312	5.5~8.0	2.2	3	15719	
BE1DXSD204■314	7.0~10	3.7	5	15719	
BE1DXSD204■316X	9.0~14	3.7/4	5/5.5	15719	
BE1DXSD204■321	13~18	5.5	7.5	15969	
BE1DXSD254■321X	14~22	7.5	10	17097	
BE1DXSD254■322	18~25	10	12	17097	
BE1DXSD404■353	23~32	11	15	19719	

Coil Voltage Codes (Standard) for DOL / Auto DOL / Star Delta / Submersible Pump Starters

Coil Voltage (AC) 50Hz Coil Code■	Voltage	
	190~400 Q	250~440 N

Star Delta Starters

CS1 Series Starters

CS1 Series Star Delta Starters are available with contactors type CS1, CS2 & CS3 having 16A, 25A, 32A AC3 duty.

These Starters having following features:

- Conforms to IEC 60947-4-1
- Wide band coil
- Rugged design which is durable and easy for maintenance
- Spares are available across the country

3Ø Fully Automatic Star-Delta starters in SS Enclosure [HSN Code: 8536] GST@18%

Reference	Relay Range (Amp)	Max. Motor Output at 415V, 3Ph		MRP (₹)	MOQ
		KW	HP		
CS1SD■0610	6-10	7.5	10	22554	1
CS1SD■0914	9-14	9.3	12.5	22554	
CS1SD■1118	11-18	11	15	22838	
CS1SD■1322	13-22	11	15	23037	
CS2SD■1322	13-22	11	15	23373	
CS2SD■2032	20-32	11	15	23772	
CS3SD■2032	20-32	16	22	24339	



3Ø Semi Automatic Star-Delta starter in SS Enclosure [HSN Code: 8536] GST@18%

Reference	Relay Range (Amp)	Max. Motor Output at 415V, 3Ph		MRP (₹)	MOQ
		KW	HP		
CS1SASD■0610	6~10	7.5	10	19102	1
CS1SASD■0914	9~14	9.3	12.5	19102	
CS1SASD■1118	11~18	11	15	19629	
CS1SASD■1322	13~22	11	15	19725	
CS2SASD■1322	13~22	11	15	19773	
CS2SASD■2032	20~32	11	15	20140	
CS3SASD■2032	20~32	16	22	20572	



3Ø Automatic Star Delta Starter in S.S Enclosure [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole Contactor type TC1-DX with wide band operating coil, Overload relay type LR3D for motor protection & Electronic Star Delta Timer

Reference	Relay Range (Amp)	Std. Power Rating for 3P at 415V		MRP (₹)	MOQ
		kW	HP		
BE3-DXM204■308	2.5~4	1.5	2	31811	2
BE3-DXM204■310	4~6	2.2	3	31811	
BE3-DXM204■312	5.5~8	3.7	5	31811	
BE3-DXM204■314	7~10	5.5	7.5	31811	
BE3-DXM204■316X	9~14	9	12	31811	
BE3-DXM204■321	13~18	11	15	31873	
BE3-DXM254■321X	14~22	11	15	33389	
BE3-DXM254■322	18~25	11	15	33389	
BE3-DXM254■353	23~32	15/18	20/25	33890	





Star Delta Starters

3Ø Semi Automatic Star Delta Starter in S.S Enclosure [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole Contactor type TC1-DX with wide band operating coil, Overload relay type LR3D for motor protection



Reference	Relay Range (Amp)	Std. Power Rating for 3 P at 415V		MRP (₹)	MOQ
		kW	HP		
BE3-DXM204■314SA	7.0~10	9	12	29011	2
BE3-DXM204■316XSA	9.0~14	11	15	29011	
BE3-DXM204■321SA	13.0~18	15	20	29410	
BE3-DXM254■321XSA	14.0~22	18	25	33297	
BE3-DXM254■322SA	18.0~25	18	25	33297	
BE3-DXM254■353SA	23.0~32	22.5	30	34035	

3Ø Submersible Pump Starter Automatic Star Delta in SS Enclosure [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole contactor type TC1-DX with wide band operating coil, Overload relay type LR1D with pneumatic timer



Reference	Relay (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE3-DXM204■307-PT	1.6-2.5	1.5	2	29631	2
BE3-DXM204■308-PT	2.5-4.0	3	4	29631	
BE3-DXM204■310-PT	4.0-6.0	4	5.5	29631	
BE3-DXM204■312-PT	5.5-8.0	5.5	7.5	29631	
BE3-DXM204■316X-PT	9.0-14.0	11	15	29631	
BE3-DXM204■321-PT	13.0-18.0	15	20	30431	
BE3-DXM254■321X-PT	14.0-22.0	18	25	31231	
BE3-DXM254■322-PT	18.0-25.0	18	25	31231	
BE3-DXM254■353-PT	23.0-32.0	22.5	30	31530	

Coil Voltage Codes (Standard) for DOL / Auto DOL / Star Delta / Submersible Pump Starters

Coil Voltage (AC) 50HzCoil Code**	Voltage	
	190~400 Q	250~440 N

Submersible Pump Starters

1Ø Submersible Pump Starter-Deluxe Model in SS Enclosure [HSN Code: 8536] GST@18%

Incorporating Heavy duty 2 Pole Contactor, 2P Overload Relay Type LR7D, Supressed scale Voltmeter & Ammeter with provision of terminals for dry run relay

Reference	Relay Range (Amp)	Std. Power Rating for Single Phase Motor at 220V AC		Capacitor Rating (MFD)		MRP (₹)	MOQ
		kW	HP	Start	Run		
BE1-SDA2025MU210	4.0~6.0	0.37	0.5	80/100	25	12705	2
BE1-SDA2025MU212	5.5~8.0	0.55	0.75	80/100	36	12705	
BE1-SDA2025MU214	7.0~10.0	0.75	1	100/120	36	12884	
BE1-SDA2025MU214H	7.0~10.0			100/120	50	12884	
BE1-SDA2025MU216X	9.0~14.0			100/120	36	12884	
BE1-SDA2025MU216XM	9.0~14.0			100/120	50	13409	
BE1-SDA2025MU216XTS	9.0~14.0			100/120	72	13409	
BE1-SDA2025MU216XH	9.0~14.0	1.1	1.5	120/150	50	13409	
BE1-SDA2025MU216XA	9.0~14.0			120/150	36+36	13409	
BE1-SDA2025MU221H	13.0~18.0			120/150		13409	
BE1-SDA2525MU222	18.0~25.0	1.5	2	120/150	50+50	14527	
BE1-SDA2525MU221X	14.0~22.0			150/200	36+36	14527	
BE1-SDA2525MU221XTS	14.0~22.0			200/250	45+45	14527	
BE1-SDA2525MU222M	18.0~25.0			150/200	50+50	14527	
BE1-SDA2525MU222H	18.0~25.0	2.2	3	200/250	50+50	16453	
BE1-SDA2525MU222TS	18.0~25.0			200/250	60+60	16453	
BE1-SDA4025MU253	23.0~32.0	3.7	5	200/250	50+50+50	20738	

**1Ø Submersible Pump Starter-Economical Deluxe in SS Enclosure [HSN Code: 8536] GST@18%**

Incorporating 2 Pole Definite Purpose Contactor, 2 Pole Oveload relay type LR7DM, Ammeter, Voltmeter ON/OFF Push Button, Motor ON Indicator with provision of terminal for dry run relay

Reference	Relay Range (Amps)	Std. Power Rating for Single Phase Motor at 220V AC		Capacitor Rating (MFD)		MRP (₹)	MOQ
		kW	HP	Start	Run		
BE1-SDEDP202U5210	4.0~6.0	0.37	0.5	80/100	25	11776	2
BE1-SDEDP202U5212	5.5~8.0	0.55	0.75	80/100	36	11776	
BE1-SDEDP202U5214	7.0~10	0.75	1.0	100/120	36	12119	
BE1-SDEDP202U5214D2	7.0~10	0.75	1.0	100/120	50	12119	
BE1-SDEDP202U5216XD2	9.0~14	1.1	1.5	120/150	36+36	12637	
BE1-SDEDP202U5216X	9.0~14	1.1	1.5	120/150	50	12637	
BE1-SDEDP202U5221X	14~22	1.5	2.0	150/200	36+36	12945	





Submersible Pump Starters

1Ø Submersible Pump Starter-Economical Standard in SS Enclosure [HSN Code: 8536] GST@18%

Incorporating Single Phase Submersible pump control unit with DP Contactor, fixed current relay; Dual analog VA meter & Start and Run Capacitor.

Reference	Std. Power Rating for Single Phase Motor at 220V AC		Capacitor rating (MFD)		Relay Range (Amp)	MRP (₹)	MOQ
	kW	HP	Start	Run			
BE1-SDEDP202U5T10-H1	0.75	1	120/150	36	10	9626	2
BE1-SDEDP202U5T10-H2	0.75	1	150/200	36	10	9626	
BE1-SDEDP202U5T10-H3	0.75	1	120/150	50	10	9626	
BE1-SDEDP202U5T10-H4	0.75	1	150/200	50	10	9626	
BE1-SDEDP202U5T10M	0.75	1	120/150	60	10	9626	
BE1-SDEDP202U5T10	0.75	1	100/120	50	10	9626	
BE1-SDEDP202U5T15	1.1	1.5	120/150	72	15	10281	
BE1-SDEDP202U5T15-H1	1.1	1.5	150/200	50	15	10281	
BE1-SDEDP202U5T15-H2	1.1	1.5	150/200	36+36	15	10281	
BE1-SDEDP202U5T20-H1	1.5	2	150/200	50	20	10497	
BE1-SDEDP202U5T20-H2	1.5	2	150/200	36+36	20	10497	
BE1-SDEDP202U5T20-H3	1.5	2	200/250	36+36	20	10497	
BE1-SDEDP202U5T20-H4	1.5	2	200/250	100	20	10497	
BE1-SDEDP202U5T20M	1.5	2	150/200	100	20	10497	
BE1-SDEDP202U5T20	1.5	2	150/200	72	20	10497	



1Ø Submersible Pump Starter-Economical Standard in SS Enclosure [HSN Code: 8536] GST@18%

Incorporating Single Phase Submersible pump control unit with 2 Pole Definite purpose contactor, Dual analog VA meter, Start & Run Capacitor & MCB for short circuit protection.

Reference	Std. Power Rating for Single Phase Motor at 220V AC		Capacitor rating (MFD)		'C' Curve MCB Rating (A)	MRP (₹)	MOQ
	kW	HP	Start	Run			
BE1-SSCEDP202U5C16	0.75	1	120/150	50	16	9763	2
BE1-SSCEDP202U5C20	1.1	1.5	150/200	72	20	10062	
BE1-SSCEDP202U5C25	1.5	2	200/250	100	25	10659	
BE1-SSCEDP202U5C32	2.2	3	200/250	100	32	11110	
BE1-SSCEDP252U5C32	2.2	3	200/250	100	32	11320	



Submersible Pump Starters

CS1 Series Starters

SPSCS1 Series Submersible Pump Controller is specially designed for Agriculture uses. These are available in Star Delta models.

- Digital display meter for current and Voltage.
- With Panel ON/OFF Rocker Switch for complete isolation from mains.
- Wide operating voltage band coil to handle adverse condition.
- Rugged design which is durable and easy for maintenance
- In built 3 Position Selector Switch for SPP Auto / SPP Manual / By Pass Selection
- Provides single phasing /Overload /Phase reversal /Unbalance protection.
- Motor 'ON' & 'OFF' Push Buttons.
- Elegant Powder Coated sheet metal box made from 0.8mm CRCA Sheet.
- Trip LED indicator

3Ø Phase Submersible Pump Starter (Star-Delta) [HSN Code: 8536] GST@18%

Reference	Relay Range (Amp)	Max. Motor Output at 415V, 3Ph		MRP (₹)	MOQ
		kW	HP		
SPSCS1DO■0406	4~6	2.2	3	15901	1
SPSCS1DO■0610	6~10	3.7	5		
SPSCS1DO■0914	9~14	4.5	6		
SPSCS1DO■1118	11~18	5.5	7.5		
SPSCS1DO■1322	13~22	5.5	7.5		
SPSCS2DO■1322	13~22	7.5	10	16637	
SPSCS3DO■2032	20~32	7.5	10	18095	



3Ø Phase Submersible Pump Starter (Star-Delta) [HSN Code: 8536] GST@18%

Reference	Relay Range (Amp)	Max. Motor Output at 415V, 3Ph		MRP (₹)	MOQ
		kW	HP		
SPSCS1SD■0914	9~14	9.3	12.5	32911	1
SPSCS1SD■1118	11~18	11	15	33039	
SPSCS1SD■1322	13~22	11	15	33183	
SPSCS2SD■1322	13~22	11	15	34159	
SPSCS3SD■2032	20~32	16	22	35069	



Coil Voltage

Coil Voltage (AC) 50Hz Coil Code	Voltage	
	190~400 Q	250~440 N

Submersible Pump Starters

3Ø Submersible Pump Starter DOL - Standard Model [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole contactor type TC1-DX, overload relay type LR3D, Auto switch with in-built Auto / Manul / Bypass, ON / OFF Rocker switch, Motor ON & Trip LED Indicator with Rigid Busbar



Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE1-SPSSDX204■308-B	2.50-4	1.5	2	19903	2
BE1-SPSSDX204■310-B	4-6	2.2	3	19903	
BE1-SPSSDX204■312-B	5.5-8	2.2	3	19903	
BE1-SPSSDX204■314-B	7-10	3.7	5	19903	
BE1-SPSSDX204■316X-B	9-14	3.7/4	5/5.5	20334	
BE1-SPSSDX204■321-B	13-18	5.5	7.5	21034	
BE1-SPSSDX254■321X-B	14-22	7.5	10	21850	
BE1-SPSSDX254■322-B	18-25	10	12	21850	
BE1-SPSSDX404■353-B	23-32	18.5	15	24725	
BE1-SPSSDX404■353-A4	23-32	18.5	15	24725	
BE1-SPSSDX404■355-B	28-40	22	20	24950	
BE1-SPSSDX404■355-A4	28-40	22	20	24950	

3Ø Submersible Pump Starter-DOL Standard [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole contactor type TC1-DX, overload relay type LR3D, Auto Start switch, 3 position selector switch for SPP Auto / SPP Manual/Manual, On / Off Rocker switch, Motor ON & Trip LED Indicator



Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE1-SPSSDX204■308-RS	2.50-4.00	1.5	2	21310	2
BE1-SPSSDX204■310-RS	4.00-6.00	2.2	3	21310	
BE1-SPSSDX204■312-RS	5.5-8.00	2.2	3	21310	
BE1-SPSSDX204■314-RS	7.00-10.0	3.7	5	21310	
BE1-SPSSDX204■316X-RS	9.00-14.0	3.7/4	5/5.5	21570	
BE1-SPSSDX204■321-RS	13.0-18.0	5.5	7.5	24613	
BE1-SPSSDX254■321X-RS	14.0-22.0	7.5	10	25563	
BE1-SPSSDX254■322-RS	18.0-25.0	10	12	25563	
BE1-SPSSDX404■353-RS	23.0-32.0	11	15	26463	
BE1-SPSSDX404■355-RS	28.0-40.0	15	20	26463	

Submersible Pump Starters

3Ø Submersible Pump Starter DOL-Deluxe Model [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole Contactor type TC1-DX, Overload relay type LR3D, Auto Start Switch, 3 Position selector switch for SPP Auto/SPP Manual / Manual, Voltmeter with Selector Switch, Suppressed scale Ammeter, Motor ON & Trip LED Indicator, TP 'C' curve MCB for short circuit protection



Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE1-SPSDDX204■308	2.5~4.0	1.5	2	25134	2
BE1-SPSDDX204■310	4.0~6.0	2.2	3	25134	
BE1-SPSDDX204■312	5.5~8.0	2.2	3	25134	
BE1-SPSDDX204■314	7.0~10	3.7	5	25134	
BE1-SPSDDX204■316X	9.0~14	3.7/4	5/5.5	25134	
BE1-SPSDDX204■321	13~18	5.5	7.5	25650	
BE1-SPSDDX254■321X	14~22	7.5	10	27810	
BE1-SPSDDX254■322	18~25	10	12	28331	
BE1-SPSDDX404■353	23~32	11	15	30901	
BE1-SPSDDX404■355	28~40	15	20	30901	

3Ø Submersible Pump Starter Automatic Star Delta - Standard Model [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole Contactor type TC1-DX, Overload relay type LR3D/LR1D, Auto Start Switch, 3 Position selector switch for SPP Auto/SPP Manual / Manual (AS4), Voltmeter with Selector Switch, Suppressed scale Ammeter, Motor ON & Trip LED indicator with rigid Busbar



Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE3-SPSSDX204■308-B	2.5~4	2.2	3	43327	1
BE3-SPSSDX204■310-B	4~6	3.7	5	43327	
BE3-SPSSDX204■312-B	5.5~8.	4	5.5	43327	
BE3-SPSSDX204■314-B	7~10	5.5	7.5	43327	
BE3-SPSSDX204■316X-B	9~14	7.5/10	10/12	43327	
BE3-SPSSDX204■321-B	13~18	10/11	12/15	43777	
BE3-SPSSDX254■321X-B	14~22	11/15	15/20	45046	
BE3-SPSSDX254■322-B	18~25	15	20	45046	
BE3-SPSSDX254■353-B	23~32	18.5	25	47250	
BE3-SPSSDX254■353-A4	23~32	18.5	25	47250	
BE3-SPSSDX404■355-B	28~40	22	30	50342	
BE3-SPSSDX404■355-A4	28~40	22	30	50342	
BE3-SPSSD6335NW357-A4	38~50	30	40	97419	
BE3-SPSSD6335NW359-A4	48~57	37	50	109419	
BE3-SPSSD8035NW361-A4	57~66	45	60	117279	

Note: 'B' indicates Rigid Busbar version, available from 2.5~25A Relay range (8 models) inside panel 3 Position selector switch for SPP Auto / SPP Manual / Manual.

Submersible Pump Starters

3Ø Submersible Pump Starter Automatic Start Delta Standard [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole contactor type TC1-DX, overload relay type LR3D/LR1D, Auto Start switch, 3 position selector switch for SPP Auto/SPP Manual/Manual, On/ Off Rocker switch, voltmeter with selector switch suppressed scale ammeter, Motor ON & Trip LED Indicator



Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE3-SPSSDX204■308-RS	2.50-4.00	2.2	3	44272	1
BE3-SPSSDX204■310-RS	4.00-6.00	3.7	5	44272	
BE3-SPSSDX204■312-RS	5.50-8.00	4	5.5	44272	
BE3-SPSSDX204■314-RS	7.00-10.0	5.5	7.5	44272	
BE3-SPSSDX204■316X-RS	9.00-14.0	7.5/10	10/12	44272	
BE3-SPSSDX204■321-RS	13.0-18.0	10/11	12/15	44703	
BE3-SPSSDX254■321X-RS	14.0-22.0	11/15	15/20	47754	
BE3-SPSSDX254■322-RS	18.0-25.0	15	20	47754	
BE3-SPSSDX254■353-RS	23.0-32.0	18.5	25	48009	
BE3-SPSSDX404■355-RS	28.0-40.0	22	30	51020	
BE3-SPSSDX404■357-RS	38.0-50.0	30	40	76321	
BE3-SPSSD6335NW357-RS	38.0-50.0	30	40	97908	
BE3-SPSSD6335NW359-RS	48.0-57.0	37	50	111084	
BE3-SPSSD8035NW361-RS	57.0-66.0	45	60	121663	
BE3-SPSSD8035NW363-RS	68.0-80.0	55	75	121663	

Submersible Pump Starter Automatic Star Delta - Deluxe Model [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole Contactor type TC1-DX, Overload relay type LR3D/LR1D, Auto Start Switch, 3 Position selector switch for SPP Auto/SPP Manual / Manual, Voltmeter with Selector Switch, Suppressed scale Ammeter, RYB LED Indicator Motor ON & Trip LED Indicator, TP 'C' curve MCB for short circuit protection



Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE3-SPSDDX204■308	2.5~4.0	2.2	3	46971	1
BE3-SPSDDX204■310	4.0~6.0	3.7	5	46971	
BE3-SPSDDX204■312	5.5~8.0	4	5.5	46971	
BE3-SPSDDX204■314	7.0~10	5.5	7.5	46971	
BE3-SPSDDX204■316X	9.0~14	7.5/10	10/12	46971	
BE3-SPSDDX204■321	13~18	10/11	12/15	47178	
BE3-SPSDDX254■321X	14~22	11/15	15/20	51745	
BE3-SPSDDX254■322	18~25	15	20	51745	
BE3-SPSDDX254■353	23~32	18.5	25	52026	
BE3-SPSDDX404■355	28~40	22	30	61050	
BE3-SPSDDX404■357	38~50	30	40	82009	
BE3-SPSDD6335NW357	38~50	30	40	101921	
BE3-SPSDD6335NW359*	48~57	37	50	114087	
BE3-SPSDD8035NW361*	57~66	45	60	120054	
BE3-SPSDD8035SW105	65~105	60	80	135199	

HOW TO ORDER STARTER

- Complete the code by replacing the square (■) by the letter(s) corresponding to the Coil Voltage selected.
- Starters / Submersible Pump Starter selection should be based on the FLC of Pump/Motor & Coil Voltage required as per installation.
- Anmol Starters should be ordered in standard packing for each model.

** Anmol Starters portfolio available in the above standard coil voltage only.
Wide operating band encapsulated coils with its operating range.

Coil Voltage Codes (Standard) for Submersible Pump Starter/DOL/Auto DOL Starter

Coil Voltage (AC) 50HzCoil Code**	Voltage			
	190~400 Q	250~440 N	*300-500 SW	*250~400 NW



Smart Mobile Pump Controller

Salient Features:

- 5 Users Mobile Controller
- 4 LEDs Indicators
- Get Motor ON/OFF status on mobile
- Battery Backup upto 8 hours
- Get status of Mains, Pump, Battery & Signal Strength
- Easy to operate with SMS or Missed call
- Schedule Motor Run Time
- Wall & Panel Mounting
- Suitable for GSM SIM card of all mobile operators

Anmol Smart Mobile Pump Controller [HSN Code: 8536] GST@18%

Reference	Phase	MRP (₹)	MOQ
TCMU1N	3	15635	1
TCMU1M	1	16496	

Thermal Overload Relays Type LR1-Direct Mounting [HSN Code: 8536] GST@18%

Reference	Relay Setting Range (A)	Std. Power Rating for 3 Phase Motor at 415V		MRP (₹)	MOQ
		HP	KW		
LR1-D32353	23~32	20	15	5600	1
LR1-D32355	28~40	20	15		
LR1-D40353	23~32	20	15	6150	
LR1-D40355	30~40	30	22		
LR1-D63357	38~50	35	25	7110	
LR1-D63359	48~57	40	30	10100	
LR1-D63361	57~66	50	37	11130	
LR1-F105	65~105*	75	55	19040	

* Independent Mounting *Wide band Coil NW has operating range 250-440V AC

Thermal Overload Relays 3 Pole type LR3D-Direct Mounting [HSN Code: 8536] GST@18%

Reference	Relay Range (Amp)	MRP (₹)	MOQ
LR3D09307	1.6~2.5	2180	1
LR3D09308	2.5~4		
LR3D09310	4-6		
LR3D09312	5.5-8		
LR3D09314	7-10		
LR3D12316X	9-14	2390	
LR3D16321	13-18	2610	
LR3D16321X	14-22		
LR3D25322	18-25		



Thermal Overload Relays 3 Pole type (Direct Mounting) [HSN Code: 8536] GST@18%

Reference	Relay Range (Amp)	MRP (₹)	MOQ
CR3D1525	1.5~2.5	1619	1
CR3D2504	2.5~4	1619	
CR3D0406	4-6.5	1619	
CR3D0610	6-10	1619	
CR3D0914	9-14	1741	
CR3D1118	11-18	1785	
CR3D1322	13-22	1957	
CR3D2032	20-32	2416	



Thermal Overload Relays 2 Pole type LR7D (Direct Mounting) & LR7DM [HSN Code: 8536] GST@18%

Reference	Relay Range (Amp)	MRP (₹)	MOQ
LR7D09207	1.6~2.5	1380	1
LR7D09208	2.5~4		
LR7D09210 / LR7D09210M	4-6		
LR7D09212 / LR7D09212M	5.5-8		
LR7D09214 / LR7D09214M	7.0-10		
LR7D12216X / LR7D12216XM	9.0-14		
LR7D16221	13-18	1380	
LR7D16221X / LR7D16221XM	14-22		
LR7D25222	18-25		
LR7D32253	23-32	1660	

Anmol Motor Starter Spares



20A 25A 40A



4 Pole Contactor Coil

Contactors - CS1 Series [HSN Code: 8536] GST@18%

Rating (A)	Reference	MRP (₹)	MOQ
16	CS1 ■	4347	1
25	CS2 ■	5224	
32	CS3 ■	5391	

Moving Contacts [HSN Code: 8536] GST@18%

Description	Reference	MRP (₹)	MOQ
Single moving contact for CS1	CS1-MC	152	1
Single moving contact for CS2	CS2-MC	186	
Single moving contact for CS3	CS3-MC	228	

Standard Operating Coils for CS1 & CS2 [HSN Code: 8536] GST@18%

220, 50Hz	CX1DM	516	1
360V (200-400V), 50Hz	CX1DQ		
415V (250-450V), 50Hz	CX1DN		
400/440V, 50Hz	CX1DVR		

Spare Kit without Hardware [HSN Code: 8536] GST@18%

CS1	CS1-SP	1689	1
CS2	CS2-SP	2437	
CS3	CS3-SP	2885	

Arc Shields [HSN Code: 8536] GST@18%

CS1	CS1-A	380	1
CS2	CS2-A	455	
CS3	CS3-A	475	

Contact Bridges without contacts [HSN Code: 8536] GST@18%

CS1	CS1-C	361	1
CS2	CS2-C	393	
CS3	CS3-C	399	

Contactors - 4 Pole, AC [HSN Code: 8536] GST@18%

AC3, 415V			Main Poles Configuration	Reference	MRP (₹)	MOQ
kW	HP	A				
7.5	10	20	4NO	TC1DX204 ■	7660	1
11	15	25	4NO	TC1DX254 ■	9900	
22	30	40	4NO	TC1DX404 ■	16090	

Wide band Coils ■ Please specify Coil Voltage.

AC Coil Voltage Codes (Standard) for 4 Pole Contactors

Contactor 4P	Voltage			
	110	220	190-400	250-450
TC1-DX204/254	F	M	Q	N

Spare Coil for 4 Pole Contactors [HSN Code: 8538] GST@18%

Reference	Coil Voltage	MRP (₹)	MOQ
TX1D20 ■	110/220/190 ~400 /250-450	1130	1

Terminal Screw for 4 Pole Contactor [HSN Code: 8538] GST@18%

Reference	Description	MRP (₹)	MOQ
TASCRWDX204	Terminal Screw for 4 Pole Contactor	210	1



Anmol Motor Starter Spares



Contactors - 2 Pole, AC [HSN Code: 8536] GST@18%

AC1 Duty	AC3 220V AC			Reference	MRP (₹)	MOQ
	kW	HP	A			
32	3.8	5	20	AC2-D202 ■	2630	2
40	4.8	6	25	AC2-D252 ■	3970	
40	4.8	6	40	AC2-D402 ■	5430	

AC Coil Voltage Codes (Standard) for 2 Pole Contactors [HSN Code: 8538] GST@18%

Contactor	Voltage		
	220*	220/240*	380 / 415*
AC2-D2/D3/D4	M5W	MU	QN

*Wide band Coils ■ Please specify Coil Voltage.



Spare Coil - 2 Pole Contactors [HSN Code: 8538] GST@18%

Reference	Coil Voltage	MRP (₹)	MOQ
AX1D2 MU	220/240V, 50Hz	740	5
AX1D2 M	220V, 50Hz		
AX1D2 QN	380/415V, 50Hz		
AX1D2 N	415V, 50Hz		



Add-on-Blocks for 2 Pole Contactors [HSN Code: 8538] GST@18%

Description	Contact Configuration	Reference	MRP (₹)	MOQ
Front mounted Aux. contact Block	2 NO 1 NO+1 NC 2 NC	LA1-D20A	750	20
		LA1-D11A		
		LA1-D02A		



Definite Purpose Contactor [HSN Code: 8536] GST@18%

FLA	Resistive AMP Rating	Reference	MRP (₹)	MOQ
Two Pole				
20	30	TCDP202U5	2530	1

Auto Switch [HSN Code: 8536] GST@18%



Description	Reference	HSN Code [GST%]	MRP (₹)
Auto Switch-3, Auto Switch 45 Sec Delay	TCAS045S	8532 [18%]	2100
Auto Switch with adjustable time delay (45-300sec) & Auto Manual & Bypass switch (250-500V)	TCAS044-500V	8532 [18%]	2363
Auto Switch with adjustable time delay (45-300sec) & Auto Manual & Bypass switch (190-450V)	TCAS050-450V	8532 [18%]	2363
Auto Switch-5, Auto Switch 300 Sec Delay	TCAS048	8532 [18%]	2622
SPP Controller 190-420V for CS1 Starter	CSQ-ELDGAS015	8532 [18%]	2363
SPP Controller 250-450V for CS1 Starter	CSN-ELDGAS016	8532 [18%]	2363
Electronic timer for CS1 Starter 190-450V	CSET-ELDGS003	8532 [18%]	2363


Anmol Motor Starter Spares



Electronic Timer



Pneumatic SD Timer



Terminal Blocks



Definite Purpose Contactor Coil



Ammeter



Voltmeter



Indicating Lamps



RYB Indicating Lamps



Archood - 4 Pole



Dual Meter



Hour Meter



Run Capacitor

Start Capacitor



Stop Push Button



Start Push Button



Contact Element 1NO



Contact Element 1NC



Description	Reference	HSN Code [GST%]	MRP (₹)
Pneumatic SD Timer (1-30 Sec)	TA2-DS2	8538 [18%]	POR
Terminal Block, 2 Way,15 A	TB2W15A	8538 [18%]	233
Terminal Block, 3 Way,60 A	TB3W60A	8538 [18%]	388
Terminal Block, 6 Way,60 A	TB6W60A	8538 [18%]	797
Terminal Block, 3Way,30 A	TB3W30A	8538 [18%]	280
Terminal Block, 5 Way,30 A	TB5W30A	8538 [18%]	397
Definite Purpose Contactor Coil 240V	DP2XU5	8538 [18%]	POR
Ammeter	AM10A	9030 [18%]	1638
Ammeter	AM15A	9030 [18%]	
Ammeter	AM20A	9030 [18%]	
Ammeter	AM25A	9030 [18%]	
Ammeter	AM50A	9030 [18%]	2823
Ammeter	AM755	9030 [18%]	
Ammeter	AM1005	9030 [18%]	2033
Voltmeter	VM500	9030 [18%]	
Voltmeter	VM300	9030 [18%]	2033

Description	Reference	HSN Code [GST%]	MRP (₹)	Std. Pkg. (Nos.)
On Indicating lamp (green)	RCB7IVL73-415V	8536 [18%]	360	15
TRIP Indicating lamp (red)	RCB7IVL74-415V	8536 [18%]		
R Phase LED indicating Lamp	RCB7IVL74-220V	8536 [18%]		
Y Phase LED indicating Lamp	RCB7IVL78-220V	8536 [18%]		
B Phase LED indicating Lamp	RCB7IVL76-220V	8536 [18%]	1090	
Archood TC1DX 4 POLE	TC1DX-A	8538 [18%]		POR
Carrier TC1DX 4 Pole only mold	TC1DX-C	8538 [18%]		POR
Rocker Switch	RSVM	8538 [18%]		170
3 Phase Dual Meter-Analog (0-20A,120A)	ELDM0520	9030 [18%]	9030 [18%]	2524
3 Phase Dual Meter-Analog (0-50A, 500A & 0-500V)	ELDM0550	9030 [18%]		
1 Phase Dual Meter-Analog (0-15A, 90A & 0-300V)	ELDM0315	9030 [18%]		
1 Phase Dual Meter-Analog (0-20A,120A & 0-300V)	ELDM0320	9030 [18%]		
1 Phase Dual Meter-Analog (0-25A,150A & 0-300V)	ELDM0325	9030 [18%]		
1 Phase Dual Meter-Analog (0-50A, 300A & 0-300V)	ELDM0350	8538 [18%]		
Dual Meter-Digital (0-30A & 0-300V)	ELDM0030	8538 [18%]		2555
Hour Meter	TCHRM0001	8532 [18%]		3866
Wire type Antenna - Mobile Controller Unit	ELNT0001	8532 [18%]	8532 [18%]	1370
Battery - Mobile Controller Unit	TCDT0012	8532 [18%]		
Start Capacitor 80~100	ELSCC100	8532 [18%]		798
Start Capacitor 100~120	ELSC0120	8532 [18%]		828
Start Capacitor 120~150	ELSC0150	8532 [18%]		860
Start Capacitor 150~200	ELSC0200	8532 [18%]		891
Start Capacitor 200~250	ELSC0250	8532 [18%]		923
Run Capacitor	ELRC0025	8532 [18%]	8532 [18%]	797
Run Capacitor	ELRC0036	8532 [18%]		
Run Capacitor	ELRC0045	8532 [18%]	8532 [18%]	1026
Run Capacitor	ELRC0050	8532 [18%]		
Run Capacitor	ELRC0072	8532 [18%]		1196

Description	Reference	HSN Code [GST%]	MRP (₹)	Std. Pkg. (Nos.)
Stop Push Button	RCP2BA42	8536 [18%]	280	10
Start Push Button	RCP2BA31	8536 [18%]		
Contact Element 1 NO	RB2BE101	8536 [18%]	180	50
Contact Element 1 NC	RB2BE102	8536 [18%]		
Description	Reference	HSN Code [GST%]	MRP (₹)	
Voltage Selector Switch	SPVSS10	8538 [18%]		1182



Anmol Motor Starter Spares



MCB - SP MCB - TP



Add On Block



PB Actuator with carrier




Push Button Mushroom Head

Description	Reference	HSN Code [GST%]	MRP (₹)	Std. Pkg. (Nos.)
MCB (C Type 16 Amps SP)	CSMBS1C16	8536 [18%]	410	12
MCB (C Type 100 Amps TP)	CSMBH3C100	8536 [18%]	14160	1
MCB (C Type 125 Amps TP)	CSMBH3C125	8536 [18%]	15730	
MCB (C Type 25 Amps TP)	CSMB3C25	8536 [18%]	2300	4
MCB (C Type 32 Amps TP)	CSMB3C32	8536 [18%]		
MCB (C Type 63 Amps TP)	CSMB3C63	8536 [18%]	3560	
3 Position Selector Switch	RCP2BD32	8536 [18%]	530	10
Add On Block (T) 1NO+1NC	TA1DN11A	8538 [18%]	740	
3 Way Selector for SPP (Auto / Manual / Bypass)	ELSP0006	8538 [18%]	916	
Mounting Kit	LA7D4054	8538 [18%]	1000	
Indicating Lamp 230V Coloured RED	ELIL0001	8536 [18%]	512	

Description	Reference	HSN Code [GST%]	MRP (₹)	Std. Pkg. (Nos.)
PB Actuator with Carrier without Element Green	RCB2BA3	8536 [18%]	220	20
PB Actuator with Carrier without Element Red	RCB2BA4	8536 [18%]		

Contactor Extension Block for SDS	EXT01	8538 [18%]	496	
Relay Extension Block for SDS	EXT02	8538 [18%]		
Contactor 63A	LC1D633	8536 [18%]	23580	
Contactor 80A	LC1D803	8536 [18%]	32190	
Contactor 115A	LC1FDP115A	8536 [18%]	49210	
Single Contact assy (2 Fix,1moving, 1 pole spring, 2 terminal screw) for 20 A, 4 Pole Agro contactor	TA5DX204-1P	8536 [18%]	POR	
Single Contact assy (2 Fix,1moving, 1 pole spring, 2 terminal screw) for 25 A, 4 Pole Agro contactor	TA5DX254-1P	8536 [18%]	POR	
Single Contact assy (2 Fix,1moving, 1 pole spring, 2 terminal screw) for 40 A, 4 Pole Agro contactor	TA5DX404-1P	8536 [18%]	POR	
Fixed Current Relay	TR11CB6310		347	
	TR11CB6312	8536 [18%]	373	
	TR11CB6315	8536 [18%]	373	
	TR11CB6320	8536 [18%]	389	
Auxiliary contact block: 1 NO + 1 NC	CA1DN11	8538 [18%]	560	
Push Button unit	CS1-PB	8538 [18%]	341	
Description	Reference	HSN Code [GST%]	MRP (₹)	Std. Pkg. (Nos.)
Motor ON-Red Indicating Lamp for SPSCS1	RCN7IVL74415VAC	8536 [18%]	310	15
Supply ON-Amber Indicating Lamp for SPSCS1	RCN7IVL75415VAC			





Anmol Motor Starters

Motor Starter - Spares Selection Chart

Product Reference	SINGLE PHASE SUBMERSIBLE PUMP STARTERS			MOTOR STARTERS			STAR DELTA STARTERS
	Economical Standard	Economical-Deluxe	Deluxe	Single Phase DOL Starter	3 Phase DOL Starter	3 Phase Auto Start DOL Starter	Automatic /Semi-Automatic
	BE1SSEDP202U5C16-40	BE1SDEDP202U5210	BE1SDA2025MU210	BE1ASA2025MU	BE1DXM204-404	BE1DXSD204-404	BE3DXM204-254
Contactor	2 Pole Definite Purpose TCDP	2 Pole Definite Purpose TCDP	2 Pole AC2D	2 Pole AC2D	4 Pole TC1DX	4 Pole TC1DX	4 Pole TC1DX
Overload Relay	--	LR7DM	LR7D	LR7D	LR3D	LR3D	LR3D
Coils	DP2XM5	DP2XM5	AX1D2MU	AX1D2MU	TX1D20N	TX1D20N	TX1D20N
Push Button Start/Stop	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31
Red Yellow Blue Amber LED	--	--	--	--	--	--	--
Push Button Mushroom Head/ Flush Type	--	--	RCB2BA3 RCB2BA4	--	--	--	--
Push Button Actuator With Carrier without Element	--	--	-	--	--	--	--
Indicating Lamp 230V	ELIL0001	ELIL0001	ELIL0001	--	--	--	--
Contact Element	--	--	RB2BE101 RB2BE102	--	--	--	--
Run Capacitor / Start Capacitor	ELRC0025 ELRC36	ELRC0025 ELRC36 ELSC0100 ELSC0200	ELRC0025 ELRC50 ELSC0100 ELSC0250	--	--	--	--
Electronic Timer	--	--	--	--	--	--	TCET030SD415VAC
Terminal Block	TB5W30A	TB5W30A	TB5W30A TB3W30A TB6W60A	--	--	TB6W60A	--
Voltmeter	--	VM300	VM300	--	--	--	--
Ammeter	AM15A AM25A AM50A	AM15A AM25A AM50A	AM15A	--	--	--	--
Single Phase Preventor	--	--	--	--	--	--	--
Voltage Selector Switch	--	--	--	--	--	--	--
Miniature Circuit Breaker	CSMBS1C16	--	--	--	--	--	--
Add On Start Switch	--	--	--	--	LA9D09906	LA9D09906	LA9D09906
Add On Block	--	--	LA1D20A	LA1D20A	--	--	TA1DN11
3 Position Selector Switch	--	--	--	--	--	RCP2BD3	RCP2BD3
Auto Switch, 45 Sec. Delay	--	--	--	--	--	TCAS045	--
Pneumatic Timer Block	--	--	AM50A	--	--	--	--
Mounting Kit	--	--	--	--	--	--	--
Extension Terminal	--	--	--	--	--	--	EXT01, EXT02



Motor Starter - Spares Selection Chart

Product Reference	3 PHASE SUBMERSIBLE PUMP STARTERS					
	DOL	DOL Deluxe	DOL Standard	Star Delta Deluxe	Star Delta Deluxe	Star Delta Standard
	SPSCS1DON0914 SPSCS3DON2032	BE1SPSDDX204	BE1SPSSDX204	SPSCS1SDN0914 SPSCS3SDN2032	BE3SPSDDX204	BE3SPSSDX204
Contactor	4 Pole CS1,CS2,CS3	4 Pole TC1DX	4 Pole TC1DX	4 Pole CS1, CS2, CS3	4 Pole TC1DX	4 Pole TC1DX
Overload Relay	CR3D	LR3D	LR3D	CR3D	LR3D	LR3D
Coils	CX1D	TX1D20	TX1D20	CX1D*	TX1D20*	TX1D20*
Push Button Start/Stop	CS1-PB	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31	CS1-PB	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31
Red Yellow Blue Amber LED	--	RCB7IVL74415VAC RCB7IVL75415VAC	--	--	RCB7IVL74415VAC RCB7IVL75415VAC RCB7IVL76415VAC RCB7IVL78415VAC	RCB7IVL74415VAC RCB7IVL75415VAC RCB7IVL76415VAC RCB7IVL78415VAC
Push Button Mushroom Head/ Flush Type	--	RCP2BA31 RCP2BA42	RCP2BA31 RCP2BA42	--	RB2BS54	RB2BS54
Push Button Actuator With Carrier without Element	--	--	--	--	--	--
Indicating Lamp 230V	--	--	--	--	--	--
Contact Element	--	RB2BE101 RB2BE102	RCB7IVL74415VAC RCB7IVL75415VAC	--	RB2BE101 RB2BE102	RB2BE101 RB2BE102
Run Capacitor / Start Capacitor	--	--	RB2BE101 RB2BE102	--	--	--
Electronic Timer	--	--	--	TCET030SD415VAC	--	--
Terminal Block	CS1-TB	TB2W15A TB3W60A	TB2W15A TB3W60A	CS1-TB	TB2W15A TB3W60A TB6W60A	TB2W15A TB3W60A TB6W60A
Voltmeter	CS1-DM	VM500	VM500	CS1-DM	VM500	VM500
Ammeter	--	AM20 AM50	AM20 AM50	--	AM20A AM50A AM75A AM1005A	AM20A AM50A AM75A AM1005A
Single Phase Preventor	--	SPPR1045	SPPR1045	--	SPPR1045	SPPR1045
Voltage Selector Switch	--	SPVSS10	SPVSS10	--	SPVSS10	SPVSS10
Miniature Circuit Breaker	--	CSMB3C25-M CSMB3C32-M	--	--	CSMB3C32-M CSMB3C63-M CSMB3C100 CSMB3C125	CSMB3C125
Add On Start Switch	--	--	--	--	v	--
Add On Block	--	--	--	--	TA1DN11	TA1DN11
3 Position Selector Switch	--	--	--	--	--	v
Auto Switch, 45 Sec. Delay	CS1-AS4	--	--	CS1-AS4	--	--
Pneumatic Timer Block	--	--	--	--	TA2DS2	TA2DS2
Mounting Kit	--	--	--	--	--	LA7D4054
Extension Terminal	--	--	--	--	--	--

Winbreak1 MCCB

- Conforms to IS/IEC 60947-2
- Ics=100% Icu, 75% Icu
- Range: 16A-400A, 3 & 4 Pole
- Breaking capacity: 10kA to 55kA Max.
- Positive Isolation
- Trip free mechanism
- Neutral with 100% rated current
- Bounce free contact structure
- Wide range of Internal & External Accessories
- SS Enclosure available
- Standard packing includes insulating phase barrier and hardware



[HSN Code: 8536]

ATM (Thermal Magnetic) Release • Adjustable Overload 80-100% • Adjustable Short Circuit 5-10 In

Size	Rated Current (Amps)	Breaking capacity Icu at 415V AC	3 Pole Reference	MRP (₹)	4 Pole Reference	MRP (₹)
Frame 1	63, 80, 100	25kA	CSE1M125ATM3P-*RETAIL	13450	CSE1M125ATM4P-*RETAIL	17770
	125		CSE1M125ATM3P-*RETAIL	18430	CSE1M125ATM4P-*RETAIL	20720
Frame 2	160		CSE2M250ATM3P-*RETAIL	21350	CSE2M250ATM4P-*RETAIL	25590
	200		CSE2M250ATM3P-*RETAIL	26960	CSE2M250ATM4P-*RETAIL	30750
	250		CSE2M250ATM3P-*RETAIL	31910	CSE2M250ATM4P-*RETAIL	36290
Frame 3	320		CSE3M400ATM3P-*RETAIL	42530	CSE3M400ATM4P-*RETAIL	49690
	350		CSE3M400ATM3P-*RETAIL	42530	CSE3M400ATM4P-*RETAIL	49690
	400		CSE3M400ATM3P-*RETAIL	43170	CSE3M400ATM4P-*RETAIL	52450
Frame 1	63, 80, 100	36kA	CSE1NN125ATM3P-*RETAIL	18780	CSE1NN125ATM4P-*RETAIL	23550
	125		CSE1NN125ATM3P-*RETAIL	21940	CSE1NN125ATM4P-*RETAIL	25600
Frame 2	160		CSE2NN250ATM3P-*RETAIL	29170	CSE2NN250ATM4P-*RETAIL	37060
	200		CSE2NN250ATM3P-*RETAIL	35420	CSE2NN250ATM4P-*RETAIL	39900
Frame 3	320		CSE3NN400ATM3P-*RETAIL	49250	CSE3NN400ATM4P-*RETAIL	57780
	350		CSE3NN400ATM3P-*RETAIL	49250	CSE3NN400ATM4P-*RETAIL	60290
	400		CSE3NN400ATM3P-*RETAIL	49900	CSE3NN400ATM4P-*RETAIL	60970
Frame 1	63, 80, 100	50kA	CSE1S125ATM3P-*RETAIL	21980	CSE1S125ATM4P-*RETAIL	26660
	125		CSE1S125ATM3P-*RETAIL	26880	CSE1S125ATM4P-*RETAIL	30830
Frame 2	160		CSE2S250ATM3P-*RETAIL	36990	CSE2S250ATM4P-*RETAIL	47410
	200		CSE2S250ATM3P-*RETAIL	41880	CSE2S250ATM4P-*RETAIL	50930
	250		#CSE2SX250ATM3P-*RETAIL	42800	#CSE2SX250ATM4P-*RETAIL	52980
	250		CSE2S250ATM3P-*RETAIL	44810	CSE2S250ATM4P-*RETAIL	55640
	320		CSE3S400ATM3P-*RETAIL	53700	CSE3S400ATM4P-*RETAIL	63710
Frame 3	350		CSE3S400ATM3P-*RETAIL	53700	CSE3S400ATM4P-*RETAIL	63710
	400		CSE3S400ATM3P-*RETAIL	53860	CSE3S400ATM4P-*RETAIL	65710

NOTES : 1. #Icu 50kA(Ics=75% Icu)

2. While Ordering, Replace "*" by Current Rating, followed by 'A' eg., 350A

3. All MCCB's are without spreader terminals.



WiNbreak1 MCCB - Frame 'S'

- Conforms to IS/IEC 60947-2
- $I_{cs}=100\%I_{cu}$ (for 10kA & 18kA), 75% & 50% for 10kA, 75% for 25kA
- Range: 16A-125A
- Breaking capacity: 10kA, 18kA & 25kA
- Compact Size
- Trip free mechanism
- Precise settings
- Termination possibility for unprepared cables
- Flexibility for installation as Horizontal / Vertical
- Standard packing includes insulating phase barrier and hardware



FMU (Thermal Magnetic) Release • Adjustable Overload 80-100% • Fixed short circuit 10In* [HSN Code: 8536]

Size	Rating Range (A)	Breaking Capacity Icu at 415V AC	3 Pole - Reference	MRP (₹)	4 Pole - Reference	MRP (₹)
Frame 'S'	16, 20, 25, 32, 40, 50	10kA	CSESK125FMU3P-*RETAIL	5570	CSESK125FMU4P-*RETAIL	6600
	63, 80, 100A		CSESK125FMU3P-*RETAIL	5700	CSESK125FMU4P-*RETAIL	7950
	125A		CSESK125FMU3P-*RETAIL	7460	CSESK125FMU4P-*RETAIL	9950
	16, 20, 25, 32, 40, 50,	18kA	CSESL125FMU3P-RETAIL	9230	CSESL125FMU4P-*RETAIL	12820
	63, 80, 100A		CSESL125FMU3P-*RETAIL	9480	CSESL125FMU4P-*RETAIL	13090
	125A		CSESL125FMU3P-*RETAIL	10150	CSESL125FMU4P-*RETAIL	14330
	16, 20, 25, 32, 40, 50	25kA*	CSESMX125FMU3P-*RETAIL	10020	CSESMX125FMU4P-*RETAIL	13060
	63, 80, 100A		CSESMX125FMU3P-*RETAIL	10430	CSESMX125FMU4P-*RETAIL	13700
	125A		CSESMX125FMU3P-*RETAIL	10930	CSESMX125FMU4P-*RETAIL	14380

NOTES :

1. While Ordering, Replace*** by Current Rating.
2. * $I_{cs}=75\%I_{cu}$
3. *From 63-125A

On Load Changeover Switches (Back to Back Type)

LT Heavy Duty 4 Pole On Load Changeover Load Break Switch comprising of two compact Switches 63-250A, 415V, 50Hz complete with handle assembly having Door Interlock and Padlocking arrangement.

- Conforms to IS/IEC 60947-3
- Range: 63A~250A, 415V, 50Hz
- Version: 4P
- Modular construction
- Positive Isolation
- Door Interlock and Padlock facility



In Open Execution

[HSN Code: 8536]

Size		Rating (Amps)	Pole	Reference	MRP (₹)
NM-Series	Frame 1	63	4	CSCS63NM4CORE	11400
	Frame 1	100	4	CSCS100NM4CORE	15140
	Frame 2	125	4	CSCS125NM4CORE	22110
	Frame 2	160	4	CSCS160NM4CORE	24310
	Frame 2	200	4	CSCS200NM4CORE	29240
	Frame 2	250	4	CSCS250NM4CORE	43880

In Sheet Steel Enclosure

[HSN Code: 8536]

Size		Rating (Amps)	Pole	Reference	MRP (₹)
NM - Series	Frame 1	63	4	E-CSCS63NM4CORE	16020
	Frame 1	100	4	E-CSCS100NM4CORE	20170
	Frame 2	125	4	E-CSCS125NM4CORE	29410
	Frame 2	160	4	E-CSCS160NM4CORE	32020
	Frame 2	200	4	E-CSCS200NM4CORE	37040
	Frame 2	250	4	E-CSCS250NM4CORE	56020



Switch Disconnectors (Load Break Switches)

- Conforms to IS/IEC 60947-3
- Range: 25A-400A, 415V AC 50Hz
- Version: TP / 4P
- Compact Construction
- Door Interlock and Padlock facility
- Positive Isolation



[HSN Code: 8536]

Size		Rating Amps	Pole	CSSD In Open Execution		In Sheet Steel Enclosure	
				Reference	MRP (₹)	Reference	MRP (₹)
D-Series	Frame 1	25	3	CSSD25D3RE	3230	 E-CSSD25D3RE	7040
			4	 CSSD25D4RE	4270	E-CSSD25D4RE	7670
	Frame 1	40	3	CSSD40D3RE	3470	E-CSSD40D3RE	8110
			4	CSSD40D4RE	6700	 E-CSSD40D4RE	8860
	Frame 2	63	3	CSSD63K3RE	4600	 E-CSSD63K3RE	9670
	Frame 3		4	CSSD63D4RE	7340	 E-CSSD63D4RE	11610
	Frame 3	125	3	CSSD125D3RE	10300	E-CSSD125D3RE	16210
	Frame 3		4	CSSD125D4RE	12530	 E-CSSD125D4RE	18000
NM-Series	Frame 1	125	3	CSSD125NM3RE	12090	E-CSSD125NM3RE	17850
			4	CSSD125NM4RE	14890	E-CSSD125NM4RE	22040
	Frame 1	160	3	 CSSD160NM3RE	13460	E-CSSD160NM3RE	19930
			4	 CSSD160NM4RE	16020	E-CSSD160NM4RE	23760
	Frame 1	200	3	 CSSD200NM3RE	17200	E-CSSD200NM3RE	22350
			4	CSSD200NM4RE	22310	E-CSSD200NM4RE	29010
	Frame 1	250	3	CSSD250NM3RE	17410	E-CSSD250NM3RE	25760
			4	CSSD250NM4RE	24120	 E-CSSD250NM4RE	35770
	Frame 2	315	3	CSSD315NM3RE	22670	E-CSSD315NM3RE	POR
			4	CSSD315NM4RE	24480	E-CSSD315NM4RE	
	Frame 2	400	3	CSSD400NM3RE	27180	E-CSSD400NM3RE	
			4	CSSD400NM4RE	32990	E-CSSD400NM4RE	

NOTE:

1. Rotary Handle with door defeat Mechanism handle is available only for 25~125A (D&K Type).
2. Pistol Handle is available for complete range.
3. Switch Disconnector with Direct Handle and Extended Terminals are also available. Please contact nearest Branch Office for prices.
4. Handle Colour: Red knob & yellow base is available on request for rotary switches upto 125A.

Switch Disconnector Fuse Units (without Fuse Links)

- Conforms to IS/IEC 60947-3
- Range: 32~250A, 415V AC 50Hz
- Door Interlock and Padlock facility
- Version: 2P / TP / TPN / 4P
- Modular Construction
- Positive Isolation
- Suitable for DIN & Bolted HRC Fuse Links



[HSN Code: 8537]

Size	Rating Amps	Pole	CSSDF in Open Execution				CSSDF in Sheet Steel Enclosure				Recommended Fuse Links Type (IEC Size)	
			Reference	MRP (₹)	Reference	MRP (₹)	Reference	MRP (₹)	Reference	MRP (₹)	DIN	BS
			DIN		BS		DIN		BS			
Frame 1	32A	2P	CSSDF32D2RE	3830	CSSDF32B2RE	4980					CDFL00 32	CTIA-32 (A2)
		TP	CSSDF32D3RE	4920	CSSDF32B3RE	5120	☒ E-CSSDF32D3RE	9420	E-CSSDF32B3RE	9120		
		TPN	CSSDF32D3NRE	5240	CSSDF32B3NRE	5260	E-CSSDF32D3NRE	9780	E-CSSDF32B3NRE	9310		
		4P	☒ CSSDF32D4NRE	6050	☒ CSSDF32B4FNRE	5700	E-CSSDF32D4FNRE	10650	☒ E-CSSDF32B4FNRE	10080		
Frame 1	63A	2P	CSSDF63D2RE	5540	CSSDF63B2RE	5310					CDFL00 63	CSTIS-63 (A3)
		TP	CSSDF63D3RE	6190	CSSDF63B3RE	5700	☒ E-CSSDF63D3RE	10950	E-CSSDF63B3RE	11030		
		TPN	CSSDF63D3NRE	6290	CSSDF63B3NRE	6570	E-CSSDF63D3NRE	11830	E-CSSDF63B3NRE	12010		
		4P	CSSDF63D4FNRE	6440	CSSDF63B4FNRE	6660	E-CSSDF63D4FNRE	12310	☒ E-CSSDF63B4FNRE	12330		
Frame 2	100A	2P	CSSDF100D2RE	9770	CSSDF100B2RE	11290					CDFL00 100	CTCP-100 (A4)
		TP	CSSDF100D3RE	11830	CSSDF100B3RE	13030	E-CSSDF100D3RE	17380	E-CSSDF100B3RE	17790		
		TPN	CSSDF100D3NRE	12640	CSSDF100B3NRE	13260	E-CSSDF100D3NRE	18470	E-CSSDF100B3NRE	17940		
		4P	CSSDF100D4FNRE	14900	☒ CSSDF100B4FNRE	15750	E-CSSDF100D4FNRE	21020	☒ E-CSSDF100B4FNRE	21930		
Frame 2	125A	2P	CSSDF125D2RE	11840	CSSDF125B2RE	12040					CDFL00 125	CTCP-125 (A4)
		TP	CSSDF125D3RE	12640	☒ CSSDF125B3RE	13140	☒ E-CSSDF125D3RE	19950	E-CSSDF125B3RE	19690		
		TPN	CSSDF125D3NRE	14280	CSSDF125B3NRE	14580	E-CSSDF125D3NRE	21290	E-CSSDF125B3NRE	22780		
		4P	CSSDF125D4FNRE	17710	CSSDF125B4FNRE	17700	☒ E-CSSDF125D4FNRE	23280	☒ E-CSSDF125B4FNRE	24160		
Frame 2	160A	2P	☒ CSSDF160D2RE	14820	CSSDF160B2RE	15300					CDFL00 160	CTF-160 (B2)
		TP	CSSDF160D3RE	16470	☒ CSSDF160B3RE	17020	E-CSSDF160D3RE	23170	E-CSSDF160B3RE	23450		
		TPN	CSSDF160D3NRE	18000	CSSDF160B3NRE	18770	E-CSSDF160D3NRE	24960	☒ E-CSSDF160B3NRE	25850		
		4P	☒ CSSDF160D4FNRE	19990	☒ CSSDF160B4FNRE	22130	E-CSSDF160D4FNRE	31030	E-CSSDF160B4FNRE	34240		
Frame 3	200A	2P	CSSDF200D2RE	18090	CSSDF200B2RE	19040					CDFL1200 / CSDFL1 200	CTF-200 (B2)
		TP	CSSDF200D3RE	21020	☒ CSSDF200B3RE	20530	☒ E-CSSDF200D3RE	28650	E-CSSDF200B3RE	31770		
		TPN	CSSDF200D3NRE	23620	CSSDF200B3NRE	23620	E-CSSDF200D3NRE	31000	E-CSSDF200B3NRE	33440		
		4P	CSSDF200D4FNRE	25100	CSSDF200B4FNRE	25200	☒ E-CSSDF200D4FNRE	35860	E-CSSDF200B4FNRE	35160		
Frame 3	250A	2P	CSSDF250D2RE	20540	☒ CSSDF250B2RE	21170					CDFL1 250/ CSDFL1 250	CTKF250(B3)
		TP	CSSDF250D3RE	23780	CSSDF250B3RE	24430	☒ E-CSSDF250D3RE	31020	E-CSSDF250B3RE	33440		
		TPN	CSSDF250D3NRE	23890	CSSDF250B3NRE	26520	E-CSSDF250D3NRE	32270	E-CSSDF250B3NRE	34440		
		4P	CSSDF250D4FNRE	26810	CSSDF250B4FNRE	29490	☒ E-CSSDF250D4FNRE	37550	E-CSSDF250B4FNRE	38380		



HRC Fuse Links, Fuse Base & Fuse Holders

- Conforms to IS 13703-Part 2
- Conforms to IEC 60269-Part 2
- Range: DIN type (6~630A), 500V, AC 50Hz
Bolted type (2~800A), 415V, AC 50Hz
- High breaking capacity: 80kA



DIN Type HRC Fuse Link [HSN Code: 8536]

IS/IEC Size	In A	Reference	MRP (₹)	Std. Pkg. (Nos.)
00	6, 10, 16, 20, 25, 32, 35	CDFL00*	630	3
	40, 50, 63	CDFL00*	630	
	80, 100	CDFL00*	640	
	125, 160	CDFL00*	660	
1	32, 35, 50, 63	CDFL01*	1250	
	80, 100, 125	CDFL01*	1370	
	160	CDFL01*	1370	
	200	CDFL1*	1390	
	250	CDFL1*	1530	
2	100, 125	CDFL02*	1960	
	160, 200	CDFL02*	2000	
	250	CDFL02*	2000	
	315	CDFL2*	2100	
	400	CDFL2*	2200	
3	315, 400	CDFL03*	2810	
	500	CDFL3*	3370	
	630	CDFL3*	3370	

While ordering, replace "*" by current rating.



Fuse Base for DIN Type Fuse Links (ISI Mark) [HSN Code: 8536]

IS/IEC Size	In A	Reference	MRP (₹)	Std. Pkg. (Nos.)
00	160	CSDFB00RE	1050	3
1	250	CSDFB1RE	1910	
2	400	CSDFB2RE	2280	
3	630	CDFB3RE	3890	



Solid Links [HSN Code: 8536]

IS/IEC Size	In A	Reference	MRP (₹)	MOQ
00	160	CDSL00RE	1050	3
1	250	CDSL1RE	1390	
2	400	☒ CDSL2RE	1910	
3	630	☒ CDSL3RE	2350	

☒ non stockable items.

WiNtrip MCB - Selection Chart

	Appliances	Capacity	AMP	MCB Type
	Air-Conditioner	1.0 T 1.5 T 2.0 T	16A 20A 20A	C Type C Type C Type
	Refrigerator	165 L 350 L	3A 4A	C Type C Type
	Oven + Griller	4500 W 1750 W	25A 10A	B Type B Type
	Oven	750 W	6A	B Type
	Toaster	1200 W	10A	B Type
	Electric Kettle	1500 W	10A	B Type
	Electric Iron	750 W	6A	B Type
	Electric Geyser	4000 W	20A	B Type
	Mixer	200 W	2A	C Type
	Washing Machine	1300 W	10A	C Type

Data is for reference only. Please refer to the appliance manufacturer technical manual for exact appliance current rating.

Safe | **Convenient** | **Energy Saving** | **Wide range**



CENTRAL CUSTOMER CARE

C&S Electric is committed to create a unique alchemy of outstanding products, operational excellence, path breaking customer services & compelling marketing. Further to enhance the post sales customer service experience, C&S introduces a service monitoring software "Salesforce". The software provides a transparent service tracking system and helps in efficient monitoring and quick resolution of queries.



Key Features & Benefits

- Transparent process
- Efficient monitoring & tracking of each Service Request
- Quick resolution time
- All relevant customer data in one single location
- Improved customer relationships
- Strengthen C&S brand image & reputation in the market

FOR QUICK ENQUIRY

Toll Free Number: 1800 572 2012



95994 45253
(9:00 AM to 6:00 PM)

Email: customercare@cselectric.co.in

Escalation Matrix

***C&S Branch Service Engineer “ ≥ 24 Hours”**
(Refer contact details on page no. 5 to 11)

***Central Customer Services (CCS) “ ≥ 48 Hours”**
(Connect via Toll free no., Email ID, & Whatsapp no.)


Dy. Manager - Mr. Praveen Chauhan “ ≥ 72 Hours”
Email: praveen.chauhan@cselectric.co.in

Head Services - Mr. Bikram Rana “ ≥ 96 Hours”
Email: bikram.rana@cselectric.co.in

Sr.VP - Mr. P. Anandan “ ≥ 120 Hours”
Email: anandan.p@cselectric.co.in



*Refer complete service directory for contact details of service team



Marketing offices spread all over India

REGISTERED OFFICE

210, 211 & 212, Second Floor, 'Salcon Aurum' Building
Plot No. 4, Jasola District Centre, New Delhi - 110 025 (INDIA)
Tel.: +91 11 6922 5600 | Email: info@cselectric.co.in

CENTRAL MARKETING OFFICE

C-60, Wing-A, Phase-II, Noida, District Gautam Budh Nagar, Uttar Pradesh - 201 305 (INDIA)
Tel.: +91 120 387 4800 / 01 | Email: cmo@cselectric.co.in

CUSTOMER CARE

Toll Free Number: 1800 572 2012 | Email: customercare@cselectric.co.in

NORTHERN REGION

DELHI
Email: cmo@cselectric.co.in

LUDHIANA
Email: ludhiana@cselectric.co.in

LUCKNOW
Email: lucknow@cselectric.co.in

KANPUR
Email: lucknow@cselectric.co.in

JAIPUR
Email: jaipur@cselectric.co.in

CENTRAL REGION

INDORE
Email: indore@cselectric.co.in

RAIPUR
Email: raipur@cselectric.co.in

NAGPUR
Email: nagpur@cselectric.co.in

EASTERN REGION

KOLKATA
Email: kolkata@cselectric.co.in

GUWAHATI
Email: guwahati@cselectric.co.in

RANCHI
Email: ranchi@cselectric.co.in

BHUBANESWAR
Email: bhubaneshwar@cselectric.co.in

WESTERN REGION
MUMBAI
Email: mumbai@cselectric.co.in

PUNE
Email: pune@cselectric.co.in

AHMEDABAD
Email: ahmedabad@cselectric.co.in

RAJKOT
Email: ahmedabad@cselectric.co.in

BARODA
Email: baroda@cselectric.co.in

SURAT
Email: surat@cselectric.co.in

SOUTHERN REGION
CHENNAI
Email: chennai@cselectric.co.in

COIMBATORE
Email: coimbatore@cselectric.co.in

KOCHI
Email: cochin@cselectric.co.in

MADURAI
Email: commercial.madurai@cselectric.co.in

BENGALURU
Email: bangalore@cselectric.co.in

HYDERABAD
Email: hyderabad@cselectric.co.in

VIJAYAWADA
Email: vijayawada@cselectric.co.in

RESIDENT ENGINEERS

AHMEDABAD: Visnagar **BANGALORE:** Bellary, Hassan, Hubli, Mangalore **BARODA:** Anand, Vapi **BHUBANESWAR:** Behrampur, Cuttack, Rourkela, Sambalpur **CHENNAI:** Vellore, Trichy **KOCHI:** Kollam **COIMBATORE:** Erode **DELHI & HARYANA:** Gurugram, Hissar, Panipat, **UP (W) & UK:** Agra, Bareilly, Dehradun, Ghaziabad, Meerut, Moradabad, Noida **GUWAHATI:** Silchar, Tezpur **HYDERABAD:** Karimnagar, Warangal **INDORE:** Bhopal, Gwalior, Jabalpur, Rewa, Ujjain **J&K:** Kashmir, Srinagar **JAIPUR:** Bhilwara, Bikaner, Jodhpur, Kota, Sikar, Udaipur **KOLKATA:** Bankura, Bardhaman, Siliguri **LUCKNOW:** Gorakhpur, Prayagraj, Shahjhanpur, Varanasi **LUDHIANA:** Amritsar, Barnala, Jammu, Mansa **MADURAI:** Nagercoil, Rajapalayam **MUMBAI:** Aurangabad, Nasik **NAGPUR:** Akola, Amravati, Chandrapur **PUNE:** Goa, Nasik, Kolhapur, Sangali, Solapur **RAIPUR:** Ambikapur **RAJKOT:** Bhavnagar, Jamnagar **RANCHI:** Dhanbad, Muzaffarpur, Patna, Purnia, Siwan **SURAT:** Aurangabad, Nasik **VIJAYAWADA:** Chittoor, Rajahmundry, Tirupathi, Vishakhapatnam

WAREHOUSES

National Warehouse

NOIDA C-13, Ground Floor, Sector-80, Phase-II, Noida, District Gautam Budh Nagar, Uttar Pradesh - 201305 INDIA
JHAJJAR P-12, Sector-3, Model Economic Township, Street No. 1, Badli, Dadri Toe Jhajjar, Haryana - 124103 INDIA

