SOAP Note

Patient: Patient | **Clinician:** Dr. Yuki Tanaka

Date: Sep 12, 2026 · 02:44 PM | **Encounter ID:** visit-bc9e007d

Subjective

Patient reports elevated home blood pressure readings (160/95 on two occasions) with mild headaches. No chest pain, dizziness, or shortness of breath. Has history of slightly high readings during checkups but no prior hypertension diagnosis. Lifestyle includes sedentary work, high-salt diet, occasional alcohol, and irregular sleep (6 hours/night). Positive family history of hypertension (father).

Objective

Not documented

Assessment

Elevated blood pressure with multiple risk factors including family history, sedentary lifestyle, high-salt diet, and irregular sleep patterns.

Plan

Confirm with ambulatory BP monitoring. Implement lifestyle modifications (DASH diet, exercise, sodium restriction). Consider ACE inhibitor if hypertension confirmed. 7-day home BP monitoring recommended.

Differential Diagnosis Suggestions

Supportive suggestions only; requires clinician verification and approval.

1. Essential Hypertension (Stage 1) (80%)

Rationale: Patient meets criteria for Stage 1 hypertension with persistent elevated readings and modifiable risk factors.

2. Secondary Hypertension (Dietary Sodium Sensitivity) (65%)

Rationale: Strong correlation with excessive sodium intake given dietary pattern and family tendency.

3. Prehypertension (62%)

Rationale: May represent progression from prehypertension given historical pattern.

4. White Coat Hypertension (61%)

Rationale: Possible white coat effect given absence of symptoms and only recent elevated readings.

5. Tension-Type Headache (56%)

Rationale: Headaches may be secondary to tension given sleep disruption rather than hypertensive emergency.

Clinician signature: _____ **Date:** 2026-09-12