Subject: / /

OSI :- Open Source Interconnection

→ ISO (International Standarization Orgn)
— 1984

↳ give set of rules framework
↳ protocol

→ efficiency
→ Reliability

→ This is theoritical

→ Characterstics

→ Conceptual

→ 7-layer stack prefred

Subject: / /

S/w Message { Application

Presentation

Session

Packet — Transport $\frac{IP}{(32)}$ Router (3) - Source to Destination

H/w { TCP UDP — Network $\frac{(16)}{\text{Port address}}$ Gateway (4) - Port to Port

Frame — DLL (Data link layer) $\frac{MAC}{(48)}$ Bridge (2) Node to Node

bits — Physical — Hub

logical link layers



Subject: / /

S/w Message { Application
Presentation
Session

TCP UDP – Network $\frac{(16)}{}$ Gateway (4) - Port to Port

H/w { Packet – Transport $\frac{IP}{(32)}$ Router (3) - Source to Destination
Frame – DLL (Data link layer) $\frac{MAC}{(48)}$ Bridge (2) Node to Node
bits – Physical – Hub

→ logical address (MAC address)
→ works on frame data
↳ bits + header
→ Use Bridge device

→ working on bits
→ Connect two node wie physical cables.
→ Using Hub device

→ TCP / UDP → use for transport

→ Use in communication b/w gateway

→ Session layer
↳ Flow of packet to server (flow control)
→ Error control

→ **DNS**

* Domain Name System
* Work on application layer
* Work on Port No : 53

Subject: <u>Working</u> :-



www.ymca.com
(URL)
↳ Uniform Resource Locator

* TCP / IP → Internet protocol
↳ Transmission Control Protocol

→ Work on 5 layers.

→ Designed based on <u>working</u> Protocol
↳ * implemented, not theoretical

→ adapts well to different hardware & network
includes error handling, routing & conjection

Subject: → TCP/IP is open and free to use / /
control
and not control by single organisation.

Q OSI & layers discuss

Q. OSI & TCP/IP difference